



603782



## THE BEAUTIES OF NATURE





THE  
BEAUTIES OF NATURE  
AND THE  
WONDERS OF THE WORLD  
WE LIVE IN

BY  
THE RIGHT HON.  
SIR JOHN LUBBOCK, BART., M.P.  
F.R.S., D.C.L., LL.D.

London  
MACMILLAN AND CO.  
AND NEW YORK  
1892

*All rights reserved*



# CONTENTS

## CHAPTER I

	PAGE
INTRODUCTION . . . . .	1
Beauty and Happiness . . . . .	3
The Love of Nature . . . . .	5
Enjoyment of Scenery . . . . .	14
Scenery of England . . . . .	19
Foreign Scenery . . . . .	21
The Aurora . . . . .	33
The Seasons . . . . .	34

## CHAPTER II

ON ANIMAL LIFE . . . . .	39
Love of Animals . . . . .	41
Growth and Metamorphoses . . . . .	43
Rudimentary Organs . . . . .	45
Modifications . . . . .	48
Color . . . . .	50
Communities of Animals . . . . .	57
Ants . . . . .	58

## CHAPTER III

	PAGE
ON ANIMAL LIFE— <i>continued</i> . . . . .	71
Freedom of Animals . . . . .	73
Sleep . . . . .	78
Senses . . . . .	84
Sense of Direction . . . . .	93
Number of Species . . . . .	96
Importance of the Smaller Animals . . . . .	97
Size of Animals . . . . .	100
Complexity of Animal Structure . . . . .	101
Length of Life . . . . .	102
On Individuality . . . . .	104
Animal Immortality . . . . .	112

## CHAPTER IV

ON PLANT LIFE . . . . .	115
Structure of Flowers . . . . .	128
Insects and Flowers . . . . .	134
Past History of Flowers . . . . .	136
Fruits and Seeds . . . . .	137
Leaves . . . . .	138
Aquatic Plants . . . . .	144
On Hairs . . . . .	148
Influence of Soil . . . . .	151
On Seedlings . . . . .	152
Sleep of Plants . . . . .	152
Behaviour of Leaves in Rain . . . . .	155
Mimicry . . . . .	156

## CONTENTS

vii

	PAGE
Ants and Plants . . . . .	156
Insectivorous Plants . . . . .	158
Movements of Plants . . . . .	159
Imperfection of our Knowledge . . . . .	163

## CHAPTER V

WOODS AND FIELDS . . . . .	165
Fairy Land . . . . .	172
Tropical Forests . . . . .	179
Structure of Trees . . . . .	185
Ages of Trees . . . . .	188
Meadows . . . . .	192
Downs . . . . .	194

## CHAPTER VI

MOUNTAINS . . . . .	201
Alpine Flowers . . . . .	205
Mountain Scenery . . . . .	206
The Afterglow . . . . .	213
The Origin of Mountains . . . . .	214
Glaciers . . . . .	227
Swiss Mountains . . . . .	232
Volcanoes . . . . .	236
Origin of Volcanoes . . . . .	243

## CHAPTER VII

WATER . . . . .	247
Rivers and Witchcraft . . . . .	249

	PAGE
Water Plants . . . . .	250
Water Animals . . . . .	251
Origin of Rivers . . . . .	253
The Course of Rivers . . . . .	256
Deltas . . . . .	270

## CHAPTER VIII

RIVERS AND LAKES . . . . .	275
On the Directions of Rivers . . . . .	277
The Conflicts and Adventures of Rivers . . . . .	299
On Lakes . . . . .	310
On the Configuration of Valleys . . . . .	321

## CHAPTER IX

THE SEA . . . . .	333
The Sea Coast . . . . .	335
Sea Life . . . . .	342
The Ocean Depths . . . . .	350
Coral Islands . . . . .	356
The Southern Skies . . . . .	363
The Poles . . . . .	365

## CHAPTER X

THE STARRY HEAVENS . . . . .	371
The Moon . . . . .	375
The Sun . . . . .	380
The Planets . . . . .	385

# CONTENTS

ix

	PAGE
Mercury . . . . .	387
Venus . . . . .	388
The Earth . . . . .	389
Mars . . . . .	390
The Minor Planets . . . . .	391
Jupiter . . . . .	392
Saturn . . . . .	393
Uranus . . . . .	394
Neptune . . . . .	395
Origin of the Planetary System . . . . .	396
Comets . . . . .	399
Shooting Stars . . . . .	404
The Stars . . . . .	408
Nebulæ . . . . .	423





## ILLUSTRATIONS

	PAGE
1. Larva of <i>Cherocampa porcellus</i> . . . . .	53
2. <i>Bougainvillea fruticosa</i> ; natural size. (After Allman) .	107
3. Do. do. magnified . . . . .	108
4. Do. do. Medusa-form . . . . .	109
5. <i>Medusa aurita</i> , and progressive stages of development. (After Steenstrup) . . . . .	110
6. White Dead-nettle . . . . .	124
7. Do. . . . .	125
8. Do. . . . .	125
9. <i>Salvia</i> . . . . .	127
10. Do. . . . .	127
11. Do. . . . .	127
12. Primrose . . . . .	131
13. Do. . . . .	131
14. Arum . . . . .	135
15. Twig of Beech . . . . .	140
16. Arrangement of leaves in <i>Acer platanoides</i> . . . . .	142
17. Diagram to illustrate the formation of Mountain Chains	216
18. Section across the Jura from Brenets to Neuchâtel. (After Jaccard) . . . . .	219
19. Section from the Spitzen across the Brunnialp, and the Maderanerthal. (After Heim) . . . . .	221
20. Glacier of the Blümlis Alp. (After Reclus) . . . . .	228
21. Cotopaxi. (After Judd) . . . . .	237
22. Lava Stream. (After Judd) . . . . .	239

	PAGE
23. Stromboli, viewed from the north-west, April 1874. (After Judd) . . . . .	242
24. Upper Valley of St. Gotthard . . . . .	255
25. Section of a river valley. The dotted line shows a slope or talus of debris . . . . .	258
26. Valley of the Rhone, with the waterfall of Sallenches, showing a talus of debris . . . . .	259
27. Section across a valley. <i>A</i> , present river valley ; <i>B</i> , old river terrace . . . . .	260
28. Diagram of an Alpine valley, showing a river cone. Front view . . . . .	261
29. Diagram of an Alpine valley, showing a river cone. Lateral view . . . . .	263
30. Map of the Valais near Sion . . . . .	264
31. View in the Rhone Valley, showing a lateral cone . . . . .	265
32. Do. showing the slope of a river cone . . . . .	266
33. Shore of the Lake of Geneva, near Vevey . . . . .	267
34. View in the district of the Broads, Norfolk . . . . .	269
35. Delta of the Po . . . . .	271
36. Do. Mississippi . . . . .	272
37. Map of the Lake District . . . . .	279
38. Section of the Weald of Kent. <i>a, a</i> , Upper Cretaceous strata, chiefly Chalk, forming the North and South Downs ; <i>b, b</i> , Escarpment of Lower Greensand, with a valley between it and the Chalk ; <i>c, c</i> , Weald Clay, forming plains ; <i>d</i> , Hills formed of Hastings Sand and Clay. The Chalk, etc., once spread across the country, as shown in the dotted lines . . . . .	281
39. Map of the Weald of Kent . . . . .	282
40. Sketch Map of the Swiss Rivers . . . . .	289
41. Diagram in illustration of mountain structure . . . . .	294
42. Sketch Map of the Aar and its tributaries . . . . .	297
43. River system round Chur, as it used to be . . . . .	306

# ILLUSTRATIONS

xiii

	PAGE
44. River system round Chur, as it is . . . .	307
45. River system of the Maloya . . . .	309
46. Final slope of a river . . . .	315
47. Do. do. with a lake . . . .	316
48. Diagrammatic section of a valley (exaggerated). <i>R R</i> , rocky basis of a valley ; <i>A A</i> , sedimentary strata ; <i>B</i> , ordinary level of river ; <i>C</i> , flood level . . . .	327
49. Whitsunday Island. After Darwin . . . .	357
50. A group of Lunar Volcanoes ; Maurolycus, Barocius, etc. (After Judd). . . . .	378
51. Orbits of the inner Planets. (After Ball) . . . .	386
52. Relative distances of the Planets from the Sun. (After Ball)	387
53. Saturn, with the surrounding series of rings. (After Lockyer) . . . . .	393
54. The Parallaxic Ellipse. (After Ball) . . . .	411
55. Displacement of the hydrogen line in the spectrum of Rigel. (After Clarke) . . . . .	414

# PLATES

BURNHAM BEECHES . . . . .	<i>Frontispiece</i>
WINDSOR CASTLE. (From a drawing by J. Finnemore) . . . . .	<i>To face page 13</i>
AQUATIC VEGETATION, RIO. (Published by Spooner and Co.) . . . . .	145
TROPICAL FOREST, WEST INDIES. (After Kingsley) . . . . .	179
SUMMIT OF MONT BLANC . . . . .	203
THE MER DE GLACE, MONT BLANC . . . . .	229
RYDAL WATER. (From a photograph by Frith and Co., published by Spooner and Co.) . . . . .	247

WINDERMERE . . . . .	<i>To face page</i>	253
VIEW IN THE VALAIS BELOW ST. MAURICE . . . . .	„ „	264
VIEW UP THE VALAIS FROM THE LAKE OF GENEVA . . . . .	„ „	268
THE LAND'S END. (From a photograph by Frith and Co., published by Spooner and Co.) . . . . .	„ „	334
VIEW OF THE MOON NEAR THE THIRD QUARTER. (From a photograph by Prof. Draper) . . . . .	„ „	371

# CHAPTER I

## INTRODUCTION

If any one gave you a few acres, you would say that you had received a benefit ; can you deny that the boundless extent of the earth is a benefit ? If any one gave you money, you would call that a benefit. God has buried countless masses of gold and silver in the earth. If a house were given you, bright with marble, its roof beautifully painted with colors and gilding, you would call it no small benefit. God has built for you a mansion that fears no fire or ruin . . . covered with a roof which glitters in one fashion by day, and in another by night. . . . Whence comes the breath you draw ; the light by which you perform the actions of your life ? the blood by which your life is maintained ? the meat by which your hunger is appeased ? . . . The true God has planted, not a few oxen, but all the herds on their pastures throughout the world, and furnished food to all the flocks ; he has ordained the alternation of summer and winter . . . has invented so many arts and varieties of voice, so many notes to make music. . . . We have implanted in us the seed of all ages, of all arts ; and God our Master brings forth our intellects from obscurity.—SENECA.

## CHAPTER I

### INTRODUCTION

THE world we live in is a fairyland of exquisite beauty, our very existence is a miracle in itself, and yet few of us enjoy as we might, and none as yet appreciate fully, the beauties and wonders which surround us. The greatest traveller cannot hope even in a long life to visit more than a very small part of our earth, and even of that which is under our very eyes how little we see !

What we do see depends mainly on what we look for. When we turn our eyes to the sky, it is in most cases merely to see whether it is likely to rain. In the same field the farmer will notice the crop, geologists the fossils, botanists the flowers, artists the coloring, sportsmen the cover for game. Though



we may all look at the same things, it does not at all follow that we should see them.

It is good, as Keble says, "to have our thoughts lift up to that world where all is beautiful and glorious," — but it is well to realise also how much of this world is beautiful. It has, I know, been maintained, as for instance by Victor Hugo, that the general effect of beauty is to sadden. "Comme la vie de l'homme, même la plus prospère, est toujours au fond plus triste que gaie, le ciel sombre nous est harmonieux. Le ciel éclatant et joyeux nous est ironique. La Nature triste nous ressemble et nous console; la Nature rayonnante, magnifique, superbe . . . a quelque chose d'accablant."<sup>1</sup>

This seems to me, I confess, a morbid view. There are many no doubt on whom the effect of natural beauty is to intensify feeling, to deepen melancholy, as well as to raise the spirits. As Mrs. W. R. Greg in her memoir of her husband tells us: "His passionate love for nature, so amply fed by the beauty of the scenes around him,

<sup>1</sup> *Choses Vues.*

intensified the emotions, as all keen perception of beauty does, but it did not add to their joyousness. We speak of the pleasure which nature and art and music give us; what we really mean is that our whole being is quickened by the uplifting of the veil. Something passes into us which makes our sorrows more sorrowful, our joys more joyful,—our whole life more vivid. So it was with him. The long solitary wanderings over the hills, and the beautiful moonlight nights on the lake served to make the shadows seem darker that were brooding over his home.”

But surely to most of us Nature when sombre, or even gloomy, is soothing and consoling; when bright and beautiful, not only raises the spirits, but inspires and elevates our whole being—

Nature never did betray  
The heart that loved her; 'tis her privilege,  
Through all the years of this our life, to lead  
From joy to joy: for she can so inform  
The mind that is within us, so impress  
With quietness and beauty, and so feed  
With lofty thoughts, that neither evil tongues,  
Rash judgments, nor the sneers of selfish men,  
Nor greetings where no kindness is, nor all

The dreary intercourse of daily life,  
Shall e'er prevail against us, or disturb  
Our cheerful faith, that all which we behold  
Is full of blessings.<sup>1</sup>

Kingsley speaks with enthusiasm of the heaths and moors round his home, "where I have so long enjoyed the wonders of nature; never, I can honestly say, alone; because when man was not with me, I had companions in every bee, and flower and pebble; and never idle, because I could not pass a swamp, or a tuft of heather, without finding in it a fairy tale of which I could but decipher here and there a line or two, and yet found them more interesting than all the books, save one, which were ever written upon earth."

Those who love Nature can never be dull. They may have other temptations; but at least they will run no risk of being beguiled, by ennui, idleness, or want of occupation, "to buy the merry madness of an hour with the long penitence of after time." The love of Nature, again, helps us greatly to keep

<sup>1</sup> Wordsworth.

ourselves free from those mean and petty cares which interfere so much with calm and peace of mind. It turns "every ordinary walk into a morning or evening sacrifice," and brightens life until it becomes almost like a fairy tale.

In the romances of the Middle Ages we read of knights who loved, and were loved by, Nature spirits,—of Sir Launfal and the Fairy Tryamour, who furnished him with many good things, including a magic purse, in which

As oft as thou puttest thy hand therein  
A mark of gold thou shalt iwinne,

as well as protection from the main dangers of life. Such times have passed away, but better ones have come. It is not now merely the few, who are so favoured. All those who love Nature she loves in return, and will richly reward, not perhaps with the good things, as they are commonly called, but with the best things, of this world; not with money and titles, horses and carriages, but with bright and happy thoughts, contentment and peace of mind.

Happy indeed is the naturalist: to him the seasons come round like old friends; to him the birds sing: as he walks along, the flowers stretch out from the hedges, or look up from the ground, and as each year fades away, he looks back on a fresh store of happy memories.

Though we can never "remount the river of our years," he who loves Nature is always young. But what is the love of Nature? Some seem to think they show a love of flowers by gathering them. How often one finds a bunch of withered blossoms on the roadside, plucked only to be thrown away! Is this love of Nature? It is, on the contrary, a wicked waste, for a waste of beauty is almost the worst waste of all.

If we could imagine a day prolonged for a lifetime, or nearly so, and that sunrise and sunset were rare events which happened but a few times to each of us, we should certainly be entranced by the beauty of the morning and evening tints. The golden rays of the morning are a fortune in themselves, but we too often overlook the loveliness of Nature,

because it is constantly before us. For "the senseless folk," says King Alfred,

is far more struck  
At things it seldom sees.

"Well," says Cicero, "did Aristotle observe, 'If there were men whose habitations had been always underground, in great and commodious houses, adorned with statues and pictures, furnished with everything which they who are reputed happy abound with; and if, without stirring from thence, they should be informed of a certain divine power and majesty, and, after some time, the earth should open, and they should quit their dark abode to come to us; where they should immediately behold the earth, the seas, the heavens; should consider the vast extent of the clouds and force of the winds; should see the sun, and observe his grandeur and beauty, and also his creative power, inasmuch as day is occasioned by the diffusion of his light through the sky; and when night has obscured the earth, they should contemplate the heavens bespangled and adorned with

stars ; the surprising variety of the moon, in her increase and wane ; the rising and setting of all the stars, and the inviolable regularity of their courses ; when,' says he, ' they should see these things, they would undoubtedly conclude that there are Gods, and that these are their mighty works.' " <sup>1</sup>

Is my life vulgar, my fate mean,  
Which on such golden memories can lean ? <sup>2</sup>

At the same time the change which has taken place in the character of our religion has in one respect weakened the hold which Nature has upon our feelings. To the Greeks—to our own ancestors,—every River or Mountain or Forest had not only its own special Deity, but in some sense was itself instinct with life. They were not only peopled by Nymphs and Fauns, Elves and Kelpies, were not only the favourite abodes of Water, Forest, or Mountain Spirits, but they had a conscious existence of their own.

In the Middle Ages indeed, these spirits were regarded as often mischievous, and apt

<sup>1</sup> Cicero, *De Natura Deorum*.

<sup>2</sup> Thoreau.

to take offence; sometimes as essentially malevolent—even the most beautiful, like the Venus of Tannhäuser, being often on that very account all the more dangerous; while the Mountains and Forests, the Lakes and Seas, were the abodes of hideous ghosts and horrible monsters, of Giants and Ogres, Sorcerers and Demons. These fears, though vague, were none the less extreme, and the judicial records of the Middle Ages furnish only too conclusive evidence that they were indeed a terrible reality. The light of Science has now happily dispelled these fearful nightmares.

Unfortunately, however, as men have multiplied, their energies have hitherto tended, not to beautify, but to mar. Forests have been cut down, and replaced by flat fields in geometrical squares, or on the continent by narrow strips.

Here and there indeed we meet with oases, in which beauty has not been sacrificed to profit, and it is then happily found that not only is there no loss, but the earth seems to reward even more richly those who treat her with love and respect.



Scarcely any part of the world affords so great a variety in so small an area as our own island. Commencing in the south, we have first the blue sea itself, the pebbly beaches, the white chalk cliffs of Kent, the tinted sands of Alum Bay, the Red Sandstone of Devonshire, Granite and Gneiss in Cornwall: inland we have the chalk Downs and clear streams, the well-wooded weald and the rich hop gardens; farther westwards the undulating gravelly hills, and still farther the granite tors: in the centre of England we have to the east the Norfolk Broads and the Fens; then the fertile Midlands, the cornfields, rich meadows, and large oxen; and to the west the Welsh mountains; farther north the Yorkshire Wolds, the Lancashire hills, the Lakes of Westmoreland; lastly, the swelling hills, bleak moors, and picturesque castles of Northumberland and Cumberland.


There are of course far larger rivers, but perhaps none lovelier than

The crystal Thamis wont to glide  
In silver channel, down along the lee,<sup>1</sup>

---

<sup>1</sup> Spenser.





WINDSOR CASTLE.

*To face page 13.*

by lawns and parks, meadows and wooded banks, dotted with country houses and crowned by Windsor Castle itself (see Plate). By many Scotland is considered even more beautiful.

And yet too many of us see nothing in the fields but sacks of wheat, in the meadows but trusses of hay, and in woods but planks for houses, or cover for game. Even from this more prosaic point of view, how much there is to wonder at and admire, in the wonderful chemistry which changes grass and leaves, flowers and seeds, into bread and milk, eggs and cream, butter and honey!

Almost everything, says Hamerton, "that the Peasant does, is lifted above vulgarity by ancient, and often sacred, associations." There is, indeed, hardly any business or occupation with reference to which the same might not be said. The triviality or vulgarity does not depend on what we do, but on the spirit in which it is done. Not only the regular professions, but every useful occupation in life, however humble, is honourable in itself, and may be pursued with dignity and peace.

Working in this spirit we have also the satisfaction of feeling that, as in some mountain track every one who takes the right path, seems to make the way clearer for those who follow; so may we also raise the profession we adopt, and smooth the way for those who come after us. But, even for those who are not Agriculturists, it must be admitted that the country has special charms. One perhaps is the continual change. Every week brings some fresh leaf or flower, bird or insect. Every month again has its own charms and beauty. We sit quietly at home and Nature decks herself for us.

In truth we all love change. Some think they do not care for it, but I doubt if they know themselves.

“Not,” said Jefferies, “for many years was I able to see why I went the same round and did not care for change. I do not want change: I want the same old and loved things, the same wild flowers, the same trees and soft ash-green; the turtle-doves, the blackbirds, the coloured yellow-hammer sing, sing, singing so long as there is light to cast

a shadow on the dial, for such is the measure of his song, and I want them in the same place. Let me find them morning after morning, the starry-white petals radiating, striving upwards up to their ideal. Let me see the idle shadows resting on the white dust; let me hear the humble-bees, and stay to look down on the yellow dandelion disk. Let me see the very thistles opening their great crowns—I should miss the thistles; the reed grasses hiding the moor-hen; the bryony bine, at first crudely ambitious and lifted by force of youthful sap straight above the hedgerow to sink of its weight presently and progress with crafty tendrils; swifts shot through the air with outstretched wings like crescent-headed shaftless arrows darted from the clouds; the chaffinch with a feather in her bill; all the living staircase of the spring, step by step, upwards to the great gallery of the summer, let me watch the same succession year by year.”

After all then he did enjoy the change and the succession.

Kingsley again in his charming prose idyll

“My Winter Garden” tries to persuade himself that he was glad he had never travelled, “having never yet actually got to Paris.” Monotony, he says, “is pleasant in itself; morally pleasant, and morally useful. Marriage is monotonous; but there is much, I trust, to be said in favour of holy wedlock. Living in the same house is monotonous; but three removes, say the wise, are as bad as a fire. Locomotion is regarded as an evil by our Litany. The Litany, as usual, is right. ‘Those who travel by land or sea’ are to be objects of our pity and our prayers; and I do pity them. I delight in that same monotony. It saves curiosity, anxiety, excitement, disappointment, and a host of bad passions.”

But even as he writes one can see that he does not convince himself. Possibly, he admits, “after all, the grapes are sour”; and when some years after he did travel, how happy he was! At last, he says, triumphantly, “At last we too are crossing the Atlantic. At last the dream of forty years, please God, would be fulfilled, and I should

see (and happily not alone), the West Indies and the Spanish Main. From childhood I had studied their Natural History, their Charts, their Romances; and now, at last, I was about to compare books with facts, and judge for myself of the reported wonders of the Earthly Paradise."

No doubt there is much to see everywhere. The Poet and the Naturalist find "tropical forests in every square foot of turf." It may even be better, and especially for the more sensitive natures, to live mostly in quiet scenery, among fields and hedgerows, woods and downs; but it is surely good for every one, from time to time, to refresh and strengthen both mind and body by a spell of Sea air or Mountain beauty.

On the other hand we are told, and told of course with truth, that though mountains may be the cathedrals of Nature, they are generally remote from centres of population; that our great cities are grimy, dark, and ugly; that factories are creeping over several of our counties, blighting them into building ground, replacing trees by chimneys,



and destroying almost every vestige of natural beauty.

But if this be true, is it not all the more desirable that our people should have access to pictures and books, which may in some small degree, at any rate, replace what they have thus unfortunately lost? We cannot all travel; and even those who can, are able to see but a small part of the world. Moreover, though no one who has once seen, can ever forget, the Alps, the Swiss lakes, or the Riviera, still the recollection becomes less vivid as years roll on, and it is pleasant, from time to time, to be reminded of their beauties.

There is one other advantage not less important. We sometimes speak as if to visit a country, and to see it, were the same thing. But this is not so. It is not every one who can see Switzerland like a Ruskin or a Tyndall. Their beautiful descriptions of mountain scenery depend less on their mastery of the English language, great as that is, than on their power of seeing what is before them. It has been

to me therefore a matter of much interest to know which aspects of Nature have given the greatest pleasure to, or have most impressed, those who, either from wide experience or from their love of Nature, may be considered best able to judge. I will begin with an English scene from Kingsley. He is describing his return from a day's trout-fishing :—

“What shall we see,” he says, “as we look across the broad, still, clear river, where the great dark trout sail to and fro lazily in the sun? White chalk fields above, quivering hazy in the heat. A park full of merry hay-makers; gay red and blue waggons; stalwart horses switching off the flies; dark avenues of tall elms; groups of abele, ‘tossing their whispering silver to the sun’; and amid them the house,—a great square red-brick mass, made light and cheerful though by quoins and windows of white Sarsden stone, with high peaked French roofs, broken by louvres and dormers, haunted by a thousand swallows and starlings. Old walled gardens, gay with flowers, shall stretch right and left. Clipt

yew alleys shall wander away into mysterious glooms, and out of their black arches shall come tripping children, like white fairies, to laugh and talk with the girl who lies dreaming and reading in the hammock there, beneath the black velvet canopy of the great cedar tree, like some fair tropic flower hanging from its boughs; and we will sit down, and eat and drink among the burdock leaves, and then watch the quiet house, and lawn, and flowers, and fair human creatures, and shining water, all sleeping breathless in the glorious light beneath the glorious blue, till we doze off, lulled by the murmur of a thousand insects, and the rich minstrelsy of nightingale and blackcap, thrush and dove.

“Peaceful, graceful, complete English country life and country houses; everywhere finish and polish; Nature perfected by the wealth and art of peaceful centuries! Why should I exchange you, even for the sight of all the Alps?”

Though Jefferies was unfortunately never able to travel, few men have loved Nature more devotedly, and speaking of his own

home he expresses his opinion that : “ Of all sweet things there is none so sweet as fresh air—one great flower it is, drawn round about, over, and enclosing us, like Aphrodite’s arms ; as if the dome of the sky were a bell-flower drooping down over us, and the magical essence of it filling all the room of the earth. Sweetest of all things is wild-flower air. Full of their ideal the starry flowers strained upwards on the bank, striving to keep above the rude grasses that push by them ; genius has ever had such a struggle. The plain road was made beautiful by the many thoughts it gave. I came every morning to stay by the star-lit bank.”

Passing to countries across the ocean, Humboldt tells us that : “ If I might be allowed to abandon myself to the recollection of my own distant travels, I would instance, amongst the most striking scenes of nature, the calm sublimity of a tropical night, when the stars, not sparkling, as in our northern skies, shed their soft and planetary light over the gently heaving ocean ; or I would recall the deep valleys of the Cordilleras, where the

tall and slender palms pierce the leafy veil around them, and waving on high their feathery and arrow-like branches, form, as it were, 'a forest above a forest'; or I would describe the summit of the Peak of Teneriffe, when a horizon layer of clouds, dazzling in whiteness, has separated the cone of cinders from the plain below, and suddenly the ascending current pierces the cloudy veil, so that the eye of the traveller may range from the brink of the crater, along the vine-clad slopes of Orotava, to the orange gardens and banana groves that skirt the shore. In scenes like these, it is not the peaceful charm uniformly spread over the face of nature that moves the heart, but rather the peculiar physiognomy and conformation of the land, the features of the landscape, the ever-varying outline of the clouds, and their blending with the horizon of the sea, whether it lies spread before us like a smooth and shining mirror, or is dimly seen through the morning mist. All that the senses can but imperfectly comprehend, all that is most awful in such romantic scenes of nature, may become a

source of enjoyment to man, by opening a wide field to the creative power of his imagination. Impressions change with the varying movements of the mind, and we are led by a happy illusion to believe that we receive from the external world that with which we have ourselves invested it."

Humboldt also singles out for especial praise the following description given of Tahiti by Darwin<sup>1</sup> :—

"The land capable of cultivation is scarcely in any part more than a fringe of low alluvial soil, accumulated round the base of mountains, and protected from the waves of the sea by a coral reef, which encircles at a distance the entire line of coast. The reef is broken in several parts so that ships can pass through, and the lake of smooth water within, thus affords a safe harbour, as well as a channel for the native canoes. The low land which comes down to the beach of coral sand is covered by the most beautiful productions of the inter-tropical regions. In the midst of bananas, orange, cocoa-nut, and breadfruit trees, spots

<sup>1</sup> Darwin's *Voyage of the Beagle*.

are cleared where yams, sweet potatoes, sugar-cane, and pine-apples are cultivated. Even the brushwood is a fruit tree, namely, the guava, which from its abundance is as noxious as a weed. In Brazil I have often admired the contrast of varied beauty in the banana, palm, and orange tree ; here we have in addition the breadfruit tree, conspicuous from its large, glossy, and deeply digitated leaf. It is admirable to behold groves of a tree, sending forth its branches with the force of an English Oak, loaded with large and most nutritious fruit. However little on most occasions utility explains the delight received from any fine prospect, in this case it cannot fail to enter as an element in the feeling. The little winding paths, cool from the surrounding shade, led to the scattered houses ; and the owners of these everywhere gave us a cheerful and most hospitable reception."

Darwin himself has told us, after going round the world that "in calling up images of the past, I find the plains of Patagonia frequently cross before my eyes ; yet these plains are pronounced by all to be most wretched

and useless. They are characterised only by negative possessions ; without habitations, without water, without trees, without mountains, they support only a few dwarf plants. Why then—and the case is not peculiar to myself—have these arid wastes taken so firm possession of my mind ? Why have not the still more level, the greener and more fertile pampas, which are serviceable to mankind, produced an equal impression ? I can scarcely analyse these feelings, but it must be partly owing to the free scope given to the imagination. The plains of Patagonia are boundless, for they are scarcely practicable, and hence unknown ; they bear the stamp of having thus lasted for ages, and there appears no limit to their duration through future time. If, as the ancients supposed, the flat earth was surrounded by an impassable breadth of water, or by deserts heated to an intolerable excess, who would not look at these last boundaries to man's knowledge with deep but ill-defined sensations ? ”

Hamerton, whose wide experience and artistic power make his opinion especially important, says :—



“I know nothing in the visible world that combines splendour and purity so perfectly as a great mountain entirely covered with frozen snow and reflected in the vast mirror of a lake. As the sun declines, its thousand shadows lengthen, pure as the cold green azure in the depth of a glacier’s crevasse, and the illuminated snow takes first the tender color of a white rose, and then the flush of a red one, and the sky turns to a pale malachite green, till the rare strange vision fades into ghastly gray, but leaves with you a permanent recollection of its too transient beauty.”<sup>1</sup>

Wallace especially, and very justly, praises the description of tropical forest scenery given by Belt in his charming *Naturalist in Nicaragua* :—

“On each side of the road great trees towered up, carrying their crowns out of sight amongst a canopy of foliage, and with lianas hanging from nearly every bough, and passing from tree to tree, entangling the giants in a great network of coiling cables. Sometimes a tree appears covered with beautiful flowers

<sup>1</sup> Hamerton’s *Landscape*.

which do not belong to it, but to one of the lianas that twines through its branches and sends down great rope-like stems to the ground. Climbing ferns and vanilla cling to the trunks, and a thousand epiphytes perch themselves on the branches. Amongst these are large arums that send down long aerial roots, tough and strong, and universally used instead of cordage by the natives. Amongst the undergrowth several small species of palms, varying in height from two to fifteen feet, are common; and now and then magnificent tree ferns send off their feathery crowns twenty feet from the ground to delight the sight by their graceful elegance. Great broad-leaved heliconias, leathery melastomæ, and succulent-stemmed, lop-sided leaved and flesh-colored begonias are abundant, and typical of tropical American forests; but not less so are the cecropia trees, with their white stems and large palmated leaves standing up like great candelabra. Sometimes the ground is carpeted with large flowers, yellow, pink, or white, that have fallen from some invisible tree-top above; or the air is filled with a delicious perfume,

the source of which one seeks around in vain, for the flowers that cause it are far overhead out of sight, lost in the great overshadowing crown of verdure."

"But," he adds, "the uniformity of climate which has led to this rich luxuriance and endless variety of vegetation is also the cause of a monotony that in time becomes oppressive." To quote the words of Mr. Belt: "Unknown are the autumn tints, the bright browns and yellows of English woods; much less the crimsons, purples, and yellows of Canada, where the dying foliage rivals, nay, excels, the expiring dolphin in splendour. Unknown the cold sleep of winter; unknown the lovely awakening of vegetation at the first gentle touch of spring. A ceaseless round of ever-active life weaves the fairest scenery of the tropics into one monotonous whole, of which the component parts exhibit in detail untold variety of beauty."

Siberia is no doubt as a rule somewhat severe and inhospitable, but M. Patrin mentions with enthusiasm how one day descending from the frozen summits of the Altai, he

came suddenly on a view of the plain of the Obi—the most beautiful spectacle, he says, which he had ever witnessed. Behind him were barren rocks and the snows of winter, in front a great plain, not indeed entirely green, or green only in places, and for the rest covered by three flowers, the purple Siberian Iris, the golden *Hemerocallis*, and the silvery *Narcissus*—green, purple, gold, and white, as far as the eye could reach.

Wallace tells us that he himself has derived the keenest enjoyment from his sense of color :—

“The heavenly blue of the firmament, the glowing tints of sunset, the exquisite purity of the snowy mountains, and the endless shades of green presented by the verdure-clad surface of the earth, are a never-failing source of pleasure to all who enjoy the inestimable gift of sight. Yet these constitute, as it were, but the frame and background of a marvellous and ever-changing picture. In contrast with these broad and soothing tints, we have presented to us in the vegetable and animal worlds an infinite variety of objects adorned with the

most beautiful and most varied hues. Flowers, insects, and birds are the organisms most generally ornamented in this way; and their symmetry of form, their variety of structure, and the lavish abundance with which they clothe and enliven the earth, cause them to be objects of universal admiration. The relation of this wealth of color to our mental and moral nature is indisputable. The child and the savage alike admire the gay tints of flowers, birds, and insects; while to many of us their contemplation brings a solace and enjoyment which is both intellectually and morally beneficial. It can then hardly excite surprise that this relation was long thought to afford a sufficient explanation of the phenomena of color in nature; and although the fact that—

Full many a flower is born to blush unseen,  
And waste its sweetness on the desert air,

might seem to throw some doubt on the sufficiency of the explanation, the answer was easy,—that in the progress of discovery man would, sooner or later, find out and enjoy

every beauty that the hidden recesses of the earth have in store for him."

Professor Colvin speaks with special admiration of Greek scenery :—

"In other climates, it is only in particular states of the weather that the remote ever seems so close, and then with an effect which is sharp and hard as well as clear; here the clearness is soft; nothing cuts or glitters, seen through that magic distance; the air has not only a new transparency so that you can see farther into it than elsewhere, but a new quality, like some crystal of an unknown water, so that to see into it is greater glory." Speaking of the ranges and promontories of sterile limestone, the same writer observes that their colors are as austere and delicate as the forms. "If here the scar of some old quarry throws a stain, or there the clinging of some thin leafage spreads a bloom, the stain is of precious gold, and the bloom of silver. Between the blue of the sky and the tenfold blue of the sea these bare ranges seem, beneath that daylight, to present a whole system of noble color flung abroad over perfect forms.

And wherever, in the general sterility, you find a little moderate verdure—a little moist grass, a cluster of cypresses—or whenever your eye lights upon the one wood of the district, the long olive grove of the Cephissus, you are struck with a sudden sense of richness, and feel as if the splendours of the tropics would be nothing to this.”

Most travellers have been fascinated by the beauty of night in the tropics. Our evenings no doubt are often delicious also, though the mild climate we enjoy is partly due to the sky being so often overcast. In parts of the tropics, however, the air is calm and cloudless throughout nearly the whole of the year. There is no dew, and the inhabitants sleep on the house-tops, in full view of the brightness of the stars and the beauty of the sky, which is almost indescribable.

“Il faisait,” says Bernardin de St. Pierre of such a scene, “une de ces nuits délicieuses, si communes entre les tropiques, et dont le plus abile pinceau ne rendrait pas le beauté. La lune paraissait au milieu du firmament, entourée d’un rideau de nuages, que ses rayons dissi-

paient par degrés. Sa lumière se répandait insensiblement sur les montagnes de l'île et sur leurs pitons, qui brillaient d'un vert argenté. Les vents retenaient leurs haleines. On entendait dans les bois, au fond des vallées, au haut des rochers, de petits cris, de doux murmures d'oiseaux, qui se caressaient dans leurs nids, réjouis par la clarté de la nuit et la tranquillité de l'air. Tous, jusqu'aux insectes, bruissaient sous l'herbe. Les étoiles étincelaient au ciel, et se réfléchissaient au sein de la mer, qui répétait leurs images tremblantes."

In the Arctic and Antarctic regions the nights are often made quite gorgeous by the Northern Lights or *Aurora borealis*, and the corresponding appearance in the Southern hemisphere. The *Aurora borealis* generally begins towards evening, and first appears as a faint glimmer in the north, like the approach of dawn. Gradually a curve of light spreads like an immense arch of yellowish-white hue, which gains rapidly in brilliancy, flashes and vibrates like a flame in the wind. Often two or even three arches appear one over the other. After a while colored rays dart



upwards in divergent pencils, often green below, yellow in the centre, and crimson above, while it is said that sometimes almost black, or at least very dark violet, rays are interspersed among the rings of light, and heighten their effect by contrast. Sometimes the two ends of the arch seem to rise off the horizon, and the whole sheet of light throbs and undulates like a fringed curtain of light; sometimes the sheaves of rays unite into an immense cupola; while at others the separate rays seem alternately lit and extinguished. Gradually the light flickers and fades away, and has generally disappeared before the first glimpse of dawn.

We seldom see the Aurora in the south of England, but we must not complain; our winters are mild, and every month has its own charm and beauty.

In January we have the lengthening days.

„ February	„	the first butterfly.
„ March	„	the opening buds.
„ April	„	the young leaves and spring flowers.
„ May	„	the song of birds.

In June we have the sweet new-mown  
hay.

„ July „ the summer flowers.

„ August „ the golden grain.

„ September „ the fruit.

„ October „ the autumn tints.

„ November „ the hoar frost on trees  
and the pure snow.

„ December „ last not least, the holi-  
days of Christmas,  
and the bright fire-  
side.

It is well to begin the year in January,  
for we have then before us all the hope of  
spring.

Oh wind,  
If winter comes, can spring be long behind ?<sup>1</sup>

Spring seems to revive us all. In the  
Song of Solomon—

My beloved spake, and said unto me,  
Rise up, my love, my fair one, and come away.  
For, lo, the winter is past,  
The rain is over and gone ;  
The flowers appear on the earth ;

---

<sup>1</sup> Shelley.

The time of the singing of birds is come,  
The voice of the turtle is heard in our land,  
The fig tree putteth forth her green figs,  
And the vines with the tender grape give a good smell.

“But indeed there are days,” says Emerson, “which occur in this climate, at almost any season of the year, wherein the world reaches its perfection, when the air, the heavenly bodies, and the earth make a harmony, as if nature would indulge her offspring. . . . These halcyon days may be looked for with a little more assurance in that pure October weather, which we distinguish by the name of the Indian summer. The day, immeasurably long, sleeps over the broad hills and warm wide fields. To have lived through all its sunny hours, seems longevity enough.” Yet does not the very name of Indian summer imply the superiority of the summer itself, — the real, the true summer, “when the young corn is bursting into ear; the awned heads of rye, wheat, and barley, and the nodding panicles of oats, shoot from their green and glaucous stems, in broad, level, and waving expanses of present

beauty and future promise. The very waters are strewn with flowers: the buck-bean, the water-violet, the elegant flowering rush, and the queen of the waters, the pure and splendid white lily, invest every stream and lonely mere with grace.”<sup>1</sup>

For our greater power of perceiving, and therefore of enjoying Nature, we are greatly indebted to Science. Over and above what is visible to the unaided eye, the two magic tubes, the telescope and microscope, have revealed to us, at least partially, the infinitely great and the infinitely little.

Science, our Fairy Godmother, will, unless we perversely reject her help, and refuse her gifts, so richly endow us, that fewer hours of labour will serve to supply us with the material necessities of life, leaving us more time to ourselves, more leisure to enjoy all that makes life best worth living.

Even now we all have some leisure, and for it we cannot be too grateful.

“If any one,” says Seneca, “gave you a few acres, you would say that you had re-

<sup>1</sup> Howitt's *Book of the Seasons*.

ceived a benefit; can you deny that the boundless extent of the earth is a benefit? If a house were given you, bright with marble, its roof beautifully painted with colors and gilding, you would call it no small benefit. God has built for you a mansion that fears no fire or ruin . . . covered with a roof which glitters in one fashion by day, and in another by night. Whence comes the breath which you draw; the light by which you perform the actions of your life? the blood by which your life is maintained? the meat by which your hunger is appeased? . . . The true God has planted, not a few oxen, but all the herds on their pastures throughout the world, and furnished food to all the flocks; he has ordained the alternation of summer and winter . . . he has invented so many arts and varieties of voice, so many notes to make music. . . . We have implanted in us the seeds of all ages, of all arts; and God our Master brings forth our intellects from obscurity.”<sup>1</sup>

<sup>1</sup> Seneca, *De Beneficiis*.

## CHAPTER II

### ON ANIMAL LIFE

If thy heart be right, then will every creature be to thee  
a mirror of life, and a book of holy doctrine.

THOMAS À KEMPIS.

## CHAPTER II

### ON ANIMAL LIFE

THERE is no species of animal or plant which would not well repay, I will not say merely the study of a day, but even the devotion of a lifetime. Their form and structure, development and habits, geographical distribution, relation to other living beings, and past history, constitute an inexhaustible study.

When we consider how much we owe to the Dog, Man's faithful friend, to the noble Horse, the patient Ox, the Cow, the Sheep, and our other domestic animals, we cannot be too grateful to them; and if we cannot, like some ancient nations, actually worship them, we have perhaps fallen into the other extreme, underrate the sacredness of animal life, and treat them too much like mere machines.



Some species, however, are no doubt more interesting than others, especially perhaps those which live together in true communities, and which offer so many traits—some sad, some comical, and all interesting,—which reproduce more or less closely the circumstances of our own life.

The modes of animal life are almost infinitely diversified; some live on land, some in water; of those which are aquatic some dwell in rivers, some in lakes or pools, some on the sea-shore, others in the depths of the ocean. Some burrow in the ground, some find their home in the air. Some live in the Arctic regions, some in the burning deserts; one little beetle (*Hydrobius*) in the thermal waters of Hammam-Meskoutin, at a temperature of 130°. As to food, some are carnivorous and wage open war; some, more insidious, attack their victims from within; others feed on vegetable food, on leaves or wood, on seeds or fruits; in fact, there is scarcely an animal or vegetable substance which is not the special and favourite food of one or more species. Hence to adapt them to these various require-

ments we find the utmost differences of form and size and structure. Even the same individual often goes through great changes.

### GROWTH AND METAMORPHOSES

The development, indeed, of an animal from birth to maturity is no mere question of growth. The metamorphoses of Insects have long excited the wonder and admiration of all lovers of nature. They depend to a great extent on the fact that the little creatures quit the egg at an early stage of development, and lead a different life, so that the external forces acting on them, are very different from those by which they are affected when they arrive at maturity. A remarkable case is that of certain Beetles which are parasitic on Solitary Bees. The young larva is very active, with six strong legs. It conceals itself in some flower, and when the Bee comes in search of honey, leaps upon her, but is so minute as not to be perceived. The Bee con-

structs her cell, stores it with honey, and lays her egg. At that moment the little larva quits the Bee and jumps on to the egg, which she proceeds gradually to devour. Having finished the egg, she attacks the honey; but under these circumstances the activity which was at first so necessary has become useless; the legs which did such good service are no longer required; and the active slim larva changes into a white fleshy grub, which floats comfortably in the honey with its mouth just below the surface.

Even in the same group we may find great differences. For instance, in the family of Insects to which Bees and Wasps belong, some have grub larvæ, such as the Bee and Ant; some have larvæ like caterpillars, such as the Sawflies; and there is a group of minute forms the larvæ of which live inside the eggs of other insects, and present very remarkable and abnormal forms.

These differences depend mainly on the mode of life and the character of the food.

## RUDIMENTARY ORGANS

Such modifications may be called adaptive, but there are others of a different origin that have reference to the changes which the race has passed through in bygone ages. In fact the great majority of animals do go through metamorphoses (many of them as remarkable, though not so familiar as those of insects), but in many cases they are passed through within the egg and thus escape popular observation. Naturalists who accept the theory of evolution, consider that the development of each individual represents to a certain extent that which the species has itself gone through in the lapse of ages ; that every individual contains within itself, so to say, a history of the race. Thus the rudimentary teeth of Cows, Sheep, Whales, etc. (which never emerge from their sockets), the rudimentary toes of many mammals, the hind legs of Whales and of the Boa-constrictor, which are imbedded in the flesh, the rudimentary collar-bone of the Dog, etc., are

indications of descent from ancestors in which these organs were fully developed. Again, though used for such different purposes, the paddle of a Whale, the leg of a Horse and of a Mole, the wing of a Bird or a Bat, and the arm of a Man, are all constructed on the same model, include corresponding bones, and are similarly arranged. The long neck of the Giraffe, and the short one of the Whale (if neck it can be called), contain the same number of vertebræ.

Even after birth the young of allied species resemble one another much more than the mature forms. The stripes on the young Lion, the spots on the young Blackbird, are well-known cases; and we find the same law prevalent among the lower animals, as, for instance, among Insects and Crustacea. The Lobster, Crab, Shrimp, and Barnacle are very unlike when full grown, but in their young stages go through essentially similar metamorphoses.

No animal is perhaps in this respect more interesting than the Horse. The skull of a Horse and that of a Man, though differing so

much, are, says Flower,<sup>1</sup> “composed of exactly the same number of bones, having the same general arrangement and relation to each other. Not only the individual bones, but every ridge and surface for the attachment of muscles, and every hole for the passage of artery or nerve, seen in the one can be traced in the other.” It is often said that the Horse presents a remarkable peculiarity in that the canine teeth grow but once. There are, however, in most Horses certain spicules or minute points which are shed before the appearance of the permanent canines, and which are probably the last remnants of the true milk canines.

The foot is reduced to a single toe, representing the third digit, but the second and fourth, though rudimentary, are represented by the splint bones; while the foot also contains traces of several muscles, originally belonging to the toes which have now disappeared, and which “linger as it were behind, with new relations and uses, sometimes in a reduced, and almost, if not quite,

<sup>1</sup> *The Horse.*

functionless condition." Even Man himself presents traces of gill-openings, and indications of other organs which are fully developed in lower animals.

#### MODIFICATIONS

There is in New Zealand a form of Crow (Hura), in which the female has undergone a very curious modification. It is the only case I know, in which the bill is differently shaped in the two sexes. The bird has taken on the habits of a Woodpecker, and the stout crow-like bill of the cock-bird is admirably adapted to tap trees, and if they sound hollow, to dig down to the burrow of the Insect; but it lacks the horny-pointed tip of the tongue, which in the true Woodpecker is provided with recurved hairs, thus enabling that bird to pierce the grub and draw it out. In the Hura, however, the bill of the hen-bird has become much elongated and slightly curved, and when the cock has dug down to the burrow, the hen inserts her long bill and

draws out the grub, which they then divide between them: a very pretty illustration of the wife as helpmate to the husband.

It was indeed until lately the general opinion that animals and plants came into existence just as we now see them. We took pleasure in their beauty; their adaptation to their habits and mode of life in many cases could not be overlooked or misunderstood. Nevertheless the book of Nature was like some missal richly illuminated, but written in an unknown tongue. The graceful forms of the letters, the beauty of the coloring, excited our wonder and admiration; but of the true meaning little was known to us; indeed we scarcely realised that there was any meaning to decipher. Now glimpses of the truth are gradually revealing themselves, we perceive that there is a reason, and in many cases we know what the reason is, for every difference in form, in size, and in color; for every bone and every feather, almost for every hair.<sup>1</sup>

<sup>1</sup> Lubbock, *Fifty Years of Science*.



## COLOR

The colors of animals, generally, I believe, serve as a protection. In some, however, they probably render them more attractive to their mates, of which the Peacock is one of the most remarkable illustrations.

In richness of color birds and insects vie even with flowers. "One fine red admiral butterfly," says Jefferies,<sup>1</sup> "whose broad wings, stretched out like fans, looked simply splendid floating round and round the willows which marked the margin of a dry pool. His blue markings were really blue—blue velvet—his red and the white stroke shone as if sunbeams were in his wings. I wish there were more of these butterflies; in summer, dry summer, when the flowers seem gone and the grass is not so dear to us, and the leaves are dull with heat, a little color is so pleasant. To me color is a sort of food; every spot of color is a drop of wine to the spirit."

The varied colors which add so much to

<sup>1</sup> *The Open Air.*

the beauty of animals and plants are not only thus a delight to the eye, but afford us also some of the most interesting problems in Natural History. Some probably are not in themselves of any direct advantage. The brilliant mother-of-pearl of certain shells, which during life is completely hidden, the rich colors of some internal organs of animals, are not perhaps of any direct benefit, but are incidental, like the rich and brilliant hues of many minerals and precious stones.

But although this may be true, I believe that most of these colors are now of some advantage. "The black back and silvery belly of fishes" have been recently referred to by a distinguished naturalist as being obviously of no direct benefit. I should on the contrary have quoted this case as one where the advantage was obvious. The dark back renders the fish less conspicuous to an eye looking down into the water; while the white under-surface makes them less visible from below. The animals of the desert are sand-colored; those of the Arctic regions are

white like snow, especially in winter; and pelagic animals are blue.

Let us take certain special cases. The Lion, like other desert animals, is sand-colored; the Tiger which lives in the Jungle has vertical stripes, making him difficult to see among the upright grass; Leopards and the tree-cats are spotted, like rays of light seen through leaves.

An interesting case is that of the animals living in the Sargasso or gulf-weed of the Atlantic. These creatures—Fish, Crustacea, and Mollusks alike—are characterised by a peculiar coloring, not continuously olive like the Seaweed itself, but blotched with rounded more or less irregular patches of bright, opaque white, so as closely to resemble fronds covered with patches of Flustra or Barnacles.

Take the case of caterpillars, which are especially defenceless, and which as a rule feed on leaves. The smallest and youngest are green, like the leaves on which they live. When they become larger, they are characterised by longitudinal lines, which break up the surface and thus render them less

conspicuous. On older and larger ones the lines are diagonal, like the nerves of leaves. Conspicuous caterpillars are generally either nauseous in taste, or protected by hairs.



Fig. 1.—*Characimorpha porce*

I say “generally,” because there are some interesting exceptions. The large caterpillars of some of the Elephant Hawkmoths are very conspicuous, and rendered all the more so by the presence of a pair of large eyelike spots. Every one who sees one of these caterpillars is struck by its likeness to a snake, and the so-called “eyes” do much to increase the deception. Moreover, the ring on which they are placed is swollen, and the insect, when in danger, has the habit of retracting its head and front segments, which gives it an additional resemblance to some small reptile. That small birds are, as a matter of fact, afraid of these caterpillars (which, however, I need not say, are in reality altogether harmless) Weis-

mann has proved by actual experiment. He put one of these caterpillars in a tray, in which he was accustomed to place seed for birds. Soon a little flock of sparrows and other small birds assembled to feed as usual. One of them lit on the edge of this tray, and was just going to hop in, when she spied the caterpillar. Immediately she began bobbing her head up and down in the odd way which some small birds have, but was afraid to go nearer. Another joined her and then another, until at last there was a little company of ten or twelve birds all looking on in astonishment, but not one ventured into the tray; while one bird, which lit in it unsuspectingly, beat a hasty retreat in evident alarm as soon as she perceived the caterpillar. After waiting for some time, Weismann removed it, when the birds soon attacked the seeds. Other caterpillars also are probably protected by their curious resemblance to spotted snakes. One of the large Indian caterpillars has even acquired the power of hissing.

Among perfect insects many resemble closely the substances near which they live. Some

moths are mottled so as to mimic the bark of trees, or moss, or the surface of stones. One beautiful tropical butterfly has a dark wing on which are painted a series of green leaf tips, so that it closely resembles the edge of a pinnate leaf projecting out of shade into sunshine.

The argument is strengthened by those cases in which the protection, or other advantage, is due not merely to color, but partly also to form. Such are the insects which resemble sticks or leaves. Again, there are cases in which insects mimic others, which, for some reason or other, are less liable to danger. So also many harmless animals mimic others which are poisonous or otherwise well protected. Some butterflies, as Mr. Bates has pointed out, mimic others which are nauseous in taste, and therefore not attacked by birds. In these cases it is generally only the females that are mimetic, and in some cases only a part of them, so that there are two, or even three, kinds of females, the one retaining the normal coloring of the group, the other mimicking another species. Some spiders

closely resemble Ants, and several other insects mimic Wasps or Hornets.

Some reptiles and fish have actually the power of changing the color of their skin so as to adapt themselves to their surroundings.

Many cases in which the coloring does not at first sight appear to be protective, will on consideration be found to be so. It has, for instance, been objected that sheep are not colored green; but every mountaineer knows that sheep could not have had a color more adapted to render them inconspicuous, and that it is almost impossible to distinguish them from the rocks which so constantly crop up on hill sides. Even the brilliant blue of the Kingfisher, which in a museum renders it so conspicuous, in its native haunts, on the contrary, makes it difficult to distinguish from a flash of light upon the water; and the richly-colored Woodpecker wears the genuine dress of a Forester—the green coat and crimson cap.

It has been found that some brilliantly colored and conspicuous animals are either nauseous or poisonous. In these cases the

brilliant color is doubtless a protection by rendering them more unmistakable.

### COMMUNITIES

Some animals may delight us especially by their beauty, such as birds or butterflies; others may surprise us by their size, as Elephants and Whales, or the still more marvellous monsters of ancient times; may fascinate us by their exquisite forms, such as many microscopic shells; or compel our reluctant attention by their similarity to us in structure; but none offer more points of interest than those which live in communities. I do not allude to the temporary assemblages of Starlings, Swallows, and other birds at certain times of year, nor even to the permanent associations of animals brought together by common wants in suitable localities, but to regular and more or less organised associations. Such colonies as those of Rooks and Beavers have no doubt interesting revelations and surprises in store for us, but they have not been as yet so much



studied as those of some insects. Among these the Hive Bees, from the beauty and regularity of their cells, from their utility to man, and from the debt we owe them for their unconscious agency in the improvement of flowers, hold a very high place; but they are probably less intelligent, and their relations with other animals and with one another are less complex than in the case of Ants, which have been so well studied by Gould, Huber, Forel, M'Cook, and other naturalists.

The subject is a wide one, for there are at least a thousand species of Ants, no two of which have the same habits. In this country we have rather more than thirty, most of which I have kept in confinement. Their life is comparatively long: I have had working Ants which were seven years old, and a Queen Ant lived in one of my nests for fifteen years. The community consists, in addition to the young, of males, which do no work, of wingless workers, and one or more Queen mothers, who have at first wings, which, however, after one Marriage flight, they throw off, as they never leave the nest again, and in it wings

would of course be useless. The workers do not, except occasionally, lay eggs, but carry on all the affairs of the community. Some of them, and especially the younger ones, remain in the nest, excavate chambers and tunnels, and tend the young, which are sorted up according to age, so that my nests often had the appearance of a school, with the children arranged in classes.

In our English Ants the workers in each species are all similar except in size, but among foreign species there are some in which there are two or even more classes of workers, differing greatly not only in size, but also in form. The differences are not the result of age, nor of race, but are adaptations to different functions, the nature of which, however, is not yet well understood. Among the Termites those of one class certainly seem to act as soldiers, and among the true Ants also some have comparatively immense heads and powerful jaws. It is doubtful, however, whether they form a real army. Bates observed that on a foraging expedition the large-headed individuals did not walk in the

regular ranks, nor on the return did they carry any of the booty, but marched along at the side, and at tolerably regular intervals, "like subaltern officers in a marching regiment." He is disposed, however, to ascribe to them a much humbler function, namely, to serve merely "as indigestible morsels to the ant thrushes." This, I confess, seems to me improbable.

Solomon was, so far as we yet know, quite correct in describing Ants as having "neither guide, overseer, nor ruler." The so-called Queens are really Mothers. Nevertheless it is true, and it is curious, that the working Ants and Bees always turn their heads towards the Queen. It seems as if the sight of her gave them pleasure. On one occasion, while moving some Ants from one nest into another for exhibition at the Royal Institution, I unfortunately crushed the Queen and killed her. The others, however, did not desert her, or draw her out as they do dead workers, but on the contrary carried her into the new nest, and subsequently into a larger one with which I supplied them, congregating round her for

weeks just as if she had been alive. One could hardly help fancying that they were mourning her loss, or hoping anxiously for her recovery.

The Communities of Ants are sometimes very large, numbering even up to 500,000 individuals; and it is a lesson to us, that no one has ever yet seen a quarrel between any two Ants belonging to the same community. On the other hand it must be admitted that they are in hostility, not only with most other insects, including Ants of different species, but even with those of the same species if belonging to different communities. I have over and over again introduced Ants from one of my nests into another nest of the same species, and they were invariably attacked, seized by a leg or an antenna, and dragged out.

It is evident therefore that the Ants of each community all recognise one another, which is very remarkable. But more than this, I several times divided a nest into two halves, and found that even after a separation of a year and nine months they recognised

one another, and were perfectly friendly; while they at once attacked Ants from a different nest, although of the same species.

It has been suggested that the Ants of each nest have some sign or password by which they recognise one another. To test this I made some insensible. First I tried chloroform, but this was fatal to them; and as therefore they were practically dead, I did not consider the test satisfactory. I decided therefore to intoxicate them. This was less easy than I had expected. None of my Ants would voluntarily degrade themselves by getting drunk. However, I got over the difficulty by putting them into whisky for a few moments. I took fifty specimens, twenty-five from one nest and twenty-five from another, made them dead drunk, marked each with a spot of paint, and put them on a table close to where other Ants from one of the nests were feeding. The table was surrounded as usual with a moat of water to prevent them from straying. The Ants which were feeding soon noticed those which I had made drunk. They seemed quite

astonished to find their comrades in such a disgraceful condition, and as much at a loss to know what to do with their drunkards as we are. After a while, however, to cut my story short, they carried them all away: the strangers they took to the edge of the moat and dropped into the water, while they bore their friends home into the nest, where by degrees they slept off the effects of the spirit. Thus it is evident that they know their friends even when incapable of giving any sign or password.

This little experiment also shows that they help comrades in distress. If a Wolf or a Rook be ill or injured, we are told that it is driven away or even killed by its comrades. Not so with Ants. For instance, in one of my nests an unfortunate Ant, in emerging from the chrysalis skin, injured her legs so much that she lay on her back quite helpless. For three months, however, she was carefully fed and tended by the other Ants. In another case an Ant in the same manner had injured her antennæ. I watched her also carefully to see what would happen. For some days she did

not leave the nest. At last one day she ventured outside, and after a while met a stranger Ant of the same species, but belonging to another nest, by whom she was at once attacked. I tried to separate them, but whether by her enemy, or perhaps by my well-meant but clumsy kindness, she was evidently much hurt and lay helplessly on her side. Several other Ants passed her without taking any notice, but soon one came up, examined her carefully with her antennæ, and carried her off tenderly to the nest. No one, I think, who saw it could have denied to that Ant one attribute of humanity, the quality of kindness.

The existence of such communities as those of Ants or Bees implies, no doubt, some power of communication, but the amount is still a matter of doubt. It is well known that if one Bee or Ant discovers a store of food, others soon find their way to it. This, however, does not prove much. It makes all the difference whether they are brought or sent. If they merely accompany on her return a companion who has brought a store of food, it

does not imply much. To test this, therefore, I made several experiments. For instance, one cold day my Ants were almost all in their nests. One only was out hunting and about six feet from home. I took a dead bluebottle fly, pinned it on to a piece of cork, and put it down just in front of her. She at once tried to carry off the fly, but to her surprise found it immovable. She tugged and tugged, first one way and then another for about twenty minutes, and then went straight off to the nest. During that time not a single Ant had come out; in fact she was the only Ant of that nest out at the time. She went straight in, but in a few seconds—less than half a minute,—came out again with no less than twelve friends, who trooped off with her, and eventually tore up the dead fly, carrying it off in triumph.

Now the first Ant took nothing home with her; she must therefore somehow have made her friends understand that she had found some food, and wanted them to come and help her to secure it. In all such cases, however, so far as my experience goes,



the Ants brought their friends, and some of my experiments indicated that they are unable to send them.

Certain species of Ants, again, make slaves of others, as Huber first observed. If a colony of the slave-making Ants is changing the nest, a matter which is left to the discretion of the slaves, the latter carry their mistresses to their new home. Again, if I uncovered one of my nests of the Fuscous Ant (*Formica fusca*), they all began running about in search of some place of refuge. If now I covered over one small part of the nest, after a while some Ant discovered it. In such a case, however, the brave little insect never remained there, she came out in search of her friends, and the first one she met she took up in her jaws, threw over her shoulder (their way of carrying friends), and took into the covered part; then both came out again, found two more friends and brought them in, the same manœuvre being repeated until the whole community was in a place of safety. This I think says much for their public spirit, but seems to prove that, in

*F. fusca* at least, the powers of communication are but limited.

One kind of slave-making Ant has become so completely dependent on their slaves, that even if provided with food they will die of hunger, unless there is a slave to put it into their mouth. I found, however, that they would thrive very well if supplied with a slave for an hour or so once a week to clean and feed them.

But in many cases the community does not consist of Ants only. They have domestic animals, and indeed it is not going too far to say that they have domesticated more animals than we have. Of these the most important are Aphides. Some species keep Aphides on trees and bushes, others collect root-feeding Aphides into their nests. They serve as cows to the Ants, which feed on the honey-dew secreted by the Aphides. Not only, moreover, do the Ants protect the Aphides themselves, but collect their eggs in autumn, and tend them carefully through the winter, ready for the next spring. Many other insects are also domesticated by Ants, and some of

them, from living constantly underground, have completely lost their eyes and become quite blind.

But I must not let myself be carried away by this fascinating subject, which I have treated more at length in another work.<sup>1</sup> I will only say that though their intelligence is no doubt limited, still I do not think that any one who has studied the life-history of Ants can draw any fundamental line of separation between instinct and reason.

When we see a community of Ants working together in perfect harmony, it is impossible not to ask ourselves how far they are mere exquisite automatons; how far they are conscious beings? When we watch an ant-hill tenanted by thousands of industrious inhabitants, excavating chambers, forming tunnels, making roads, guarding their home, gathering food, feeding the young, tending their domestic animals—each one fulfilling its duties industriously, and without confusion,—it is difficult altogether to deny

<sup>1</sup> *Ants, Bees, and Wasps.*

to them the gift of reason; and all our recent observations tend to confirm the opinion that their mental powers differ from those of men, not so much in kind as in degree.



## CHAPTER III

ON ANIMAL LIFE—*continued.*

An organic being is a microcosm—a little universe, formed of a host of self-propagating organisms, inconceivably minute and numerous as the stars of heaven.

DARWIN.

## CHAPTER III

### ON ANIMAL LIFE—*continued*.

WE constantly speak of animals as free. A fish, says Ruskin, “is much freer than a Man ; and as to a fly, it is a black incarnation of freedom.” It is pleasant to think of anything as free, but in this case the idea is, I fear, to a great extent erroneous. Young animals may frolic and play, but older ones take life very seriously. About the habits of fish and flies, indeed, as yet we know very little. Any one, however, who will watch animals will soon satisfy himself how diligently they work. Even when they seem to be idling over flowers, or wandering aimlessly about, they are in truth diligently seeking for food, or collecting materials for nests. The industry of Bees is proverbial. When collecting honey or pollen



they often visit over twenty flowers in a minute, keeping constantly to one species, without yielding a moment's dalliance to any more sweet or lovely tempter. Ants fully deserve the commendation of Solomon. Wasps have not the same reputation for industry; but I have watched them from before four in the morning till dark at night working like animated machines without a moment's rest or intermission. Sundays and Bank Holidays are all the same to them. Again, Birds have their own gardens and farms from which they do not wander, and within which they will tolerate no interference. Their ideas of the rights of property are far stricter than those of some statesmen. As to freedom, they have their daily duties as much as a mechanic in a mill or a clerk in an office. They suffer under alarms, moreover, from which we are happily free. Mr. Galton believes that the life of wild animals is very anxious. "From my own recollection," he says, "I believe that every antelope in South Africa has to run for its life every one or two days upon an average, and that he starts or

gallops under the influence of a false alarm many times in a day. Those who have crouched at night by the side of pools in the desert, in order to have a shot at the beasts that frequent it, see strange scenes of animal life; how the creatures gambol at one moment and fight at another; how a herd suddenly halts in strained attention, and then breaks into a maddened rush as one of them becomes conscious of the stealthy movements or rank scent of a beast of prey. Now this hourly life-and-death excitement is a keen delight to most wild creatures, but must be peculiarly distracting to the comfort-loving temperament of others. The latter are alone suited to endure the crass habits and dull routine of domesticated life. Suppose that an animal which has been captured and half-tamed, received ill-usage from his captors, either as punishment or through mere brutality, and that he rushed indignantly into the forest with his ribs aching from blows and stones. If a comfort-loving animal, he will probably be no gainer by the change, more serious alarms and no less ill-usage awaits him: he

hears the roar of the wild beasts, and the headlong gallop of the frightened herds, and he finds the buttings and the kicks of other animals harder to endure than the blows from which he fled: he has peculiar disadvantages from being a stranger; the herds of his own species which he seeks for companionship constitute so many cliques, into which he can only find admission by more fighting with their strongest members than he has spirit to undergo. As a set-off against these miseries, the freedom of savage life has no charms for his temperament; so the end of it is, that with a heavy heart he turns back to the habitation he had quitted."

But though animals may not be free, I hope and believe that they are happy. Dr. Hudson, an admirable observer, assures us with confidence that the struggle for existence leaves them much leisure and famous spirits. "In the animal world," he exclaims,<sup>1</sup> "what happiness reigns! What ease, grace, beauty, leisure, and content! Watch these living specks as they glide through their

<sup>1</sup> Address to Microscopical Society, 1890.

forests of algæ, all 'without hurry and care,' as if their 'span-long lives' really could endure for the thousand years that the old catch pines for. Here is no greedy jostling at the banquet that nature has spread for them; no dread of each other; but a leisurely inspection of the field, that shows neither the pressure of hunger nor the dread of an enemy.

“ ‘To labour and to be content’ (that ‘sweet life’ of the son of Sirach)—to be equally ready for an enemy or a friend—to trust in themselves alone, to show a brave unconcern for the morrow, all these are the admirable points of a character almost universal among animals, and one that would lighten many a heart were it more common among men. That character is the direct result of the golden law ‘If one will not work, neither let him eat’; a law whose stern kindness, unflinchingly applied, has produced whole nations of living creatures, without a pauper in their ranks, flushed with health, alert, resolute, self-reliant, and singularly happy.”

It has often been said that Man is the only

animal gifted with the power of enjoying a joke, but if animals do not laugh, at any rate they sometimes play. We are, indeed, apt perhaps to credit them with too much of our own attributes and emotions, but we can hardly be mistaken in supposing that they enjoy certain scents and sounds. It is difficult to separate the games of kittens and lambs from those of children. Our countryman Gould long ago described the "amusements or sportive exercises" which he had observed among Ants. Forel was at first incredulous, but finally confirmed these statements; and, speaking of certain tropical Ants, Bates says "the conclusion that they were engaged in play was irresistible."

### SLEEP

We share with other animals the great blessing of Sleep, nature's soft nurse, "the mantle that covers thought, the food that appeases hunger, the drink that quenches thirst, the fire that warms cold, the cold that

moderates heat, the coin that purchases all things, the balance and weight that equals the shepherd with the king, and the simple with the wise." Some animals dream as we do; Dogs, for instance, evidently dream of the chase. With the lower animals which cannot shut their eyes it is, however, more difficult to make sure whether they are awake or asleep. I have often noticed insects at night, even when it was warm and light, behave just as if they were asleep, and take no notice of objects which would certainly have startled them in the day. The same thing has also been observed in the case of fish.

But why should we sleep? What a remarkable thing it is that one-third of our life should be passed in unconsciousness. Half of our days, says Sir T. Browne, "we pass in the shadow of the earth, and the brother of death extracteth a third part of our lives." The obvious suggestion is that we require rest. But this does not fully meet the case. In sleep the mind is still awake, and lives a life of its own: our thoughts wander, uncontrolled by the will. The mind, therefore, is

not necessarily itself at rest ; and yet we all know how it is refreshed by sleep.

But though animals sleep, many of them are nocturnal in their habits. Humboldt gives a vivid description of night in a Brazilian forest.

“Everything passed tranquilly till eleven at night, and then a noise so terrible arose in the neighbouring forest that it was almost impossible to close our eyes. Amid the cries of so many wild beasts howling at once the Indians discriminated such only as were (at intervals) heard separately. These were the little soft cries of the sapajous, the moans of the alouate apes, the howlings of the jaguar and cougar, the peccary and the sloth, and the cries of (many) birds. When the jaguars approached the skirt of the forest our dog, which till then had never ceased barking, began to howl and seek for shelter beneath our hammocks. Sometimes, after a long silence, the cry of the tiger came from the tops of the trees ; and then it was followed by the sharp and long whistling of the monkeys, which appeared to flee from the danger which threatened

them. We heard the same noises repeated during the course of whole months whenever the forest approached the bed of the river.

“When the natives are interrogated on the causes of the tremendous noise made by the beasts of the forest at certain hours of the night, the answer is, they are keeping the feast of the full moon. I believe this agitation is most frequently the effect of some conflict that has arisen in the depths of the forest. The jaguars, for instance, pursue the peccaries and the tapirs, which, having no defence, flee in close troops, and break down the bushes they find in their way. Terrified at this struggle, the timid and distrustful monkeys answer, from the tops of the trees, the cries of the large animals. They awaken the birds that live in society, and by degrees the whole assembly is in commotion. It is not always in a fine moonlight, but more particularly at the time of a storm of violent showers, that this tumult takes place among the wild beasts. ‘May heaven grant them a quiet night and repose, and us also!’ said the monk who accompanied us to the Rio Negro,



when, sinking with fatigue, he assisted in arranging our accommodation for the night."

Life is indeed among animals a struggle for existence, and in addition to the more usual weapons—teeth and claws—we find in some animals special and peculiar means of offence and defence.

If we had not been so familiarised with the fact, the possession of poison might well seem a wonderful gift. That a fluid, harmless in one animal itself, should yet prove so deadly when transferred to others, is certainly very remarkable; and though the venom of the Cobra or the Rattlesnake appeal perhaps more effectively to our imagination, we have conclusive evidence of concentrated poison even in the bite of a midge, which may remain for days perceptible. The sting of a Bee or Wasp, though somewhat similar in its effect, is a totally different organ, being a modified ovipositor. Some species of Ants do not sting in the ordinary sense, but eject their acrid poison to a distance of several inches.

Another very remarkable weapon is the electric battery of certain Eels, of the Electric

Cat Fish, and the Torpedos, one of which is said to be able to discharge an amount of electricity sufficient to kill a Man.

Some of the Medusæ and other Zoophytes are armed by millions of minute organs known as "thread cells." Each consists of a cell, within which a firm, elastic thread is tightly coiled. The moment the Medusa touches its prey the cells burst and the threads spring out. Entering the flesh as they do by myriads, they prove very effective weapons.

The ink of the Sepia has passed into a proverb. The animal possesses a store of dark fluid, which, if attacked, it at once ejects, and thus escapes under cover of the cloud thus created.

The so-called Bombardier Beetles, when attacked, discharge at the enemy, from the hinder part of their body, an acrid fluid which, as soon as it comes in contact with air, explodes with a sound resembling a miniature gun. Westwood mentions, on the authority of Burchell, that on one occasion, "whilst resting for the night on the banks of one of the large South American rivers, he went out with a lantern to make an astronomical

observation, accompanied by one of his black servant boys; and as they were proceeding, their attention was directed to numerous beetles running about upon the shore, which, when captured, proved to be specimens of a large species of *Brachinus*. On being seized they immediately began to play off their artillery, burning and staining the flesh to such a degree that only a few specimens could be captured with the naked hand, and leaving a mark which remained a considerable time. Upon observing the whitish vapour with which the explosions were accompanied, the negro exclaimed in his broken English, with evident surprise, ‘ Ah, massa, they make smoke ! ’ ”

Many other remarkable illustrations might be quoted; as for instance the web of the Spider, the pit of the Ant Lion, the mephitic odour of the Skunk.

### SENSES

We generally attribute to animals five senses more or less resembling our own. But even as regards our own senses we really

know or understand very little. Take the question of color. The rainbow is commonly said to consist of seven colors—red, orange, yellow, green, blue, indigo, and violet.

But it is now known that all our color sensations are mixtures of three simple colors, red, green, and violet. We are, however, absolutely ignorant how we perceive these colors. Thomas Young suggested that we have three different systems of nerve fibres, and Helmholtz regards this as “a not improbable supposition”; but so far as microscopical examination is concerned, there is no evidence whatever for it.

Or take again the sense of Hearing. The vibrations of the air no doubt play upon the drum of the ear, and the waves thus produced are conducted through a complex chain of small bones to the fenestra ovalis and so to the inner ear or labyrinth. But beyond this all is uncertainty. The labyrinth consists mainly of two parts (1) the cochlea, and (2) the semicircular canals, which are three in number, standing at right angles to one another. It has been supposed that they

enable us to maintain the equilibrium of the body, but no satisfactory explanation of their function has yet been given. In the cochlea, Corti discovered a remarkable organ consisting of some four thousand complex arches, which increase regularly in length and diminish in height. They are connected at one end with the fibres of the auditory nerve, and Helmholtz has suggested that the waves of sound play on them, like the fingers of a performer on the keys of a piano, each separate arch corresponding to a different sound. We thus obtain a glimpse, though but a glimpse, of the manner in which perhaps we hear ; but when we pass on to the senses of smell and taste, all we know is that the extreme nerve fibres terminate in certain cells which differ in form from those of the general surface ; but in what manner the innumerable differences of taste or smell are communicated to the brain, we are absolutely ignorant.

If then we know so little about ourselves, no wonder that with reference to other animals our ignorance is extreme.

We are too apt to suppose that the senses

of animals must closely resemble, and be confined to ours.

No one can doubt that the sensations of other animals differ in many ways from ours. Their organs are sometimes constructed on different principles, and situated in very unexpected places. There are animals which have eyes on their backs, ears in their legs, and sing through their sides.

We all know that the senses of animals are in many cases much more acute than ours, as for instance the power of scent in the dog, of sight in the eagle. Moreover, our eye is much more sensitive to some colors than to others; least so to crimson, then successively to red, orange, yellow, blue, and green; the sensitiveness for green being as much as 750 times as great as for red. This alone may make objects appear of very different colors to different animals.

Nor is the difference one of degree merely. The rainbow, as we see it, consists of seven colors—red, orange, yellow, green, blue, indigo, and violet. But though the red and violet are the limits of the visible spectrum, they are not

the limits of the spectrum itself, there are rays, though invisible to us beyond the red at the one end, and beyond the violet at the other: the existence of the ultra red can be demonstrated by the thermometer; while the ultra violet are capable of taking a photograph. But though the red and violet are respectively the limits of our vision, I have shown<sup>1</sup> by experiments which have been repeated and confirmed by other naturalists, that some of the lower animals are capable of perceiving the ultra-violet rays, which to us are invisible. It is an interesting question whether these rays may not produce on them the impression of a new color, or colors, differing from any of those known to us.

So again with hearing, not only may animals in some cases hear better than we do, but sounds which are beyond the reach of our ears, may be audible to theirs. Even among ourselves the power of hearing shrill sounds is greater in some persons than in others. Sound, as we know, is produced by vibration of the air striking on the drum of

<sup>1</sup> *Ants, Bees, and Wasps, and The Senses of Animals.*

the ear, and the fewer are the vibrations in a second, the deeper is the sound, which becomes shriller and shriller as the waves of sound become more rapid. In human ears the limits of hearing are reached when about 35,000 vibrations strike the drum of the ear in a second.

Whatever the explanation of the gift of hearing in ourselves may be, different plans seem to be adopted in the case of other animals. In many Crustacea and Insects there are flattened hairs each connected with a nerve fibre, and so constituted as to vibrate in response to particular notes. In others the ear cavity contains certain minute solid bodies, known as otoliths, which in the same way play upon the nerve fibres. Sometimes these are secreted by the walls of the cavity itself, but certain Crustacea have acquired the remarkable habit of selecting after each moult suitable particles of sand, which they pick up with their pincers and insert into their ears.

Many insects, besides the two large



“compound” eyes one on each side of the head, have between them three small ones, known as the “ocelli,” arranged in a triangle. The structure of these two sets of eyes is quite different. The ocelli appear to see as our eyes do. The lens throws an inverted image on the back of the eye, so that with these eyes they must see everything reversed, as we ourselves really do, though long practice enables us to correct the impression. On the other hand, the compound eyes consist of a number of facets, in some species as many as 20,000 in each eye, and the prevailing impression among entomologists now is that each facet receives the impression of one pencil of rays, that in fact the image formed in a compound eye is a sort of mosaic. In that case, vision by means of these eyes, must be direct; and it is indeed difficult to understand how an insect can obtain a correct impression when it looks at the world with five eyes, three of which see everything reversed, while the other two see things the right way up!

On the other hand, some regard each

facet as an independent eye, in which case many insects realise the epigram of Plato—

Thou lookest on the stars, my love,  
Ah, would that I could be  
Yon starry skies with thousand eyes,  
That I might look on thee !

Even so, therefore, we only substitute one difficulty for another.

But this is not all. We have not only no proof that animals are confined to our five senses, but there are strong reasons for believing that this is not the case.

In the first place, many animals have organs which from their position, structure, and rich supply of nerves, are evidently organs of sense; and yet which do not appear to be adapted to any one of our five senses.

As already mentioned, the limits of hearing are reached when about 35,000 vibrations of the air strike on the drums of our ears. Light, as was first conclusively demonstrated by our great countryman Young, is the impression produced by vibration of the ether on the retina of the eye. When 700 millions

of millions of vibrations strike the eye in a second, we see violet; and the color changes as the number diminishes, 400 millions of millions giving us the impression of red.

Between 35,000 and 400 millions of millions the interval is immense, and it is obvious that there might be any number of sensations. When we consider how greatly animals differ from us, alike in habits and structure, is it not possible, nay, more, is it not likely that some of these problematical organs are the seats of senses unknown to us, and give rise to sensations of which we have no conception?

In addition to the capacity for receiving and perceiving, some animals have the faculty of emitting light. In our country the glow-worm is the most familiar case, though some other insects and worms have, at any rate under certain conditions, the same power, and it is possible that many others are really luminous, though with light which is invisible to us. In warmer climates the Fire-fly, Lanthorn-fly, and many other insects, shine with much greater brilliance, and in these

cases the glow seems to be a real love-light, like the lamp of Hero.

Many small marine animals, Medusæ, Crustacea, Worms, etc., are also brilliantly luminous at night. Deep-sea animals are endowed also in many cases with special luminous organs, to which I shall refer again.

#### SENSE OF DIRECTION

It has been supposed that animals possess also what has been called a Sense of Direction. Many interesting cases are on record of animals finding their way home after being taken a considerable distance. To account for this fact it has been suggested that animals possess a sense with which we are not endowed, or of which, at any rate, we possess only a trace. The homing instinct of the pigeon has also been ascribed to the same faculty. My brother Alfred, however, who has paid much attention to pigeons, informs me that they are never taken any great

distance at once ; but if they are intended to take a long flight, they are trained to do so by stages.

Darwin suggested that it would be interesting to test the case by taking animals in a close box, and then whirling them round rapidly before letting them out. This is in fact done with cats in some parts of France, when the family migrates, and is considered the only way of preventing the cat from returning to the old home. Fabre has tried the same thing with some wild Bees (*Chalicodoma*). He took some, marked them on the back with a spot of white, and put them into a bag. He then carried them a quarter of a mile, stopping at a point where an old cross stands by the wayside, and whirled the bag rapidly round his head. While he was doing so a good woman came by, who seemed not a little surprised to find the Professor solemnly whirling a black bag round his head in front of the cross ; and, he fears, suspected him of Satanic practices. He then carried his Bees a mile and a half in the opposite direction and let them go. Three

out of ten found their way home. He tried the same experiment several times, in one case taking them a little over two miles. On an average about a third of the Bees found their way home. "La démonstration," says Fabre, "est suffisante. Ni les mouvements enchevêtrés d'une rotation comme je l'ai décrite ; ni l'obstacle de collines à franchir et de bois à traverser ; ni les embûches d'une voie qui s'avance rétrograde et revient par un ample circuit, ne peuvent troubler les Chalico-domes dépayés et les empêcher de revenir au nid."

I must say, however, that I am not convinced. In the first place, the distances were I think too short ; and in the second, though it is true that some of the Bees found their way home, nearly two-thirds failed to do so. It would be interesting to try the experiment again, taking the Bees say five miles. If they really possess any such sense, that distance would be no bar to their return. I have myself experimented with Ants, taking them about fifty yards from the nest, and I always found that they wandered aimlessly

about, having evidently not the slightest idea of their way home. They certainly did not appear to possess any "sense of direction."

#### NUMBER OF SPECIES

The total number of species may probably be safely estimated as at least 2,000,000, of which but a fraction have yet been described or named. Of extinct species the number was probably at least as great. In the geological history of the earth there have been at least twelve periods, in each of which by far the greatest number were distinct. The Ancient Poets described certain gifted mortals as having been privileged to descend into the interior of the earth, and exercised their imagination in recounting the wonders thus revealed. As in other cases, however, the realities of Science have proved far more varied and surprising than the dreams of fiction. Of these extinct species our knowledge is even more incomplete than that of the existing species. But even of our contem-

poraries it is not too much to say that, as in the case of plants, there is not one the structure, habits, and life-history of which are yet fully known to us. The male of the Cynips, which produces the common King Charles Oak Apple, has only recently been discovered, those of the root-feeding Aphides, which live in hundreds in every nest of the yellow Meadow Ant (*Lasius flavus*) are still unknown; the habits and mode of reproduction of the common Eel have only just been discovered; and we may even say generally that many of the most interesting recent discoveries have relation to the commonest and most familiar animals.

#### IMPORTANCE OF THE SMALLER ANIMALS

Whatever pre-eminence Man may claim for himself, other animals have done far more to affect the face of nature. The principal agents have not been the larger or more intelligent, but rather the smaller, and individually less important, species. Beavers may have



dammed up many of the rivers of British Columbia, and turned them into a succession of pools or marshes, but this is a slight matter compared with the action of earthworms and insects<sup>1</sup> in the creation of vegetable soil; of the accumulation of animalcules in filling up harbours and lakes; or of Zoophytes in the construction of coral islands.

Microscopic animals make up in number what they lack in size. Paris is built of Infusoria. The Peninsula of Florida, 78,000 square miles in extent, is entirely composed of coral débris and fragments of shells. Chalk consists mainly of Foraminifera and fragments of shells deposited in a deep sea. The number of shells required to make up a cubic inch is almost incredible. Ehrenberg has estimated that of the Bilin polishing slate which caps the mountain, and has a thickness of forty feet, a cubic inch contains many hundred million shells of Infusoria.

In another respect these microscopic organisms are of vital importance. Many

<sup>1</sup> Prof. Drummond (*Tropical Africa*) dwells with great force on the manner in which the soil of Central Africa is worked up by the White Ants.

diseases are now known, and others suspected, to be entirely due to Bacteria and other minute forms of life (Microbes), which multiply incredibly, and either destroy their victims, or after awhile diminish again in numbers. We live indeed in a cloud of Bacteria. At the observatory of Montsouris at Paris it has been calculated that there are about 80 in each cubic meter of air. Elsewhere, however, they are much more numerous. Pasteur's researches on the Silkworm disease led him to the discovery of *Bacterium anthracis*, the cause of splenic fever. Microbes are present in persons suffering from cholera, typhus, whooping-cough, measles, hydrophobia, etc., but as to their history and connection with disease we have yet much to learn. It is fortunate, indeed, that they do not all attack us.

In surgical cases, again, the danger of compound fractures and mortification of wounds has been found to be mainly due to the presence of microscopic organisms ; and Lister, by his antiseptic treatment which destroys these germs or prevents their access, has greatly diminished

the danger of operations, and the sufferings of recovery.

### SIZE OF ANIMALS

In the size of animals we find every gradation from these atoms which even in the most powerful microscopes appear as mere points, up to the gigantic reptiles of past ages and the Whales of our present ocean. The horned Ray or Skate is 25 feet in length, by 30 in width. The Cuttle-fishes of our seas, though so hideous as to resemble a bad dream, are too small to be formidable ; but off the Newfoundland coast is a species with arms sometimes 30 feet long, so as to be 60 feet from tip to tip. The body, however, is small in proportion. The Giraffe attains a height of over 20 feet ; the Elephant, though not so tall, is more bulky ; the Crocodile reaches a length of over 20 feet, the Python of 60 feet, the extinct Titanosaurus of the American Jurassic beds, the largest land animal yet known to us, 100 feet in length and 30 in height ; the

Whalebone Whale over 70 feet, Sibbald's Whale is said to have reached 80-90, which is perhaps the limit. Captain Scoresby indeed mentions a Rorqual no less than 120 feet in length, but this is probably too great an estimate.

#### COMPLEXITY OF ANIMAL STRUCTURE

The complexity of animal structure is even more marvellous than their mere magnitude. A Caterpillar contains more than 2000 muscles. In our own body are some 2,000,000 perspiration glands, communicating with the surface by ducts having a total length of some 10 miles; while that of the arteries, veins, and capillaries must be very great; the blood contains millions of millions of corpuscles, each no doubt a complex structure in itself; the rods in the retina, which are supposed to be the ultimate recipient of light, are estimated at 30,000,000; and Meinert has calculated that the gray matter of the brain is built up of at least 600,000,000 cells. No

verbal description, however, can do justice to the marvellous complexity of animal structure, which the microscope alone, and even that but faintly, can enable us to realise.

### LENGTH OF LIFE

How little we yet know of the life-history of Animals is illustrated by the vagueness of our information as to the age to which they live. Professor Lankester<sup>1</sup> tells us that "the paucity and uncertainty of observations on this class of facts is extreme." The Rabbit is said to reach 10 years, the Dog and Sheep 10-12, the Pig 20, the Horse 30, the Camel 100, the Elephant 200, the Greenland Whale 400 (?): among Birds, the Parrot to attain 100 years, the Raven even more. The Atur Parrot mentioned by Humboldt, talked, but could not be understood, because it spoke in the language of an extinct Indian

<sup>1</sup> Lankester, *Comparative Longevity*. See also Weismann, *Duration of Life*.

tribe. It is supposed from their rate of growth that among Fish the Carp is said to reach 150 years; and a Pike, 19 feet long, and weighing 350 lbs., is said to have been taken in Suabia in 1497 carrying a ring, on which was inscribed, "I am the fish which was first of all put into the lake by the hands of the Governor of the Universe, Frederick the Second, the 5th Oct. 1230." This would imply an age of over 267 years. Many Reptiles are no doubt very long lived. A Tortoise is said to have reached 500 years. As regards the lower animals, the greatest age on record is that of Sir J. Dalzell's Sea Anemone, which lived for over 50 years. Insects are generally short-lived; the Queen Bee, however, is said by Aristotle, whose statement has not been confirmed by recent writers, to live 7 years. I myself had a Queen Ant which attained the age of 15 years.

The May Fly (*Ephemera*) is celebrated as living only for a day, and has given its name to all things short-lived. The statement usually made is, indeed, very

misleading, for in its larval condition the *Ephemera* lives for weeks. Many writers have expressed surprise that in the perfect state its life should be so short. It is, however, so defenceless, and, moreover, so much appreciated by birds and fish, that unless they laid their eggs very rapidly none would perhaps survive to continue the species.

Many of these estimates are, as will be seen, very vague and doubtful, so that we must still admit with Bacon that, "touching the length and shortness of life in living creatures, the information which may be had is but slender, observation is negligent, and tradition fabulous. In tame creatures their degenerate life corrupteth them, in wild creatures their exposing to all weathers often intercepteth them."

#### ON INDIVIDUALITY

When we descend still lower in the animal scale, the consideration of this question opens

out a very curious and interesting subject connected with animal individuality. As regards the animals with which we are most familiar no such question intrudes. Among quadrupeds and birds, fishes and reptiles, there is no difficulty in deciding whether a given organism is an individual, or a part of an individual. Nor does the difficulty arise in the case of most insects. The Bee or Butterfly lays an egg which develops successively into a larva and pupa, finally producing Bee or Butterfly. In these cases, therefore, the egg, larva, pupa, and perfect Insect, are regarded as stages in the life of a single individual. In certain gnats, however, the larva itself produces young larvæ, each of which develops into a gnat, so that the egg produces not one gnat but many gnats.

The difficulty of determining what constitutes an individual becomes still greater among the Zoophytes. These beautiful creatures in many cases so closely resemble plants, that until our countryman Ellis proved them to be animals, Crabbe was justified in saying—



Involved in seawrack here we find a race,  
Which Science, doubting, knows not where to place ;  
On shell or stone is dropped the embryo seed,  
And quickly vegetates a vital breed.

We cannot wonder that such organisms were long regarded as belonging to the vegetable kingdom. The cups which terminate the branches contain, however, an animal structure, resembling a small Sea Anemone, and possessing arms which capture the food by which the whole colony is nourished. Some of these cups, moreover, differ from the rest, and produce eggs. These then we might be disposed to term ovaries. But in many species they detach themselves from the group and lead an independent existence. Thus we find a complete gradation from structures which, regarded by themselves, we should unquestionably regard as mere organs, to others which are certainly separate and independent beings.

Fig. 2 represents, after Allman, a colony of *Bougainvillea fruticosa* of the natural size. It is a British species, which is found growing on buoys, floating timber, etc., and, says

Allman, "When in health and vigour, offers a spectacle unsurpassed in interest by any other species—every branchlet crowned by its




Fig. 2.—*Bougainvillea fruticosa*; natural size. (After Allman.)

graceful hydranth, and budding with Medusæ in all stages of development (Fig. 3), some still in the condition of minute buds, in which no trace of the definite Medusa-form can yet be detected; others, in which the outlines of the Medusa can be distinctly traced within the transparent ectothèque (external layer); others, again, just casting off this thin outer

pellicle, and others completely freed from it, struggling with convulsive efforts to break loose from the colony, and finally launched



Fig. 3.—*Bougainvillea fruticosa* ; magnified to show development.

forth in the full enjoyment of their freedom into the surrounding water. I know of no form in which so many of the characteristic

features of a typical hydroid are more finely expressed than in this beautiful species."

Fig. 4 represents the Medusa or free form of this beautiful species.

If we pass to another great group of Zoophytes, that of the Jelly-fishes, we have a very similar case. For our first knowledge of the life-history of these Zoophytes we are indebted to the Norwegian naturalist Sars. Take, for instance, the common Jelly-fish (Medusa aurita) (Fig. 5) of our shores.




Fig. 4.—*Bougainvillea fruticosa*, Medusa-form.

The egg is a pear-shaped body (1), covered with fine hairs, by the aid of which it swims about, the broader end in front. After a while it attaches itself, not as might have been expected by the posterior but by the anterior extremity (2). The cilia then disappear, a mouth is formed at the free end, tentacles, first four (3), then eight, and at

length as many as thirty (4), are formed, and the little creature resembles in essentials the freshwater polyp (Hydra) of our ponds.




Fig. 5.—*Medusa aurita*, and progressive stages of development.

At the same time transverse wrinkles (4) are formed round the body, first near the free extremity and then gradually descending. They become deeper and deeper, and develop lobes or divisions one under the other, as at 5. After a while the top ring (and subsequently the others one by one) detaches itself, swims away, and gradually develops into a Medusa (6). Thus,

then, the life-history is very similar to that of the Hydroids, only that while in the Hydroids the fixed condition is the more permanent; and the free swimming more transitory, in the Medusæ, on the contrary, the fixed condition is apparently only a phase in the production of the free swimming animal. In both the one and the other, however, the egg gives rise not to one but to many mature animals. Steenstrup has given to these curious phenomena, many other cases of which occur among the lower animals, and to which he first called attention, the name of alternations of generations.

In the life-history of Infusoria (so called because they swarm in most animal or vegetable infusions) similar difficulties encounter us. The little creatures, many of which are round or oval in form, from time to time become constricted in the middle; the constriction becomes deeper and deeper, and at length the two halves twist themselves apart and swim away. In this case, therefore, there was one, and there are now two exactly similar; but are these two individuals? They are not

parent and offspring—that is clear, for they are of the same age; nor are they twins, for there is no parent. As already mentioned, we regard the Caterpillar, Chrysalis, and Butterfly as stages in the life-history of a single individual. But among Zoophytes, and even among some insects, one larva often produces several mature forms. In some species these mature forms remain attached to the larval stock, and we might be disposed to regard the whole as one complex organism. But in others they detach themselves and lead an independent existence.

These considerations then introduce much difficulty into our conception of the idea of an Individual.

#### ANIMAL IMMORTALITY

But, further than this, we are confronted by another problem. If we regard a mass of coral as an individual because it arises by continuous growth from a single egg, then it follows that some corals must be thousands of years old.

Some of the lower animals may be cut into pieces, and each piece will develop into an entire organism. In fact the realisation of the idea of an individual gradually becomes more and more difficult, and the continuity of existence, even among the highest animals, gradually forces itself upon us. I believe that as we become more rational, as we realise more fully the conditions of existence, this consideration is likely to have important moral results.

It is generally considered that death is the common lot of all living beings. But is this necessarily so? Infusoria and other unicellular animals multiply by division. That is to say, if we watch one for a certain time, we shall observe, as already mentioned, that a constriction takes place, which grows gradually deeper and deeper, until at last the two halves become quite detached, and each swims away independently. The process is repeated over and over again, and in this manner the species is propagated. Here obviously there is no birth and no death. Such creatures may be killed, but they have no natural term of life.



They are, in fact, theoretically immortal. Those which lived millions of years ago may have gone on dividing and subdividing, and in this sense multitudes of the lower animals are millions of years old.

## CHAPTER IV

### ON PLANT LIFE

Flower in the crannied wall,  
I pluck you out of the crannies,  
I hold you here, root and all, in my hand,  
Little flower—but *if* I could understand  
What you are, root and all, and all in all,  
I should know what God and man is.

TENNYSON.

## CHAPTER IV

### ON PLANT LIFE

WE are told that in old days the Fairies used to give presents of Flowers and Leaves to those whom they wished to reward, or whom they loved best ; and though these gifts were, it appears, often received with disappointment, still it will probably be admitted that flowers have contributed more to the happiness of our lives than either gold or silver or precious stones ; and that our happiest days have been spent out-of-doors in the woods and fields, when we have

. . . found in every woodland way  
The sunlight tint of Fairy Gold.<sup>1</sup>

To many minds Flowers acquired an additional interest when it was shown that

<sup>1</sup> Thomson.

there was a reason for their color, size, and form—in fact, for every detail of their organisation. If we did but know all that the smallest flower could tell us, we should have solved some of the greatest mysteries of Nature. But we cannot hope to succeed—even if we had the genius of Plato or Aristotle — without careful, patient, and reverent study. From such an inquiry we may hope much; already we have glimpses, enough to convince us that the whole history will open out to us conceptions of the Universe wider and grander than any which the Imagination alone would ever have suggested.

Attempts to explain the forms, colors, and other characteristics of animals and plants are by no means new. Our Teutonic forefathers had a pretty story which explained certain points about several common plants. Balder, the God of Mirth and Merriment, was, characteristically enough, regarded as deficient in the possession of immortality. The other divinities, fearing to lose him, petitioned Thor to make him immortal, and the prayer was

granted on condition that every animal and plant would swear not to injure him. To secure this object, Nanna, Balder's wife, descended upon the earth. Loki, the God of Envy, followed her, disguised as a crow (which at that time were white), and settled on a little blue flower, hoping to cover it up, so that Nanna might overlook it. The flower, however, cried out "forget-me-not, forget-me-not," and has ever since been known under that name. Loki then flew up into an oak and sat on a mistletoe. Here he was more successful. Nanna carried off the oath of the oak, but overlooked the mistletoe. She thought, however, and the divinities thought, that she had successfully accomplished her mission, and that Balder had received the gift of immortality.

One day, supposing Balder proof, they amused themselves by shooting at him, posting him against a Holly. Loki tipped an arrow with a piece of Mistletoe, against which Balder was not proof, and gave it to Balder's brother. This, unfortunately, pierced him to the heart, and he fell

dead. Some drops of his blood spurted on to the Holly, which accounts for the redness of the berries; the Mistletoe was so grieved that she has ever since borne fruit like tears; and the crow, whose form Loki had taken, and which till then had been white, was turned black.

This pretty myth accounts for several things, but is open to fatal objections.

Recent attempts to explain the facts of Nature are not less fascinating, and, I think, more successful.

Why then this marvellous variety? this inexhaustible treasury of beautiful forms? Does it result from some innate tendency in each species? Is it intentionally designed to delight the eye of man? Or has the form and size and texture some reference to the structure and organisation, the habits and requirements of the whole plant?

I shall never forget hearing Darwin's paper on the structure of the Cowslip and Primrose, after which even Sir Joseph Hooker compared himself to Peter Bell, to whom

A primrose by a river's brim  
A yellow primrose was to him,  
And it was nothing more.

We all, I think, shared the same feeling, and found that the explanation of the flower then given, and to which I shall refer again, invested it with fresh interest and even with new beauty.

A regular flower, such, for instance, as a Geranium or a Pink, consists of four or more whorls of leaves, more or less modified: the lowest whorl is the Calyx, and the separate leaves of which it is composed, which however are sometimes united into a tube, are called sepals; (2) a second whorl, the corolla, consisting of colored leaves called petals, which, however, like those of the Calyx, are often united into a tube; (3) of one or more stamens, consisting of a stalk or filament, and a head or anther, in which the pollen is produced; and (4) a pistil, which is situated in the centre of the flower, and at the base of which is the Ovary, containing one or more seeds.

Almost all large flowers are brightly



Let us now apply these views to a few common flowers. Take, for instance, the White Dead-nettle.



Fig. 6.—White Dead-nettle.

The corolla of this beautiful and familiar flower (Fig. 6) consists of a narrow tube, somewhat expanded at the upper end (Fig. 7), where the lower lobe forms a platform, on each side of which is a small projecting tooth (Fig. 8, *m*). The upper portion of the corolla is an arched hood (*co*), under which lie four anthers (*a a*), in pairs, while between them, and projecting somewhat downwards, is the pointed pistil (*st*); the tube at the lower part contains honey, and above the honey is a row of hairs running round the tube.

Now, why has the flower this peculiar form? What regulates the length of the tube? What is the use of the arch? What lesson do the little teeth teach

us? What advantage is the honey to the flower? Of what use is the fringe of hairs? Why does the stigma project beyond the anthers? Why is the corolla white, while the rest of the plant is green?



Fig. 7.




Fig. 8.

The honey of course serves to attract the Humble Bees by which the flower is fertilised, and to which it is especially adapted; the white color makes the flower more conspicuous; the lower lip forms the stage on which the Bees may alight; the length of the tube is adapted to that of their proboscis; its narrowness and the fringe of fine hairs exclude small insects which might rob the flower of its honey without performing any service in return; the arched upper lip protects the stamens and pistil, and prevents rain-drops

from choking up the tube and washing away the honey; the little teeth are, I believe, of no use to the flower in its present condition, they are the last relics of lobes once much larger, and still remaining so in some allied species, but which in the Dead-nettle, being no longer of any use, are gradually disappearing; the height of the arch has reference to the size of the Bee, being just so much above the alighting stage that the Bee, while sucking the honey, rubs its back against the hood and thus comes in contact first with the stigma and then with the anthers, the pollen-grains from which adhere to the hairs on the Bee's back, and are thus carried off to the next flower which the Bee visits, when some of them are then licked off by the viscid tip of the stigma.<sup>1</sup>

In the *Salvias*, the common blue *Salvia* of our gardens, for instance,—a plant allied to the Dead-nettle,—the flower (Fig. 9) is constructed on the same plan, but the arch is much larger, so that the back of the Bee does not nearly reach it. The stamens, however, have undergone a

<sup>1</sup> Lubbock, *Flowers and Insects*.

remarkable modification. Two of them have become small and functionless. In the other two the anthers or cells producing the pollen, which in most flowers form together a round knob or head at the top of the stamen, are separated by a long arm, which plays on the top of the stamen as on a hinge. Of these two arms one hangs down into the tube, closing the passage, while the other lies under the arched upper lip. When the Bee pushes its




Fig. 9.




Fig. 10.



Fig. 11.

proboscis down the tube (Fig. 11) it presses the lower arm to one side, and the upper arm

consequently descends, tapping the Bee on the back, and dusting it with pollen. When the flower is a little older the pistil (Fig. 9, *p*) has elongated so that the stigma (Fig. 10, *st*) touches the back of the Bee and carries off some of the pollen. This sounds a little complicated, but is clear enough if we take a twig or stalk of grass and push it down the tube, when one arm of each of the two larger stamens will at once make its appearance. It is one of the most beautiful pieces of plant mechanism which I know, and was first described by Sprengel, a poor German schoolmaster.

### SNAPDRAGON

At first sight it may seem an objection to the view here advocated that the flowers in some species—as, for instance, the common Snapdragon (*Antirrhinum*), which, according to the above given tests, ought to be fertilised by insects—are entirely closed. A little consideration, however, will suggest the reply. The Snapdragon is especially adapted for

fertilisation by Humble Bees. The stamens and pistil are so arranged that smaller species would not effect the object. It is therefore an advantage that they should be excluded, and in fact they are not strong enough to move the spring. The *Antirrhinum* is, so to speak, a closed box, of which the Humble Bees alone possess the key.

#### FURZE, BROOM, AND LABURNUM

Other flowers such as the Furze, Broom, Laburnum, etc., are also opened by Bees. The petals lock more or less into one another, and the flower remains at first closed. When, however, the insect alighting on it presses down the keel, the flower bursts open, and dusts it with pollen.

#### SWEET PEA

In the above cases the flower once opened does not close again. In others, such as the Sweet Pea and the Bird's-foot Lotus, Nature

has been more careful. When the Bee alights it clasps the "wings" of the flower with its legs, thus pressing them down; they are, however, locked into the "keel," or lower petal, which accordingly is also forced down, thus exposing the pollen which rubs against, and part of which sticks to, the breast of the Bee. When she leaves the flower the keel and wings rise again, thus protecting the rest of the pollen and keeping it ready until another visitor comes. It is easy to carry out the same process with the fingers.

#### PRIMULA

In the Primrose and Cowslip, again, we find quite a different plan. It had long been known that if a number of Cowslips or Primroses are examined, about half would be found to have the stigma at the top of the tube and the stamens half way down, while in the other half the stamens are at the top and the stigma half way down. These two forms are about equally numerous, but never occur on the

same stock. They have been long known to children and gardeners, who call them thrum-eyed and pin-eyed. Mr. Darwin was the first to explain the significance of this curious difference. It cost him several years of patient labour, but when once pointed out it is sufficiently obvious. An insect thrusting its




Fig. 12.

Fig. 13.

Flower and Pollen of Primrose.

proboscis down a primrose of the long-styled form (Fig. 12) would dust its proboscis at a part ( $\alpha$ ) which, when it visited a short-styled flower (Fig. 13), would come just opposite the head of the pistil ( $st$ ), and could not fail to deposit some of the pollen on the stigma. Conversely, an insect visiting a short-styled plant would dust its proboscis at a part farther



from the tip ; which, when the insect subsequently visited a long-styled flower, would again come just opposite to the head of the pistil. Hence we see that by this beautiful arrangement insects must carry the pollen of the long-styled form to the short-styled, and *vice versâ*.

The economy of pollen is not the only advantage which plants derive from these visits of Insects. A second and scarcely less important is that they tend to secure "cross fertilisation" ; that is to say, that the seed shall be fertilised by pollen from another plant. The fact that "cross fertilisation" is of advantage to the plant doubtless also explains the curious arrangement that in many plants the stamen and pistil do not mature at the same time—the former having shed their pollen before the pistil is mature ; or, which happens less often, the pistil having withered before the pollen is ripe. In most Geraniums, Pinks, etc., for instance, and many allied species, the stamens ripen first, and are followed after an interval by the pistil.

## THE NOTTINGHAM CATCHFLY

The Nottingham Catchfly (*Silene nutans*) is a very interesting case. The flower is adapted to be fertilised by Moths. Accordingly it opens towards evening, and as is generally the case with such flowers, is pale in color, and sweet-scented. There are two sets of stamens, five in each set. The first evening that the flower opens one set of stamens ripen and expose their pollen. Towards morning these wither away, the flower shrivels up, ceases to emit scent, and looks as if it were faded. So it remains all next day. Towards evening it reopens, the second set of stamens have their turn, and the flower again becomes fragrant. By morning, however, the second set of stamens have shrivelled, and the flower is again asleep. Finally on the third evening it re-opens for the last time, the long spiral stigmas expand, and can hardly fail to be fertilised with the pollen brought by Moths from other flowers.

## THE HEATH

In the hanging flowers of heaths the stamens form a ring, and each one bears two horns. When the Bee inserts its proboscis into the flower to reach the honey, it is sure to press against one of these horns, the ring is dislocated, and the pollen falls on to the head of the insect. In fact, any number of other interesting cases might be mentioned.

## BEES AND FLIES

Bees are intelligent insects, and would soon cease to visit flowers which did not supply them with food. Flies, however, are more stupid, and are often deceived. Thus in our lovely little *Parnassia*, five of the ten stamens have ceased to produce pollen, but are prolonged into fingers, each terminating in a shining yellow knob, which looks exactly like a drop of honey, and by which Flies are continually

deceived. *Paris quadrifolia* also takes them in with a deceptive promise of the same kind. Some foreign plants have livid yellow and reddish flowers, with a most offensive smell, and are constantly visited by Flies, which apparently take them for pieces of decaying meat.

The flower of the common Lords and Ladies (*Arum*) of our hedges is a very interesting case. The narrow neck bears a number of hairs pointing downwards. The stamens are situated above the stigma, which comes to maturity first. Small Flies enter the flower apparently for shelter, but the hairs prevent them from returning, and they are kept captive until the anthers have shed their pollen.

Then, when the Flies have been well dusted, the hairs shrivel up, leaving a clear road, and the prisoners are permitted to escape. The tubular flowers of *Aristolochia* offer a very similar case.




Fig.14. *Arum*

## PAST HISTORY OF FLOWERS

If the views here advocated are correct, it follows that the original flowers were small and green, as wind-fertilised flowers are even now. But such flowers are inconspicuous. Those which are colored, say yellow or white, are of course much more visible and more likely to be visited by insects. I have elsewhere given my reasons for thinking that under these circumstances some flowers became yellow, that some of them became white, others subsequently red, and some finally blue. It will be observed that red and blue flowers are as a rule highly specialised, such as Aconites and Larkspurs as compared with Buttercups; blue Gentians as compared with yellow, etc. I have found by experiment that Bees are especially partial to blue and pink.

Tubular flowers almost always, if not always, contain honey, and are specially suited to Butterflies and Moths, Bees and Flies. Those which are fertilised by Moths generally come

out in the evening, are often very sweetly scented, and are generally white or pale yellow, these colors being most visible in the twilight.

Aristotle long ago noticed the curious fact that in each journey Bees confine themselves to some particular flower. This is an economy of labour to the Bee, because she has not to vary her course of proceeding. It is also an advantage to the plants, because the pollen is carried from each flower to another of the same species, and is therefore less likely to be wasted.

#### FRUITS AND SEEDS

After the flower comes the seed, often contained in a fruit, and which itself encloses the future plant. Fruits and seeds are adapted for dispersion, beautifully and in various ways: some by the wind, being either provided with a wing, as in the fruits of many trees—Sycamores, Ash, Elms, etc.; or with a hairy crown or covering, as with Thistles, Dandelions, Willows, Cotton plant, etc.

Some seeds are carried by animals ; either as food—such as most edible fruits and seeds, acorns, nuts, apples, strawberries, raspberries, blackberries, plums, grasses, etc.—or involuntarily, the seeds having hooked hairs or processes, such as burrs, cleavers, etc.

Some seeds are scattered by the plants themselves, as, for instance, those of many Geraniums, Violets, Balsams, Shamrocks, etc. Our little Herb Robert throws its seeds some 25 feet.

Some seeds force themselves into the ground, as those of certain grasses, Cranes'-bills (*Erodiums*), etc.

Some are buried by the parent plants, as those of certain clovers, vetches, violets, etc.

Some attach themselves to the soil, as those of the Flax ; or to trees, as in the case of the Mistletoe.

## LEAVES

Again, as regards the leaves there can, I think, be no doubt that similar considerations

of utility are applicable. Their forms are almost infinitely varied. To quote Ruskin's vivid words, they "take all kinds of strange shapes, as if to invite us to examine them. Star-shaped, heart-shaped, spear-shaped, arrow-shaped, fretted, fringed, cleft, furrowed, serrated, sinuated, in whorls, in tufts, in spires, in wreaths, endlessly expressive, deceptive, fantastic, never the same from foot-stalk to blossom, they seem perpetually to tempt our watchfulness and take delight in outstepping our wonder."

But besides these differences of mere form, there are many others: of structure, texture, and surface; some are scented or have a strong taste, or acrid juice, some are smooth, others hairy; and the hairs again are of various kinds.

I have elsewhere<sup>1</sup> endeavoured to explain some of the causes which have determined these endless varieties. In the Beech, for instance (Fig. 15), the leaf has an area of about 3 square inches. The distance between the buds is about  $1\frac{1}{4}$  inch, and the leaves lie in

<sup>1</sup> *Flowers, Fruits, and Leaves.*



the general plane of the branch, which bends slightly at each internode. The basal half of



Fig. 15. Beech.

the leaf fits the swell of the twig, while the upper half follows the edge of the leaf above; and the form of the inner edge being thus determined, decides that of the outer one also.

The weight, and consequently the size of the leaf, is limited by the strength of the twig; and, again, in a climate such as

ours it is important to plants to have their leaves so arranged as to secure the maximum of light. Hence in leaves which lie parallel to the plane of the boughs, as in the Beech, the width depends partly on the distance between the buds; if the leaves were broader, they would overlap, if they were narrower, space would be wasted. Consequently the width being determined by the distance between the buds, and the size depending on the weight

which the twig can safely support, the length also is determined. This argument is well illustrated by comparing the leaves of the Beech with those of the Spanish Chestnut. The arrangement is similar, and the distance between the buds being about the same, so is the width of the leaves. But the terminal branches of the Spanish Chestnut being much stronger, the leaves can safely be heavier; hence the width being fixed, they grow in length and assume the well-known and peculiar sword-blade shape.

In the Sycamores, Maples (Fig. 16), and Horse-Chestnuts the arrangement is altogether different. The shoots are stiff and upright with leaves placed at right angles to the branches instead of being parallel to them. The leaves are in pairs and decussate with one another; while the lower ones have long petioles which bring them almost to the level of the upper pairs, the whole thus forming a beautiful dome.

For leaves arranged as in the Beech the gentle swell at the base is admirably suited; but in a crown of leaves such as those of the

Sycamore, space would be wasted, and it is better that they should expand at once, so soon as their stalks have carried them free from the upper and inner leaves.

In the Black Poplar the arrangement of the leaves is again quite different. The leaf stalk is flattened, so that the leaves hang




Fig. 16. *Acer platanoides*.

vertically. In connection with this it will be observed that while in most leaves the upper and under surfaces are quite unlike, in the Black Poplar on the contrary they are very similar. The stomata or breathing holes, moreover, which in the leaves of most trees are confined to the under surface, are in this species nearly equally numerous on both.

The "Compass" Plant of the American prairies, a plant not unlike a small sunflower, is another species with upright leaves, which growing in the wide open prairies tend to point north and south, thus exposing both surfaces equally to the light and heat. Such a position also affects the internal structure of the leaf, the two sides becoming similar in structure, while in other cases the upper and under surfaces are very different.

In the Yew the leaves are inserted close to one another, and are linear; while in the Box they are further apart and broader. In other cases the width of the leaves is determined by what botanists call the "Phyllotaxy." Some plants have the leaves opposite, each pair being at right angles with the pairs above and below.

In others they are alternate, and arranged round the stem in a spiral. In one very common arrangement the sixth leaf stands directly over the first, the intermediate ones forming a spiral which has passed twice round the stem. This, therefore, is known as the  $\frac{2}{3}$  arrangement. Common cases are  $\frac{1}{2}$ ,  $\frac{1}{3}$ ,  $\frac{2}{5}$ ,  $\frac{3}{8}$ ,

and  $\frac{5}{13}$ . In the first the leaves are generally broad, in the  $\frac{2}{3}$  arrangement they are elliptic, in the  $\frac{5}{13}$  and more complicated arrangements nearly linear. The Willows afford a very interesting series. *Salix herbacea* has the  $\frac{1}{3}$  arrangement and rounded leaves, *Salix caprea* elliptic leaves and  $\frac{2}{3}$ , *Salix pentandra* lancet-shaped leaves and  $\frac{3}{8}$ , and *S. incana* linear leaves and a  $\frac{5}{13}$  arrangement. The result is that whether the series consists of 2, 3, 5, 8, or 13 leaves, in every case, if we look perpendicularly at a twig the leaves occupy the whole circle.

In herbaceous plants upright leaves as a rule are narrow, which is obviously an advantage, while prostrate ones are broad.

#### AQUATIC PLANTS

Many aquatic plants have two kinds of leaves; some more or less rounded, which float on the surface; and others cut up into narrow segments, which remain below. The latter thus present a greater extent of surface.





AQUATIC VEGETATION, BRAZIL.

*To face page 145.*

In air such leaves would be unable even to support their own weight, much less to resist the force of the wind. In still air, however, for the same reason, finely-divided leaves may be an advantage, while in exposed positions compact and entire leaves are more suitable. Hence herbaceous plants tend to have divided, bushes and trees entire, leaves. There are many cases when even in the same family low and herb-like species have finely-cut leaves, while in shrubby or ligneous ones they more or less resemble those of the Laurel or Beech.

These considerations affect trees more than herbs, because trees stand more alone, while herbaceous plants are more affected by surrounding plants. Upright leaves tend to be narrow, as in the case of grasses; horizontal leaves, on the contrary, wider. Large leaves are more or less broken up into leaflets, as in the Ash, Mountain-Ash, Horse-Chestnut, etc.

The forms of leaves depend also much on the manner in which they are packed into the buds.



The leaves of our English trees, as I have already said, are so arranged as to secure the maximum of light; in very hot countries the reverse is the case. Hence, in Australia, for instance, the leaves are arranged not horizontally, but vertically, so as to present, not their surfaces, but their edges, to the sun. One English plant, a species of lettuce, has the same habit. This consideration has led also to other changes. In many species the leaves are arranged directly under, so as to shelter, one another. The Australian species of *Acacia* have lost their true leaves, and the parts which in them we generally call leaves are in reality vertically-flattened leaf stalks.

In other cases the stem itself is green, and to some extent replaces the leaves. In our common Broom we see an approach to this, and the same feature is more marked in Cactus. Or the leaves become fleshy, thus offering, in proportion to their volume, a smaller surface for evaporation. Of this the *Stonecrops*, *Mesembryanthemum*, etc., are familiar instances. Other modes of checking

transpiration and thus adapting plants to dry situations are by the development of hairs, by the formation of chalky excretions, by the sap becoming saline or viscid, by the leaf becoming more or less rolled up, or protected by a covering of varnish.

Our English trees are for the most part deciduous. Leaves would be comparatively useless in winter when growth is stopped by the cold; moreover, they would hold the snow, and thus cause the boughs to be broken down. Hence perhaps the glossiness of Evergreen leaves, as, for instance, of the Holly, from which the snow slips off. In warmer climates trees tend to retain their leaves, and some species which are deciduous in the north become evergreen, or nearly so, in the south of Europe. Evergreen leaves are as a rule tougher and thicker than those which drop off in autumn; they require more protection from the weather. But some evergreen leaves are much longer lived than others; those of the Evergreen Oak do not survive a second year, those of the Scotch Pine live for three, of the Spruce Fir, Yew, etc., for eight or ten, of the

Pinsapo even eighteen. As a general rule the Conifers with short leaves keep them on for several years, those with long ones for fewer, the length of the leaf being somewhat in the inverse ratio to the length of its life; but this is not an invariable criterion, as other circumstances also have to be taken into consideration.

Leaves with strong scent, aromatic taste, or acrid juice, are characteristic of dry regions, where they run especial danger of being eaten, and where they are thus more or less effectively protected.

#### ON HAIRS

The hairs of plants are useful in various ways. In some cases (1) they keep off superfluous moisture; in others (2) they prevent too rapid evaporation; in some (3) they serve as a protection against too glaring light; in some (4) they protect the plant from browsing quadrupeds; in others (5) from being eaten by insects; or, (6) serve as a quickset hedge to prevent access to the flowers.

In illustration of the first case I may refer to many alpine plants, the well-known Edelweiss, for instance, where the woolly covering of hairs prevent the "stomata," or minute pores leading into the interior of the leaf, from being clogged up by rain, dew, or fog, and thus enable them to fulfil their functions as soon as the sun comes out.

As regards the second case many desert- and steppe-plants are covered with felty hairs, which serve to prevent too rapid evaporation and consequent loss of moisture.

The woolly hairy leaves of the Mulleins (*Verbascum*) doubtless tend to protect them from being eaten, as also do the spines of Thistles, and those of Hollies, which, be it remarked, gradually disappear on the upper leaves which browsing quadrupeds cannot reach.

I have already alluded to the various ways in which flowers are adapted to fertilisation by insects. But Ants and other small creeping insects cannot effectually secure this object. Hence it is important that they

should be excluded, and not allowed to carry off the honey, for which they would perform no service in return. In many cases, therefore, the opening of the flower is either contracted to a narrow passage, or is itself protected by a fringe of hairs. In others the peduncle, or the stalk of the plant is protected by a hedge, or *chevaux de frise*, of hairs.

In this connection I might allude to the many plants which are more or less viscid. This also is in most cases a provision to preclude creeping insects from access to the flowers.

There are various other kinds of hairs to which I might refer—glandular hairs, secretive hairs, absorbing hairs, etc. It is marvellous how beautifully the form and structure of leaves is adapted to the habits and requirements of the plants, but I must not enlarge further on this interesting subject.

The time indeed will no doubt come when we shall be able to explain every difference of form and structure, almost infinite as these differences are.

## INFLUENCE OF SOIL

The character of the vegetation is of course greatly influenced by that of the soil. In this respect granitic and calcareous regions offer perhaps the best marked contrast.

There are in Switzerland two kinds of *Rhododendrons*, very similar in their flowers, but contrasted in their leaves: *Rhododendron hirsutum* having them hairy at the edges as the name indicates; while in *R. ferrugineum* they are rolled, but not hairy, at the edges, and become ferrugineous on the lower side. This species occurs in the granitic regions, where *R. hirsutum* does not grow.

The Yarrows (*Achillea*) afford us a similar case. *Achillea atrata* and *A. moschata* will live either on calcareous or granitic soil, but in a district where both occur, *A. atrata* grows so much the more vigorously of the two if the soil is calcareous that it soon exterminates *A. moschata*; while in granite districts, on the contrary, *A. moschata* is victorious and *A. atrata* disappears.

Every keen sportsman will admit that a varied "bag" has a special charm, and the botanist in a summer's walk may see at least a hundred plants in flower, all with either the interest of novelty, or the charm of an old friend.

#### ON SEEDLINGS

In many cases the Seedlings afford us an interesting insight into the former condition of the plant. Thus the leaves of the Furze are reduced to thorns; but those of the Seedling are herbaceous and trifoliate like those of the Herb Genet and other allied species, subsequent ones gradually passing into spines. This is evidence that the ancestors of the Furze bore leaves.

Plants may be said to have their habits as well as animals.

#### SLEEP OF PLANTS

Many flowers close their petals during rain; the advantage of which is that it prevents the honey and pollen from being spoilt

or washed away. Everybody, however, has observed that even in fine weather certain flowers close at particular hours. This habit of going to sleep is surely very curious. Why should flowers do so? In animals we can better understand it; they are tired and require rest. But why should flowers sleep? Why should some flowers do so, and not others? Moreover, different flowers keep different hours. The Daisy opens at sunrise and closes at sunset, whence its name "day's-eye." The Dandelion (*Leontodon*) is said to open about seven and to close about five; *Arenaria rubra* to be open from nine to three; the White Water Lily (*Nymphæa*), from about seven to four; the common Mouse-ear Hawkweed (*Hieracium*) from eight to three; the Scarlet Pimpernel (*Anagallis*) to waken at seven and close soon after two; *Tragopogon pratensis* to open at four in the morning, and close just before twelve, whence its English name, "John go to bed at noon." Farmer's boys in some parts are said to regulate their dinner time by it. Other flowers, on the contrary, open in the evening.



Now it is obvious that flowers which are fertilised by night-flying insects would derive no advantage from being open by day ; and on the other hand, that those which are fertilised by bees would gain nothing by being open at night. Nay it would be a distinct disadvantage, because it would render them liable to be robbed of their honey and pollen, by insects which are not capable of fertilising them. I have ventured to suggest then that the closing of flowers may have reference to the habits of insects, and it may be observed also in support of this, that wind-fertilised flowers do not sleep ; and that many of those flowers which attract insects by smell, open and emit their scent at particular hours ; thus *Hesperis matronalis* and *Lychnis vespertina* smell in the evening, and *Orchis bifolia* is particularly sweet at night.

But it is not the flowers only which “sleep” at night ; in many species the leaves also change their position, and Darwin has given strong reasons for considering that the object is to check transpiration and thus tend to a protection against cold.

## BEHAVIOUR OF LEAVES IN RAIN

The behaviour of plants with reference to rain affords many points of much interest. The Germander Speedwell (*Veronica*) has two strong rows of hairs, the Chickweed (*Stellaria*) one, running down the stem and thus conducting the rain to the roots. Plants with a main tap-root, like the Radish or the Beet, have leaves sloping inwards so as to conduct the rain towards the axis of the plant, and consequently to the roots; while, on the contrary, where the roots are spreading the leaves slope outwards.

In other cases the leaves hold the rain or dew drops. Every one who has been in the Alps must have noticed how the leaves of the Lady's Mantle (*Alchemilla*) form little cups containing each a sparkling drop of icy water. Kerner has suggested that owing to these cold drops, the cattle and sheep avoid the leaves.

## MIMICRY

In many cases plants mimic others which are better protected than themselves. Thus *Matricaria Chamomilla* mimics the true Chamomile, which from its bitterness is not eaten by quadrupeds. *Ajuga Chamæpitys* mimics *Euphorbia Cyparissias*, with which it often grows, and which is protected by its acrid juice. The most familiar case, however, is that of the Stinging and the Dead Nettles. They very generally grow together, and though belonging to quite different families are so similar that they are constantly mistaken for one another. Some Orchids have a curious resemblance to insects, after which they have accordingly been named the Bee Orchis, Fly Orchis, Butterfly Orchis, etc., but it has not yet been satisfactorily shown what advantage the resemblance is to the plant.

## ANTS AND PLANTS

The transference of pollen from plant to

plant is by no means the only service which insects render.

Ants, for instance, are in many cases very useful to plants. They destroy immense numbers of caterpillars and other insects. Forel observing a large Ants' nest counted more than 28 insects brought in as food per minute. In some cases Ants attach themselves to particular trees, constituting a sort of body-guard. A species of *Acacia*, described by Belt, bears hollow thorns, while each leaflet produces honey in a crater-formed gland at the base, as well as a small, sweet, pear-shaped body at the tip. In consequence it is inhabited by myriads of a small ant, which nests in the hollow thorns, and thus finds meat, drink, and lodging all provided for it. These ants are continually roaming over the plant, and constitute a most efficient body-guard, not only driving off the leaf-eating ants, but, in Belt's opinion, rendering the leaves less liable to be eaten by herbivorous mammalia. Delpino mentions that on one occasion he was gathering a flower of *Clerodendrum*, when he was himself

suddenly attacked by a whole army of small ants.

### INSECTIVOROUS PLANTS

In the cases above mentioned the relation between flowers and insects is one of mutual advantage. But this is by no means an invariable rule. Many insects, as we all know, live on plants, but it came upon botanists as a surprise when our countryman Ellis first discovered that some plants catch and devour insects. This he observed in a North American plant *Dionæa*, the leaves of which are formed something like a rat-trap, with a hinge in the middle, and a formidable row of spines round the edge. On the surface are a few very sensitive hairs, and the moment any small insect alights on the leaf and touches one of these hairs the two halves of the leaf close up quickly and catch it. The surface then throws out a glutinous secretion, by means of which the leaf sucks up the nourishment contained in the insect.

Our common Sun-dews (*Drosera*) are also

insectivorous, the prey being in their case captured by glutinous hairs. Again, the Bladderwort (*Utricularia*), a plant with pretty yellow flowers, growing in pools and slow streams, is so called because it bears a great number of bladders or utricles, each of which is a real miniature eel-trap, having an orifice guarded by a flap opening inwards which allows small water animals to enter, but prevents them from coming out again. The Butterwort (*Pinguicula*) is another of these carnivorous plants.

#### MOVEMENTS OF PLANTS

While considering Plant life we must by no means confine our attention to the higher orders, but must remember also those lower groups which converge towards the lower forms of animals, so that in the present state of our knowledge the two cannot always be distinguished with certainty. Many of them differ indeed greatly from the ordinary conception of a plant. Even the comparatively

highly organised Seaweeds multiply by means of bodies called spores, which an untrained observer would certainly suppose to be animals. They are covered by vibratile hairs or "cilia," by means of which they swim about freely in the water, and even possess a red spot which, as being especially sensitive to light, may be regarded as an elementary eye, and with the aid of which they select some suitable spot, to which they ultimately attach themselves.

It was long considered as almost a characteristic of plants that they possessed no power of movement. This is now known to be an error. In fact, as Darwin has shown, every growing part of a plant is in continual and even constant rotation. The stems of climbing plants make great sweeps, and in other cases, when the motion is not so apparent, it nevertheless really exists. I have already mentioned that many plants change the position of their leaves or flowers, or, as it is called, sleep at night.

The common Dandelion raises its head when the florets open, opens and shuts morning and evening, then lies down again while

the seeds are ripening, and raises itself a second time when they are ready to be carried away by the wind.

*Valisneria spiralis* is a very interesting case. It is a native of European rivers, and the female flower has a long spiral stalk which enables it to float on the surface of the water. The male flowers have no stalks, and grow low down on the plant. They soon, however, detach themselves altogether, rise to the surface, and thus are enabled to fertilise the female flowers among which they float. The spiral stalk of the female flower then contracts and draws it down to the bottom of the water so that the seeds may ripen in safety. Many plants throw or bury their seeds.

The sensitive plants close their leaves when touched, and the leaflets of *Desmodium gyrans* are continually revolving. I have already mentioned that the spores of seaweeds swim freely in the water by means of cilia. Some microscopic plants do so throughout a great part of their lives.

A still lower group, the *Myxomycetes*, which resemble small, more or less branched,



masses of jelly, and live in damp soil, among decaying leaves, under bark and in similar moist situations, are still more remarkably animal like. They are never fixed, but in almost continual movement, due to differences of moisture, warmth, light, or chemical action. If, for instance, a moist body is brought into contact with one of their projections, or "pseudopods," the protoplasm seems to roll itself in that direction, and so the whole organism gradually changes its place. So again, while a solution of salt, carbonate of potash, or saltpetre causes them to withdraw from the danger, an infusion of sugar, or tan, produces a flow of protoplasm towards the source of nourishment. In fact, in the same way it rolls over and round its food, absorbing what is nutritious as it passes along. In cold weather they descend into the soil, and one of them (*Æthalion*), which lives in tan pits, descends in winter to a depth of several feet. When about to fructify it changes its habits, seeks the light instead of avoiding it, climbs upwards, and produces its fruit above ground.

## IMPERFECTION OF OUR KNOWLEDGE

The total number of living species of plants may be roughly estimated at 500,000, and there is not one, of which we can say that the structure, uses, and life-history are yet fully known to us. Our museums contain large numbers which botanists have not yet had time to describe and name. Even in our own country not a year passes without some additional plant being discovered; as regards the less known regions of the earth not half the species have yet been collected. Among the Lichens and Fungi especially many problems of their life-history, some, indeed, of especial importance to man, still await solution.

Our knowledge of the fossil forms moreover falls far short even of that of existing species, which, on the other hand, they must have greatly exceeded in number. Every difference of form, structure, and color has doubtless some cause and explanation, so that the field for research is really inexhaustible.



## CHAPTER V

WOODS AND FIELDS

By day or by night, summer or winter, beneath trees the heart feels nearer to that depth of life which the far sky means. The rest of spirit, found only in beauty, ideal and pure, comes there because the distance seems within touch of thought.—JEFFERIES.

## CHAPTER V

### WOODS AND FIELDS

RURAL life, says Cicero, "is not delightful by reason of cornfields only and meadows, and vineyards and groves, but also for its gardens and orchards, for the feeding of cattle, the swarms of bees, and the variety of all kinds of flowers." Bacon considered that a garden is "the greatest refreshment to the spirits of man, without which buildings and palaces are but gross handyworks, and a man shall ever see, that when ages grow to civility and elegancy men come to build stately sooner than to garden finely, as if gardening were the greater perfection."

No doubt "the pleasure which we take in a garden is one of the most innocent delights in human life."<sup>1</sup> Elsewhere there may be

<sup>1</sup> *The Spectator*.

scattered flowers, or sheets of color due to one or two species, but in gardens one glory follows another. Here are brought together all the

quaint enamelled eyes,  
That on the green turf sucked the honeyed showers,  
And purple all the ground with vernal flowers.  
Bring the rathe primrose that forsaken dies,  
The tufted crow-toe, and pale jessamine,  
The white pink and the pansy freaked with jet,  
The glowing violet,  
The musk rose, and the well attired woodbine,  
With cowslips wan that hang the pensive head,  
And every flower that sad embroidery wears.<sup>1</sup>

We cannot, happily we need not try to, contrast or compare the beauty of gardens with that of woods and fields.

And yet to the true lover of Nature wild flowers have a charm which no garden can equal. Cultivated plants are but a living herbarium. They surpass, no doubt, the dried specimens of a museum, but, lovely as they are, they can be no more compared with the natural vegetation of our woods and fields than the captives in the Zoological Gardens with the same wild species in their native forests and mountains.

<sup>1</sup> Milton.

Often, indeed, our woods and fields rival gardens even in the richness of color. We have all seen meadows white with *Narcissus*, glowing with *Buttercups*, *Cowslips*, early purple *Orchis*, or *Cuckoo Flowers*; cornfields blazing with *Poppies*; woods carpeted with *Bluebells*, *Anemones*, *Primroses*, and *Forget-me-nots*; commons with the yellow *Lady's Bedstraw*, *Harebells*, and the sweet *Thyme*; marshy places with the yellow stars of the *Bog Asphodel*, the *Sun-dew* sparkling with diamonds, *Ragged Robin*, the beautifully fringed petals of the *Buckbean*, the lovely little *Bog Pimpernel*, or the feathery tufts of *Cotton Grass*; hedgerows with *Hawthorn* and *Traveler's Joy*, *Wild Rose* and *Honeysuckle*, while underneath are the curious leaves and orange fruit of the *Lords and Ladies*, the snowy stars of the *Stitchwort*, *Succory*, *Yarrow*, and several kinds of *Violets*; while all along the banks of streams are the tall red spikes of the *Loosestrife*, the *Hemp Agrimony*, *Water Groundsel*, *Sedges*, *Bulrushes*, *Flowering Rush*, *Sweet Flag*, etc.

Many other sweet names will also at once



occur to us—Snowdrops, Daffodils and Hearts-ease, Lady's Mantles and Lady's Tresses, Eyebright, Milkwort, Foxgloves, Herb Roberts, Geraniums, and among rarer species, at least in England, Columbines and Lilies.

But Nature does not provide delights for the eye only. The other senses are not forgotten. A thousand sounds—many delightful in themselves, and all by association—songs of birds, hum of insects, rustle of leaves, ripple of water, seem to fill the air.

Flowers again are sweet, as well as lovely. The scent of pine woods, which is said to be very healthy, is certainly delicious, and the effect of Woodland scenery is good for the mind as well as for the body.

“Resting quietly under an ash tree, with the scent of flowers, and the odour of green buds and leaves, a ray of sunlight yonder lighting up the lichen and the moss on the oak trunk, a gentle air stirring in the branches above, giving glimpses of fleecy clouds sailing in the ether, there comes into the mind a feeling of intense joy in the simple fact of living.”<sup>1</sup>

<sup>1</sup> Jefferies.

The wonderful phenomenon of phosphorescence is not a special gift to the animal kingdom. Henry O. Forbes describes a forest in Sumatra: "The stem of every tree blinked with a pale greenish-white light which undulated also across the surface of the ground like moonlight coming and going behind the clouds, from a minute thread-like fungus invisible in the day-time to the unassisted eye; and here and there thick dumpy mushrooms displayed a sharp, clear dome of light, whose intensity never varied or changed till the break of day; long phosphorescent caterpillars and centipedes crawled out of every corner, leaving a trail of light behind them, while fire-flies darted about above like a lower firmament."<sup>1</sup>

Woods and Forests were to our ancestors the special scenes of enchantment.

The great Ash tree Yggdrasil bound together Heaven, Earth, and Hell. Its top reached to Heaven, its branches covered the Earth, and the roots penetrated into Hell. The three Normas or Fates sat under it, spinning the thread of life.

<sup>1</sup> Forbes, *A Naturalist's Wanderings in the Eastern Archipelago*.

Of all the gods and goddesses of classical mythology or our own folk-lore, none were more fascinating than the Nature Spirits—Elves and Fairies, Neckans and Kelpies, Pixies and Ouphes, Mermaids, Undines, Water Spirits, and all the Elfin world

Which have their haunts in dale and piny mountain,  
Or forests, by slow stream or tingling brook.

They come out, as we are told, especially on moonlight nights. But while evening thus clothes many a scene with poetry, forests are fairy land all day long.

Almost any wood contains many and many a spot well suited for Fairy feasts ; where one might most expect to find Titania, resting, as once we are told.

She lay upon a bank, the favourite haunt  
Of the Spring wind in its first sunshine hour,  
For the luxuriant strawberry blossoms spread  
Like a snow shower then, and violets  
Bowed down their purple vases of perfume  
About her pillow,—linked in a gay band  
Floated fantastic shapes ; these were her guards,  
Her lithe and rainbow elves.

The fairies have disappeared, and, so far

as England is concerned, the larger forest animals have vanished almost as completely. The Elk and Bear, the Boar and Wolf have gone, the Stag has nearly disappeared, and but a scanty remnant of the original wild Cattle linger on at Chillingham. Still the woods teem with life; the Fox and Badger, Stoat and Weasel, Hare and Rabbit, and Hedgehog,

The tawny squirrel vaulting through the boughs,  
Hawk, buzzard, jay, the mavis and the merle,<sup>1</sup>

the Owls and Nightjar, the Woodpecker, Nut-hatch, Magpie, Doves, and a hundred more.

In early spring the woods are bright with the feathery catkins of the Willow, followed by the soft green of the Beech, the white or pink flowers of the Thorn, the pyramids of the Horse-chestnut, festoons of the Laburnum and Acacia, and the Oak slowly wakes from its winter sleep, while the Ash leaves long linger in their black buds.

Under foot is a carpet of flowers — Anemones, Cowslips, Primroses, Bluebells, and

<sup>1</sup> Tennyson.

the golden blossoms of the Broom, which, however, while Gorse and Heather continue in bloom for months, “blazes for a week or two, and is then completely extinguished, like a fire that has burnt itself out.”<sup>1</sup>

In summer the tints grow darker, the birds are more numerous and full of life; the air teems with insects, with the busy murmur of bees and the idle hum of flies, while the cool of morning and evening, and the heat of the day, are all alike delicious.

As the year advances and the flowers wane, we have many beautiful fruits and berries, the red hips and haws of the wild roses, scarlet holly berries, crimson yew cups, the translucent berries of the Guelder Rose, hanging coral beads of the Black Bryony, feathery festoons of the Traveller’s Joy, and others less conspicuous, but still exquisite in themselves—acorns, beech nuts, ash keys, and many more. It is really difficult to say which are most beautiful, the tender greens of spring or the rich tints of autumn, which glow so brightly in the sunshine.

<sup>1</sup> Hamerton.

Tropical fruits are even more striking. No one who has seen it can ever forget a grove of orange trees in full fruit; while the more we examine the more we find to admire; all perfectly and exquisitely finished "usque ad ungues," perfect inside and outside, for Nature

Does in the Pomegranate close  
Jewels more rare than Ormus shows.<sup>1</sup>

In winter the woods are comparatively bare and lifeless, even the Brambles and Woodbine, which straggle over the tangle of underwood being almost leafless.

Still even then they have a beauty and interest of their own; the mossy boles of the trees; the delicate tracery of the branches which can hardly be appreciated when they are covered with leaves; and under foot the beds of fallen leaves; while the evergreens seem brighter than in summer; the ruddy stems and rich green foliage of the Scotch Pines, and the dark spires of the Firs, seeming to acquire fresh beauty.

<sup>1</sup> Marvell.

Again in winter, though no doubt the living tenants of the woods are much less numerous, many of our birds being then far away in the dense African forests, on the other hand those which remain are much more easily visible. We can follow the birds from tree to tree, and the Squirrel from bough to bough.

It requires little imagination to regard trees as conscious beings, indeed it is almost an effort not to do so.

“The various action of trees rooting themselves in inhospitable rocks, stooping to look into ravines, hiding from the search of glacier winds, reaching forth to the rays of rare sunshine, crowding down together to drink at sweetest streams, climbing hand in hand among the difficult slopes, opening in sudden dances among the mossy knolls, gathering into companies at rest among the fragrant fields, gliding in grave procession over the heavenward ridges—nothing of this can be conceived among the untroubled and unvaried felicities of the lowland forest; while to all these direct sources of greater beauty are

added, first the power of redundancy, the mere quantity of foliage visible in the folds and on the promontories of a single Alp being greater than that of an entire lowland landscape (unless a view from some Cathedral tower); and to this charm of redundancy, that of clearer visibility—tree after tree being constantly shown in successive height, one behind another, instead of the mere tops and flanks of masses as in the plains; and the forms of multitudes of them continually defined against the clear sky, near and above, or against white clouds entangled among their branches, instead of being confused in dimness of distance.”<sup>1</sup>

There is much that is interesting in the relations of one species to another. Many plants are parasitic upon others. The foliage of the Beech is so thick that scarcely anything will grow under it, except those spring plants, such as the Anemone and the Wood Buttercup or Goldilocks, which flower early before the Beech is in leaf.

There are other cases in which the reason

<sup>1</sup> Ruskin.



for the association of species is less evident. The Larch and the Arolla (*Pinus Cembra*) are close companions. They grow together in Siberia; they do not occur in Scandinavia or Russia, but both reappear in certain Swiss valleys, especially in the cantons of Lucerne and Valais and the Engadine.

Another very remarkable case which has recently been observed is the relation existing between some of our forest trees and certain Fungi, the species of which have not yet been clearly ascertained. The root tips of the trees are as it were enclosed in a thin sheet of closely woven mycelium. It was at first supposed that the fungus was attacking the roots of the tree, but it is now considered that the tree and the fungus mutually benefit one another. The fungus collects nutriment from the soil, which passes into the tree and up to the leaves, where it is elaborated into sap, the greater part being utilized by the tree, but a portion reabsorbed by the fungus. There is reason to think that, in some cases at any rate, the mycelium is that of the Truffle.





TROPICAL FOREST.

*To face page 179.*

The great tropical forests have a totally different character from ours. I reproduce here the plate from Kingsley's *At Last*. The trees strike all travellers by their magnificence, the luxuriance of their vegetation, and their great variety. Our forests contain comparatively few species, whereas in the tropics we are assured that it is far from common to see two of the same species near one another. But while in our forests the species are few, each tree has an independence and individuality of its own. In the tropics, on the contrary, they are interlaced and interwoven, so as to form one mass of vegetation; many of the trunks are almost concealed by an undergrowth of verdure, and intertwined by spiral stems of parasitic plants; from tree to tree hang an inextricable network of lianas, and it is often difficult to tell to which tree the fruits, flowers, and leaves really belong. The trunks run straight up to a great height without a branch, and then form a thick leafy canopy far overhead; a canopy so dense that even the blaze of the cloudless blue sky is subdued, one might almost say into a weird

so absolutely silent and still before, break at once into noise and movement. Flocks of toucans flutter and scream on the tops of the highest forest trees hopelessly out of shot, the ear is pierced by the strange wild screeches of a little band of macaws which fly past you like the wrapped-up ghosts of the birds on some gaudy old brocade.”<sup>1</sup>

Mr. Darwin tells us that nothing can be better than the description of tropical forests given by Bates.

“The leafy crowns of the trees, scarcely two of which could be seen together of the same kind, were now far away above us, in another world as it were. We could only see at times, where there was a break above, the tracery of the foliage against the clear blue sky. Sometimes the leaves were palmate, or of the shape of large outstretched hands; at others finely cut or feathery like the leaves of *Mimosæ*. Below, the tree trunks were everywhere linked together by sipo; the woody flexible stems of climbing and creeping trees, whose foliage is far away above, mingled with

<sup>1</sup> Thomson, *Voyage of the Challenger*.

that of the taller independent trees. Some were twisted in strands like cables, others had thick stems contorted in every variety of shape, entwining snake-like round the tree trunks or forming gigantic loops and coils among the larger branches ; others, again, were of zigzag shape, or indented like the steps of a staircase, sweeping from the ground to a giddy height."

The reckless and wanton destruction of forests has ruined some of the richest countries on earth. Syria and Asia Minor, Palestine and the north of Africa were once far more populous than they are at present. They were once lands "flowing with milk and honey," according to the picturesque language of the Bible, but are now in many places reduced to dust and ashes. Why is there this melancholy change? Why have deserts replaced cities? It is mainly owing to the ruthless destruction of the trees, which has involved that of nations. Even nearer home a similar process may be witnessed. Two French departments—the Hautes- and Basses-Alpes—are being gradually reduced to ruin by the destruction of the forests. Cultivation is diminishing,

vineyards are being washed away, the towns are threatened, the population is dwindling, and unless something is done the country will be reduced to a desert; until, when it has been released from the destructive presence of man, Nature reproduces a covering of vegetable soil, restores the vegetation, creates the forests anew, and once again fits these regions for the habitation of man.

In another part of France we have an illusion of the opposite process.

The region of the Landes, which fifty years ago was one of the poorest and most miserable in France, has now been made one of the most prosperous owing to the planting of Pines. The increased value is estimated at no less than 1,000,000,000 francs. Where there were fifty years ago only a few thousand poor and unhealthy shepherds whose flocks pastured on the scanty herbage, there are now sawmills, charcoal kilns, and turpentine works, interspersed with thriving villages and fertile agricultural lands.

In our own country, though woodlands are perhaps on the increase, true forest scenery is

gradually disappearing. This is, I suppose, unavoidable, but it is a matter of regret. Forests have so many charms of their own. They give a delightful impression of space and of abundance.

The extravagance is sublime. Trees, as Jefferies says, "throw away handfuls of flower; and in the meadows the careless, spendthrift ways of grass and flower and all things are not to be expressed. Seeds by the hundred million float with absolute indifference on the air. The oak has a hundred thousand more leaves than necessary, and never hides a single acorn. Nothing utilitarian—everything on a scale of splendid waste. Such noble, broadcast, open-armed waste is delicious to behold. Never was there such a lying proverb as 'Enough is as good as a feast.' Give me the feast; give me squandered millions of seeds, luxurious carpets of petals, green mountains of oak-leaves. The greater the waste the greater the enjoyment—the nearer the approach to real life."

It is of course impossible here to give any idea of the complexity of structure of our



forest trees. A slice across the stem of a tree shows many different tissues with more or less technical names, bark and cambium, medullary rays, pith, and more or less specialised tissue; air-vessels, punctate vessels, woody fibres, liber fibres, scalariform vessels, and other more or less specialised tissues.

Let us take a single leaf. The name is synonymous with anything very thin, so that we might well fancy that a leaf would consist of only one or two layers of cells. Far from it, the leaf is a highly complex structure. On the upper surface are a certain number of scattered hairs, while in the bud these are often numerous, long, silky, and serve to protect the young leaf, but the greater number fall off soon after the leaf expands. The hairs are seated on a layer of flattened cells—the skin or epidermis. Below this are one or more layers of “pallisade cells,” the function of which seems to be to regulate the quantity of light entering the leaf. Under these again is the “parenchyme,” several layers of more or less rounded cells, leaving air spaces and passages between them. From place to place in

the parenchyme run "fibro-vascular bundles," forming a sort of skeleton to the leaf, and comprising air-vessels on the upper side, rayed or dotted vessels with woody fibre below, and vessels of various kinds. The under surface of the leaf is formed by another layer of flattened cells, supporting generally more or less hairs, and some of them specially modified so as to leave minute openings or "stomata" leading into the air passages. These stomata are so small that there are millions on a single leaf, and on plants growing in dry countries, such as the Evergreen Oak, Oleander, etc., they are sunk in pits, and further protected by tufts of hair.

The cells of the leaf again are themselves complex. They consist of a cell wall perforated by extremely minute orifices, of protoplasm, cell fluid, and numerous granules of "Chlorophyll," which give the leaf its green color.

While these are, stated very briefly, the essential parts of a leaf, the details differ in every species, while in the same species and even in the same plant, the leaves present

minor differences according to the situation in which they grow.

Since, then, there is so much complex structure in a single leaf, what must it be in a whole plant? There is a giant seaweed (*Macrocystis*), which has been known to reach a length of 1000 feet, as also do some of the lianas of tropical forests. These, however, attain no great bulk, and the most gigantic specimens of the vegetable kingdom yet known are the *Wellingtonia* (*Sequoia*) *gigantea*, which grows to a height of 450 feet, and the Blue Gum (*Eucalyptus*) even to 480.

One is apt to look on animal structure as more delicate, and of a higher order, than that of plants. And so no doubt it is. Yet an animal, even man himself, will recover from a wound or an operation more rapidly and more perfectly than a tree.<sup>1</sup>

Trees again derive a special interest from the venerable age they attain. In some cases, no doubt, the age is more or less mythical, as, for instance, the Olive of Minerva at Athens, the Oaks mentioned by Pliny, "which were

<sup>1</sup> Sir J. Paget, *On the Pathology of Plants*.

thought coeval with the world itself," the Fig tree, "under which the wolf suckled the founder of Rome and his brother, lasting (as Tacitus calculated) 840 years, putting out new shoots, and presaging the translation of that empire from the Cæsarian line, happening in Nero's reign."<sup>1</sup> But in other cases the estimates rest on a surer foundation, and it cannot be doubted that there are trees still living which were already of considerable size at the time of the Conquest. The Soma Cypress of Lombardy, which is 120 feet high and 23 in circumference, is calculated to go back to forty years before the birth of Christ. Francis the First is said to have driven his sword into it in despair after the battle of Padua, and Napoleon altered his road over the Simplon so as to spare it.

Ferdinand and Isabella in 1476 swore to maintain the privileges of the Biscayans under the old Oak of Guernica. In the Ardennes an Oak cut down in 1824 contained a funeral urn and some Samnite coins. A writer at the time drew the conclu-

<sup>1</sup> Evelyn's *Sylva*.

sion that it must have been already a large tree when Rome was founded, and though the facts do not warrant this conclusion, the tree did, no doubt, go back to Pagan times. The great Yew of Fountains Abbey is said to have sheltered the monks when the abbey was rebuilt in 1133, and is estimated at an age of 1300 years; that at Brabourne in Kent at 3000. De Candolle gives the following as the ages attainable :—

The Ivy	. . . . .	450 years
Larch	. . . . .	570 „
Plane	. . . . .	750 „
Cedar of Lebanon	. . . . .	800 „
Lime	. . . . .	1100 „
Oak	. . . . .	1500 „
Taxodium distichum	. . . . .	4000 to 6000
Baobab	. . . . .	6000 years

Nowhere is woodland scenery more beautiful than where it passes gradually into the open country. The separate trees, having more room both for their roots and branches, are finer, and can be better seen, while, when they are close together, “one cannot see the wood for the trees.” The vistas which open out are full of mystery and of promise,

and tempt us gradually out into the green fields.

What pleasant memories these very words recall, games in the hay as children, and sunny summer days throughout life.

“Consider,” says Ruskin,<sup>1</sup> “what we owe to the meadow grass, to the covering of the dark ground by that glorious enamel, by the companies of those soft countless and peaceful spears. The fields ! Follow but forth for a little time the thought of all that we ought to recognise in those words. All spring and summer is in them—the walks by silent scented paths, the rests in noonday heat, the joy of herds and flocks, the power of all shepherd life and meditation, the life of sunlight upon the world, falling in emerald streaks, and soft blue shadows, where else it would have struck on the dark mould or scorching dust, pastures beside the pacing brooks, soft banks and knolls of lowly hills, thymy slopes of down overlooked by the blue line of lifted sea, crisp lawns all dim with early dew, or smooth in

<sup>1</sup> *Modern Painters.*

evening warmth of barred sunshine, dinted by happy feet, and softening in their fall the sound of loving voices.

“Go out, in the spring time, among the meadows that slope from the shores of the Swiss lakes to the roots of their lower mountains. There, mingled with the taller gentians and the white narcissus, the grass grows deep and free, and as you follow the winding mountain paths, beneath arching boughs all veiled and dim with blossom,—paths, that for ever droop and rise over the green banks and mounds sweeping down in scented undulation, steep to the blue water, studded here and there with new mown heaps, filling all the air with fainter sweetness,—look up towards the higher hills, where the waves of everlasting green roll silently into their long inlets among the shadows of the pines; and we may, perhaps, at last know the meaning of those quiet words of the 147th Psalm, ‘He maketh the grass to grow upon the mountains.’

“On fine days,” he tells us again in his *Autobiography*, “when the grass was dry, I

used to lie down on it, and draw the blades as they grew, with the ground herbage of buttercup or hawkweed mixed among them, until every square foot of meadow, or mossy bank, became an infinite picture and possession to me, and the grace and adjustment to each other of growing leaves, a subject of more curious interest to me than the composition of any painter's masterpieces."

In the passage above quoted, Ruskin alludes especially to Swiss meadows. They are especially remarkable in the beauty and variety of flowers. In our fields the herbage is mainly grass, and if it often happens that they glow with Buttercups or are white with Ox-eye-daisies, these are but unwelcome intruders and add nothing to the value of the hay. Swiss meadows, on the contrary, are sweet and lovely with wild Geraniums, Harebells, Bluebells, Pink Restharrow, Yellow Lady's Bedstraw, Chervil, Eyebright, Red and White Silenes, Geraniums, Gentians, and many other flowers which have no familiar English names ; all adding not only to the beauty and sweetness of the meadows, but forming a valuable part



of the crop itself.<sup>1</sup> On the other hand “turf” is peculiarly English, and no turf is more delightful than that of our Downs—delightful to ride on, to sit on, or to walk on. The turf indeed feels so springy under our feet that walking on it seems scarcely an exertion: one could almost fancy that the Downs themselves were still rising, even higher, into the air.

The herbage of the Downs is close rather than short, hillocks of sweet thyme, tufts of golden Potentilla, of Milkwort—blue, pink, and white—of sweet grass and Harebells: here and there pink with Heather, or golden with Furze or Broom, while over all is the fresh air and sunshine, sweet scents, and the hum of bees. And if the Downs seem full of life and sunshine, their broad shoulders are types of kindly strength, they give also an impression of power and antiquity, while every now and then we come across a tumulus, or a group of great grey stones, the burial place of some ancient hero, or a sacred temple of our pagan forefathers.

<sup>1</sup> M. Correvon informs me that the Gruyère cheese is supposed to owe its peculiar flavour to the alpine *Alchemilla*, which is now on that account often purposely sown elsewhere.

On the Downs indeed things change slowly, and in parts of Sussex the strong slow oxen still draw the waggons laden with warm hay or golden wheat sheaves, or drag the wooden plough along the slopes of the Downs, just as they did a thousand years ago.

I love the open Down most, but without hedges England would not be England. Hedges are everywhere full of beauty and interest, and nowhere more so than at the foot of the Downs, when they are in great part composed of wild Guelder Roses and rich dark Yews, decked with festoons of Traveller's Joy, the wild Bryonies, and garlands of Wild Roses covered with thousands of white or delicate pink flowers, each with a centre of gold.

At the foot of the Downs spring clear sparkling streams; rain from heaven purified still further by being filtered through a thousand feet of chalk; fringed with purple Loosestrife and Willowherb, starred with white Water Ranunculuses, or rich Watercress, while every now and then a brown water rat rustles in the grasses at the edge, and splashes into

the water, or a pink speckled trout glides out of sight.

In many of our midland and northern counties most of the meadows lie in parallel undulations or "rigs." These are generally about a furlong (220 yards) in length, and either one or two poles ( $5\frac{1}{2}$  or 11 yards) in breadth. They seldom run straight, but tend to curve towards the left. At each end of the field a high bank, locally called a balk, often 3 or 4 feet high, runs at right angles to the rigs. In small fields there are generally eight, but sometimes ten, of these rigs, which make in the one case 4, in the other 5 acres. These curious characters carry us back to the old tenures, and archaic cultivation of land, and to a period when the fields were not in pasture, but were arable.

They also explain our curious system of land measurement. The "acre" is the amount which a team of oxen were supposed to plough in a day. It corresponds to the German "morgen" and the French "journée." The furlong or long "furrow" is the distance which a team of oxen can plough conveni-

ently without stopping to rest. Oxen, as we know, were driven not with a whip, but with a goad or pole, the most convenient length for which was  $16\frac{1}{2}$  feet, and the ancient ploughman used his "pole" or "perch" by placing it at right angles to his first furrow, thus measuring the amount he had to plough. Hence our "pole" or "perch" of  $16\frac{1}{2}$  feet, which at first sight seems a very singular unit to have selected. This width is also convenient both for turning the plough, and also for sowing. Hence the most convenient unit of land for arable purposes was a furlong in length and a perch or pole in width.

The team generally consisted of eight oxen. Few peasants, however, possessed a whole team, several generally joining together, and dividing the produce. Hence the number of "rigs," one for each ox. We often, however, find ten instead of eight; one being for the parson's tithe, the other tenth going to the ploughman.

When eight oxen were employed the goad would not of course reach the leaders, which were guided by a man who walked on the near side. On arriving at the end of each

furrow he turned them round, and as it was easier to pull than to push them, this gradually gave the furrow a turn towards the left, thus accounting for the slight curvature. Lastly, while the oxen rested on arriving at the end of the furrow, the ploughmen scraped off the earth which had accumulated on the coulter and ploughshare, and the accumulation of these scrapings gradually formed the balk.

It is fascinating thus to trace indications of old customs and modes of life, but it would carry us away from the present subject.

Even though the Swiss meadows may offer a greater variety, our English fields are yet rich in flowers: yellow with Cowslips and Primroses, pink with Cuckoo flowers and purple with Orchis, while, however, unwelcome to the eye of the farmer,

the rich Buttercup  
Its tiny polished urn holds up,  
Filled with ripe summer to the edge,<sup>1</sup>

turning many a meadow into a veritable field of the cloth of gold, and there are few prettier sights in nature than an English hay field on

<sup>1</sup> J. R. Lowell.

a summer evening, with a copse perhaps at one side and a brook on the other; men with forks tossing the hay in the air to dry; women with wooden rakes arranging it in swathes ready for the great four-horse waggon, or collecting it in cocks for the night; while some way off the mowers are still at work, and we hear from time to time the pleasant sound of the whetting of the scythe. All are working with a will lest rain should come and their labour be thrown away. This too often happens. But though we often complain of our English climate, it is yet, take it all in all, one of the best in the world, being comparatively free from extremes either of heat or cold, drought or deluge. To the happy mixture of sunshine and of rain we owe the greenness of our fields,

sparkling with dewdrops

Indwelt with little angels of the Sun,<sup>1</sup>

lit and

warmed by golden sunshine

And fed by silver rain,

which now and again sprinkles the whole earth  
with diamonds.

<sup>1</sup> Hamerton.



# CHAPTER VI

## MOUNTAINS



Mountains “seem to have been built for the human race, as at once their schools and cathedrals ; full of treasures of illuminated manuscript for the scholar, kindly in simple lessons for the worker, quiet in pale cloisters for the thinker, glorious in holiness for the worshipper. They are great cathedrals of the earth, with their gates of rock, pavements of cloud, choirs of stream and stone, altars of snow, and vaults of purple traversed by the continual stars.”—RUSKIN.





SUMMIT OF MONT BLANC.

*To face page 203.*

## CHAPTER VI .

### MOUNTAINS

THE Alps are to many of us an inexhaustible source of joy and peace, of health, and even of life. We have gone to them jaded and worn, feeling, perhaps without any external cause, anxious and out of spirits, and have returned full of health, strength, and energy. Among the mountains Nature herself seems freer and happier, brighter and purer, than elsewhere. The rush of the rivers, and the repose of the lakes, the pure snowfields and majestic glaciers, the fresh air, the mysterious summits of the mountains, the blue haze of the distance, the morning tints and the evening glow, the beauty of the sky and the grandeur of the storm, have all refreshed and delighted us time after time, and their memories can never fade away.

Even now as I write comes back to me the bright vision of an Alpine valley—blue sky above, glittering snow, bare grey or rich red rock, dark pines here and there, mixed with bright green larches, then patches of smooth alp, with clumps of birch and beech, and dotted with brown châlets; then below them rock again, and wood, but this time with more deciduous trees; and then the valley itself, with emerald meadows, interspersed with alder copses, threaded together by a silver stream; and I almost fancy I can hear the tinkling of distant cowbells coming down from the alp, and the delicious murmur of the rushing water. The endless variety, the sense of repose and yet of power, the dignity of age, the energy of youth, the play of color, the beauty of form, the mystery of their origin, all combine to invest mountains with a solemn beauty.

I feel with Ruskin that “mountains are the beginning and the end of all natural scenery; in them, and in the forms of inferior landscape that lead to them, my affections are wholly bound up; and though I can look with happy admiration at the lowland flowers, and woods,

and open skies, the happiness is tranquil and cold, like that of examining detached flowers in a conservatory, or reading a pleasant book." And of all mountain views which he has seen, the finest he considers is that from the Montanvert: "I have climbed much and wandered much in the heart of the high Alps, but I have never yet seen anything which equalled the view from the cabin of the Montanvert."

It is no mere fancy that among mountains the flowers are peculiarly large and brilliant in color. Not only are there many beautiful species which are peculiar to mountains,—alpine Gentians, yellow, blue, and purple; alpine Rhododendrons, alpine Primroses and Cowslips, alpine Lychnis, Columbine, Monks-hood, Anemones, Narcissus, Campanulas, Soldanellas, and a thousand others less familiar to us,—but it is well established that even within the limits of the same species those living up in the mountains have larger and brighter flowers than their sisters elsewhere.

Various alpine species belonging to quite distinct families form close moss-like cushions, gemmed with star-like flowers, or covered

completely with a carpet of blossom. On the lower mountain slopes and in alpine valleys trees seem to flourish with peculiar luxuriance. Pines and Firs and Larches above ; then, as we descend, Beeches and magnificent Chestnuts, which seem to rejoice in the sweet, fresh air and the pure mountain streams.

To any one accustomed to the rich bird life of English woods and hedgerows, it must be admitted that Swiss woods and Alps seem rather lonely and deserted. Still the Hawk, or even Eagle, soaring high up in the air, the weird cry of the Marmot, and the knowledge that, even if one cannot see Chamois, they may all the time be looking down on us, give the Alps, from this point of view also, a special interest of their own.

Another great charm of mountain districts is the richness of color. "Consider,<sup>1</sup> first, the difference produced in the whole tone of landscape color by the introductions of purple, violet, and deep ultra-marine blue which we owe to mountains. In an ordinary lowland landscape we have the blue of the sky ; the

<sup>1</sup> Ruskin.

green of the grass, which I will suppose (and this is an unnecessary concession to the lowlands) entirely fresh and bright; the green of trees; and certain elements of purple, far more rich and beautiful than we generally should think, in their bark and shadows (bare hedges and thickets, or tops of trees, in subdued afternoon sunshine, are nearly perfect purple and of an exquisite tone), as well as in ploughed fields, and dark ground in general. But among mountains, in addition to all this, large unbroken spaces of pure violet and purple are introduced in their distances; and even near, by films of cloud passing over the darkness of ravines or forests, blues are produced of the most subtle tenderness; these azures and purples passing into rose color of otherwise wholly unattainable delicacy among the upper summits, the blue of the sky being at the same time purer and deeper than in the plains. Nay, in some sense, a person who has never seen the rose color of the rays of dawn crossing a blue mountain twelve or fifteen miles away can hardly be said to know what tenderness in color means at all; bright



tenderness he may, indeed, see in the sky or in a flower, but this grave tenderness of the far-away hill-purples he cannot conceive."

"I do not know," he says elsewhere, "any district possessing a more pure or uninterrupted fulness of mountain character (and that of the highest order), or which appears to have been less disturbed by foreign agencies, than that which borders the course of the Trient between Valorsine and Martigny. The paths which lead to it, out of the valley of the Rhone, rising at first in steep circles among the walnut trees, like winding stairs among the pillars of a Gothic tower, retire over the shoulders of the hills into a valley almost unknown, but thickly inhabited by an industrious and patient population. Along the ridges of the rocks, smoothed by old glaciers, into long, dark, billowy swellings, like the backs of plunging dolphins, the peasant watches the slow coloring of the tufts of moss and roots of herb, which, little by little, gather a feeble soil over the iron substance; then, supporting the narrow strip of clinging ground with a few stones, he subdues it to the spade,

and in a year or two a little crest of corn is seen waving upon the rocky casque."

Tyndall, speaking of the scene from the summit of the Little Scheideck,<sup>1</sup> says: "The upper air exhibited a commotion which we did not experience; clouds were wildly driven against the flanks of the Eiger, the Jungfrau thundered behind, while in front of us a magnificent rainbow, fixing one of its arms in the valley of Grindelwald, and, throwing the other right over the crown of the Wetterhorn, clasped the mountain in its embrace. Through jagged apertures in the clouds floods of golden light were poured down the sides of the mountain. On the slopes were innumerable chalets, glistening in the sunbeams, herds browsing peacefully and shaking their mellow bells; while the blackness of the pine trees, crowded into woods, or scattered in pleasant clusters over alp and valley, contrasted forcibly with the lively green of the fields."

Few men had more experience of mountains than Mr. Whymper, and from him, I will quote one remarkable passage

<sup>1</sup> *The Glaciers of the Alps.*

describing the view from the summit of the Matterhorn just before the terrible catastrophe which overshadows the memory of his first ascent.

“The day was one of those superlatively calm and clear ones which usually precede bad weather. The atmosphere was perfectly still and free from all clouds or vapours. Mountains fifty, nay, a hundred miles off looked sharp and near. All their details—ridge and crag, snow and glacier—stood out with faultless definition. Pleasant thoughts of happy days in bygone years came up unbidden as we recognised the old familiar forms. All were revealed, not one of the principal peaks of the Alps was hidden. I see them clearly now, the great inner circle of giants, backed by the ranges, chains, and *massifs*. . . . Ten thousand feet beneath us were the green fields of Zermatt, dotted with *châlets*, from which blue smoke rose lazily. Eight thousand feet below, on the other side, were the pastures of Breuil. There were black and gloomy forests; bright and cheerful meadows, bounding waterfalls and tranquil

lakes, fertile lands and savage wastes, sunny plains and frigid plateaux. There were the most rugged forms and the most graceful outlines, bold perpendicular cliffs and gentle undulating slopes; rocky mountains and snowy mountains, sombre and solemn, or glittering and white, with walls, turrets, pinnacles, pyramids, domes, cones, and spires! There was every combination that the world can give, and every contrast that the heart could desire."

These were summer scenes, but the Autumn and Winter again have a grandeur and beauty of their own.

"Autumn is dark on the mountains; grey mist rests on the hills. The whirlwind is heard on the heath. Dark rolls the river through the narrow plain. The leaves twirl round with the wind, and strew the grave of the dead."<sup>1</sup>

Even bad weather often but enhances the beauty and grandeur of mountains. When the lower parts are hidden, and the peaks stand out above the clouds, they look much

<sup>1</sup> Ossian.

loftier than if the whole mountain side is visible. The gloom lends a weirdness and mystery to the scene, while the flying clouds give it additional variety.

Rain, moreover, adds vividness to the coloring. The leaves and grass become a brighter green, "every sunburnt rock glows into an agate," and when fine weather returns the new snow gives intense brilliance, and invests the woods especially with the beauty of Fairyland. How often in alpine districts does one long "for the wings of a dove," more thoroughly to enjoy and more completely to explore, the mysteries and recesses of the mountains. The mind, however, can go, even if the body must remain behind.

Each hour of the day has a beauty of its own. The mornings and evenings again glow with different and even richer tints.

In mountain districts the cloud effects are brighter and more varied than in flatter regions. The morning and evening tints are seen to the greatest advantage, and clouds floating high in the heavens sometimes glitter with the most exquisite iridescent hues

that blush and glow  
Like angels wings.<sup>1</sup>

On low ground one may be in the clouds, but not above them. But as we look down from mountains and see the clouds floating far below us, we almost seem as if we were looking down on earth from one of the heavenly bodies.

Not even in the Alps is there anything more beautiful than the "after glow" which lights up the snow and ice with a rosy tint for some time after the sun has set. Long after the lower slopes are already in the shade, the summit of Mont Blanc for instance is transfigured by the light of the setting sun glowing on the snow. It seems almost like a light from another world, and vanishes as suddenly and mysteriously as it came.

As we look up from the valleys the mountain peaks seem like separate pinnacles projecting far above the general level. This however, is a very erroneous impression, and when we examine the view from the top of any of the higher mountains, or even from

<sup>1</sup> Bullar, *Azores*.

one of very moderate elevation, if well placed, such say as the well-known Piz Languard, we see that in many cases they must have once formed a dome, or even a table land, out of which the valleys have been carved. Many mountain chains were originally at least twice as high as they are now, and the highest peaks are those which have suffered least from the wear and tear of time.

We used to speak of the everlasting hills, and are only beginning to realise the vast and many changes which our earth has undergone.

There rolls the deep where grew the tree.

O earth, what changes hast thou seen !

There where the long street roars, hath been  
The stillness of the central sea.

The hills are shadows, and they flow

From form to form, and nothing stands ;

They melt like mist, the solid lands,  
Like clouds they shape themselves and go.<sup>1</sup>

#### THE ORIGIN OF MOUNTAINS

Geography moreover acquires a new interest when we once realise that mountains

<sup>1</sup> Tennyson.

are no mere accidents, but that for every mountain chain, for every peak and valley, there is a cause and an explanation.

The origin of Mountains is a question of much interest. The building up of Volcanoes is even now going on before our eyes. Some others, the Dolomites for instance, have been regarded by Richthofen and other geologists as ancient coral islands. The long lines of escarpment which often stretch for miles across country, are now ascertained, mainly through the researches of Whitaker, to be due to the differential action of aerial causes. The general origin of mountain chains, however, was at first naturally enough attributed to direct upward pressure from below. To attribute them in any way to subsidence seems almost a paradox, and yet it appears to be now well established that the general cause is lateral compression, due to contraction of the underlying mass. The earth, we know, has been gradually cooling, and as it contracted in doing so, the strata of the crust would necessarily be thrown into folds. When an apple dries and shrivels in winter, the surface becomes covered



with ridges. Or again, if we place some sheets of paper between two weights on a table, and then bring the weights nearer together, the paper will be crumpled up.

In the same way let us take a section of the earth's surface AB (Fig. 17), and suppose that, by the gradual cooling and consequent contraction of the mass, AB sinks to




Fig. 17.—Adapted from Ball's paper "On the Formation of Alpine Valleys and Lakes," *Lond. and Ed. Phil. Mag.* 1863, p. 96.

A'B', then to A''B'', and finally to A'''B'''. Of course if the cooling of the surface and of the deeper portion were the same, then the strata between A and B would themselves contract, and might consequently still form a regular curve between A''' and B'''. As a matter of fact, however, the strata at the surface of our globe have long since approached a constant temperature. Under these circumstances there would be no contraction of the strata between A and B corresponding to that of


those in the interior, and consequently they could not lie flat between A''' and B''', but must be thrown into folds, commencing along any line of least resistance. Sometimes indeed the strata are completely inverted, as in Fig. 19, and in other cases they have been squeezed for miles out of their original position. This explanation was first, I believe, suggested by Steno. It has been recently developed by Ball and Suess, and especially by Heim. In this manner it is probable that most mountain chains originated.<sup>1</sup>

The structure of mountain districts confirms this theoretical explanation. It is obvious of course that when strata are thrown into folds, they will, if strained too much, give way at the summit of the fold. Before doing so, however, they are stretched and consequently loosened, while on the other hand the strata at the bottom of the fold are compressed: the former, therefore, are rendered more susceptible of disintegration, the latter on the contrary acquire greater powers of resistance.

<sup>1</sup> See especially Heim's great work, *Unt. ü. d. Mechanismus der Gebirgsbildung*.

Hence denudation will act with more effect on the upper than on the lower portion of the folds, and if continued long enough, so that, as shown in the above diagram, the dotted portion is removed, we find the original hill tops replaced by valleys, and the original valleys forming the hill tops. Every visitor to Switzerland must have noticed hills where the strata lie as shown in parts of Fig. 18, and where it is obvious that strata corresponding to those in dots must have been originally present.

In the Jura, for instance, a glance at any good map of the district will show a succession of ridges running parallel to one another in a slightly curved line from S.W. to N.E. That these ridges are due to folds of the earth's surface is clear from the following figure in Jaccard's work on the Geology of the Jura, showing a section from Brenets due south to Neuchâtel by Le Locle. These folds are comparatively slight and the hills of no great height. Further south, however, the strata are much more violently dislocated and compressed together. The



From Auguste Jaccard's *Jura*.

Fig. 18.—Section across the Jura from Brenets to Neuchâtel.

Mont Salève is the remnant of one of these ridges.

In the Alps the contortions are much greater than in the Jura. Fig. 19 shows a section after Heim, from the Spitzen across the Brunnialp, and the Maderanerthal. It is obvious that the valleys are due mainly to erosion, that the Maderaner valley has been cut out of the crystalline rocks *s*, and was once covered by the Jurassic strata *j*, which must have formerly passed in a great arch over what is now the valley.

However improbable it may seem that so great an amount of rock should have disappeared, evidence is conclusive. Ramsay has shown that in some parts of Wales not less than 29,000 feet have been removed, while there is strong reason for the belief that in Switzerland an amount has been carried away equal to the present height of the mountains; though of course it does not follow that the Alps were once twice as high as they are at present, because elevation and erosion must have gone on contemporaneously.

It has been calculated that the strata




Fig. 19.—e, Eocene strata ; j, Jurassic ; s, Crystalline rocks.

between Bâle and the St. Gotthard have been compressed from 202 miles to 130 miles, the Ardennes from 50 to 25 miles, and the Appalachians from 153 miles to 65! Prof. Gumbel has recently expressed the opinion that the main force to which the elevation of the Alps was due acted along the main axis of elevation. Exactly the opposite inference would seem really to follow from the facts. If the centre of force were along the axis of elevation, the result would, as Suess and Heim have pointed out, be to extend, not to compress, the strata; and the folds would remain quite unaccounted for. The suggestion of compression is on the contrary consistent with the main features of Swiss geography. The principal axis follows a curved line from the Maritime Alps towards the north-east by Mont Blanc and Monte Rosa and St. Gotthard to the mountains overlooking the Engadine. The geological strata follow the same direction. North of a line running through Chambery, Yverdon, Neuchâtel, Solothurn, and Olten to Waldshut on the Rhine are Jurassic strata; between that

line and a second nearly parallel and running through Annecy, Vevey, Lucerne, Wesen, Appenzell, and Bregenz on the Lake of Constance, is the lowland occupied by later Tertiary strata; between this second line and another passing through Albertville, St. Maurice, Lenk, Meiringen, and Altdorf lies a more or less broken band of older Tertiary strata; south of which are a Cretaceous zone, one of Jurassic age, then a band of crystalline rocks, while the central core, so to say, of the Alps, as for instance at St. Gotthard, consists mainly of gneiss or granite. The sedimentary deposits reappear south of the Alps, and in the opinion of some high authorities, as, for instance, of Bonney and Heim, passed continuously over the intervening regions. The last great upheaval commenced after the Miocene period, and continued through the Pliocene. Miocene strata attain in the Righi a height of 6000 feet.

For neither the hills nor the mountains are everlasting, or of the same age.

The Welsh mountains are older than the Vosges, the Vosges than the Pyrenees, the



Pyrenees than the Alps, and the Alps than the Andes, which indeed are still rising; so that if our English mountains are less imposing so far as mere height is concerned, they are most venerable from their great antiquity.

But though the existing Alps are in one sense, and speaking geologically, very recent, there is strong reason for believing that there was a chain of lofty mountains there long previously. "The first indication," says Judd, "of the existence of a line of weakness in this portion of the earth's crust is found towards the close of the Permian period, when a series of volcanic outbursts on the very grandest scale took place" along a line nearly following that of the present Alps, and led to the formation of a range of mountains, which, in his opinion, must have been at least 8000 to 9000 feet high. Ramsay and Bonney have also given strong reasons for believing that the present line of the Alps was, at a still earlier period, occupied by a range of mountains no less lofty than those of to-day. Thus then, though the present Alps are comparatively speaking so recent, there

are good grounds for the belief that they were preceded by one or more earlier ranges, once as lofty as they are now, but which were more or less completely levelled by the action of air and water, just as is happening now to the present mountain ranges.

Movements of elevation and subsidence are still going on in various parts of the world. Scandinavia is rising in the north, and sinking at the south. South America is rising on the west and sinking in the east, rotating in fact on its axis, like some stupendous pendulum.

The crushing and folding of the strata to which mountain chains are due, and of which the Alps afford such marvellous illustrations, necessarily give rise to Earthquakes, and the slight shocks so frequent in parts of Switzerland<sup>1</sup> appear to indicate that the forces which have raised the Alps are not yet entirely spent, and that slow subterranean movements are still in progress along the flanks of the mountains.

But if the mountain chains are due to com-

<sup>1</sup> In the last 150 years more than 1000 are recorded.

pression, the present valleys are mainly the result of denudation. As soon as a mountain range is once raised, all nature seems to conspire against it. Sun and Frost, Heat and Cold, Air and Water, Ice and Snow, every plant, from the Lichen to the Oak, and every animal, from the Worm to Man himself, combine to attack it. Water, however, is the most powerful agent of all. The autumn rains saturate every pore and cranny; the water as it freezes cracks and splits the hardest rocks; while the spring sun melts the snow and swells the rivers, which in their turn carry off the debris to the plains.

Perhaps, however, it would after all be more correct to say that Nature, like some great artist, carves the shapeless block into form, and endows the rude mass with life and beauty.

“What more,” said Hutton long ago, “is required to explain the configuration of our mountains and valleys? Nothing but time. It is not any part of the process that will be disputed; but, after allowing all the parts, the whole will be denied; and for what? Only because we are not disposed to allow that

quantity of time which the absolution of so much wasted mountain might require."

The tops of the Swiss mountains stand, and since their elevation have probably always stood, above the range of ice, and hence their bold peaks. In Scotland, on the contrary, and still more in Norway, the sheet of ice which once, as is the case with Greenland now, spread over the whole country, has shorn off the summits and reduced them almost to gigantic bosses; while in Wales the same causes, together with the resistless action of time—for, as already mentioned, the Welsh hills are far older than the mountains of Switzerland—has ground down the once lofty summits and reduced them to mere stumps, such as, if the present forces are left to work out their results, the Swiss mountains will be thousands, or rather tens of thousands, of years hence.

The "snow line" in Switzerland is generally given as being between 8500 and 9000 feet. Above this level the snow or *névé* gradually accumulates until it forms "glaciers," solid rivers of ice which descend more or less



Fig. 20.—Glacier of the Blümlis Alp.





THE MER DE GLACE.

*To face page 229.*

far down the valleys. No one who has not seen a glacier can possibly realise what they are like. Fig. 20 represents the glacier of the Blümlis Alp, and the Plate the Mer de Glace.

They are often very beautiful. "Mount Beerenberg," says Lord Dufferin, "in size, color, and effect far surpassed anything I had anticipated. The glaciers were quite an unexpected element of beauty. Imagine a mighty river, of as great a volume as the Thames, started down the side of a mountain, bursting over every impediment, whirled into a thousand eddies, tumbling and raging on from ledge to ledge in quivering cataracts of foam, then suddenly struck rigid by a power so instantaneous in its action that even the froth and fleeting wreaths of spray have stiffened to the immutability of sculpture. Unless you had seen it, it would be almost impossible to conceive the strangeness of the contrast between the actual tranquillity of these silent crystal rivers and the violent descending energy impressed upon their exterior. You must remember too all this is upon a scale of such prodigious magnitude,



that when we succeeded subsequently in approaching the spot—where with a leap like that of Niagara one of these glaciers plunges down into the sea—the eye, no longer able to take in its fluvial character, was content to rest in simple astonishment at what then appeared a lucent precipice of grey-green ice, rising to the height of several hundred feet above the masts of the vessel.”<sup>1</sup>

The cliffs above glaciers shower down fragments of rock which gradually accumulate at the sides and at the end of the glaciers, forming mounds known as “moraines.” Many ancient moraines occur far beyond the present region of glaciers.

In considering the condition of alpine valleys we must remember that the glaciers formerly descended much further than they do at present. The glaciers of the Rhone for instance occupied the whole of the Valais, filled the Lake of Geneva—or rather the site now occupied by that lake—and rose 2000 feet up the slopes of the Jura; the Upper Ticino, and contributory valleys, were occu-

<sup>1</sup> *Letters from High Latitudes.*

pied by another which filled the basin of the Lago Maggiore; a third occupied the valley of the Dora Baltea, and has left a moraine at Ivrea some twenty miles long, and which rises no less than 1500 feet above the present level of the river. The Scotch and Scandinavian valleys were similarly filled by rivers of ice, which indeed at one time covered the whole country with an immense sheet, as Greenland is at present. Enormous blocks of stone, the *Pierre à Niton* at Geneva and the *Pierre à Bot* above Neuchâtel, for instance, were carried by these glaciers for miles and miles; and many of the stones in the Norfolk cliffs were brought by ice from Norway (perhaps, however, by Icebergs), across what is now the German Ocean. Again wherever the rocks are hard enough to have withstood the weather, we find them polished and ground, just as, and even more so than, those at the ends and sides of existing glaciers.

The most magnificent glacier tracks in the Alps are, in Ruskin's opinion, those on the rocks of the great angle opposite Martigny; the most interesting those above the channel

of the Trient between Valorsine and the valley of the Rhone.

In Great Britain I know no better illustration of ice action than is to be seen on the road leading down from Glen Quoich to Loch Hourn, one of the most striking examples of desolate and savage scenery in Scotland. Its name in Celtic is said to mean the Lake of Hell. All along the roadside are smoothed and polished hummocks of rock, most of them deeply furrowed with approximately parallel striæ, presenting a gentle slope on the upper end, and a steep side below, clearly showing the direction of the great ice flow.

Many of the upper Swiss valleys contain lakes, as, for instance, that of the Upper Rhone, the Lake of Geneva, of the Reuss, the Lake of Lucerne, of the Rhine, that of Constance. These lakes are generally very deep.

The color of the upper rivers, which are white with the diluvium from the glaciers, is itself evidence of the erosive powers which they exercise. This finely-divided matter is, however, precipitated in the lakes, which, as well as the rivers issuing from them, are beautiful rich blue.

“Is it not probable that this action of finely-divided matter may have some influence on the color of some of the Swiss lakes—as that of Geneva for example? This lake is simply an expansion of the river Rhone, which rushes from the end of the Rhone glacier, as the Arveiron does from the end of the Mer de Glace. Numerous other streams join the Rhone right and left during its downward course; and these feeders, being almost wholly derived from glaciers, join the Rhone charged with the finer matter which these in their motion have ground from the rocks over which they have passed. But the glaciers must grind the mass beneath them to particles of all sizes, and I cannot help thinking that the finest of them must remain suspended in the lake throughout its entire length. Faraday has shown that a precipitate of gold may require months to sink to the bottom of a bottle not more than five inches high, and in all probability it would require ages of calm subsidence to bring all the particles which the Lake of Geneva contains to its bottom. It seems certainly worthy

of examination whether such particles suspended in the water contribute to the production of that magnificent blue which has excited the admiration of all who have seen it under favourable circumstances.”<sup>1</sup>

Among the Swiss mountains themselves each has its special character. Tyndall thus describes a view in the Alps, certainly one of the most beautiful—that, namely, from the summit of the *Ægisshorn*.

“Skies and summits are to-day without a cloud, and no mist or turbidity interferes with the sharpness of the outlines. *Jungfrau*, *Monk*, *Eiger*, *Trugberg*, cliffy *Strahlgrat*, stately lady-like *Aletschhorn*, all grandly pierce the empyrean. Like a *Saul of Mountains*, the *Finsteraarhorn* overtops all his neighbours; then we have the *Oberaarhorn*, with the riven glacier of *Viesch* rolling from his shoulders. Below is the *Mârljin See*, with its crystal precipices and its floating icebergs, snowy white, sailing on a blue green sea. Beyond is the range which divides the *Valais* from *Italy*. Sweeping round, the

<sup>1</sup> *Glaciers of the Alps*.

vision meets an aggregate of peaks which look as fledglings to their mother towards the mighty Dom. Then come the repellent crags of Mont Cervin; the ideal of moral savagery, of wild untameable ferocity, mingling involuntarily with our contemplation of the gloomy pile. Next comes an object; scarcely less grand, conveying, it may be, even a deeper impression of majesty and might than the Matterhorn itself—the Weisshorn, perhaps the most splendid object in the Alps. But beauty is associated with its force, and we think of it, not as cruel, but as grand and strong. Further to the right the great Combin lifts up his bare head; other peaks crowd around him; while at the extremity of the curve round which our gaze has swept rises the sovran crown of Mont Blanc. And now, as day sinks, scrolls of pearly clouds draw themselves around the mountain crests, being wafted from them into the distant air. They are without color of any kind; still, by grace of form, and as the embodiment of lustrous light and most tender shade, their beauty is not to be described.”<sup>1</sup>

<sup>1</sup> *Mountaineering in 1861.*

## VOLCANOES

Volcanoes belong to a totally different series of mountains.

It is practically impossible to number the Volcanoes on our earth. Humboldt enumerated 223, which Keith Johnston raised to nearly 300. Some, no doubt, are always active, but in the majority the eruptions are occasional, and though some are undoubtedly now extinct, it is impossible in all cases to distinguish those which are only in repose from those whose day of activity is over. Then, again, the question would arise, which should be regarded as mere subsidiary cones and which are separate volcanoes. The slopes of Etna present more than 700 small cones, and on Hawaii there are several thousands. In fact, most of the very lofty volcanoes present more or less lateral cones.

The molten matter, welling up through some fissure, gradually builds itself up into a cone, often of the most beautiful regularity, such as the gigantic peaks of Chimporazo,

Cotopaxi (Fig. 21), and Fusiyaama, and hence it is that the crater is so often at, or very near, the summit.

Perhaps no spectacle in Nature is more magnificent than a Volcano in activity. It has been my good fortune to have stood




Fig. 21.—Cotopaxi.

more than once at the edge of the crater of Vesuvius during an eruption, to have watched the lava seething below, while enormous stones were shot up high into the air. Such a spectacle can never be forgotten.

The most imposing crater in the world is probably that of Kilauea, at a height of about 4000 feet on the side of Mouna Loa, in the Island of Hawaii. It has a diameter of 2



miles, and is elliptic in outline, with a longer axis of about 3, and a circumference of about 7 miles. The interior is a great lake of lava, the level of which is constantly changing. Generally, it stands about 800 feet below the edge, and the depth is about 1400 feet. The heat is intense, and, especially at night, when the clouds are colored scarlet by the reflection from the molten lava, the effect is said to be magnificent. Gradually the lava mounts in the crater until it either bursts through the side or runs over the edge, after which the crater remains empty, sometimes for years.

A Lava stream flows down the slope of the mountain like a burning river, at first rapidly, but as it cools, scoriæ gradually form, and at length the molten matter covers itself completely (Fig. 22), both above and at the sides, with a solid crust, within which, as in a tunnel, it continues to flow slowly as long as it is supplied from the source, here and there breaking through the crust which, as continually, re-forms in front. Thus the terrible, inexorable, river of fire slowly descends, destroying everything in its course.



Fig. 22.—Lava Stream.

The stream of lava which burst from Mouna Loa in 1885 had a length of 70 miles; that of Skaptar-Jokul in Iceland in 1783 had a length of 50 miles, and a maximum depth of nearly 500 feet. It has been calculated that the mass of lava equalled that of Mont Blanc.

The stones, ashes, and mud ejected during eruptions are even more destructive than the rivers of lava. In 1851 Tomboro, a volcano on the Island of Sumbava, cost more lives than fell in the battle of Waterloo. The earthquake of Lisbon in 1755 destroyed 60,000 persons. During the earthquake of Riobamba and the mud eruption of Tunguragua, and again in that of Krakatoa, it is estimated that the number who perished was between 30,000 and 40,000. At the earthquake of Antioch in 526 no less than 200,000 persons are said to have lost their lives.

Perhaps the most destructive eruption of modern times has been that on Cosequina. For 25 miles it covered the ground with muddy water 16 feet in depth. The dust and ashes formed a dense cloud, extending over many miles, some of it being carried 20 degrees

to the west. The total mass ejected has been estimated at 60 milliards of square yards.

Stromboli, in the Mediterranean (Fig. 23), though only 2500 feet in height, is very imposing from its superb regularity, and its roots plunge below the surface to a depth of 4000 feet.

It is, moreover, very interesting from the regularity of its action, which has a period of 5 minutes or a little less. On looking down into the crater one sees at a depth of say 300 feet a seething mass of red-hot lava; this gradually rises, and then explodes, throwing up a cloud of vapour and stones, after which it sinks again. So regular is it that the Volcano has been compared to a "flashing" lighthouse, and this wonderful process has been going on for ages.

Though long extinct, volcanoes once existed in the British Isles; Arthur's Seat, near Edinburgh, for instance, appears to be the funnel of a small volcano, belonging to the Carboniferous period.

The summit of a volcanic mountain is sometimes entirely blown away. Between my two first visits to Vesuvius 200 feet of the mountain had thus disappeared. Vesuvius itself




Fig. 23.—Stromboli, viewed from the north-west, April 1874.

stands in a more ancient crater, part of which still remains, and is now known as Somma, the greater portion having disappeared in the great eruption of 79, when the mountain, waking from its long sleep, destroyed Herculaneum and Pompeii.

As regards the origin of Volcanoes there have been two main theories. Impressed by the magnitude and grandeur of the phenomena, enhanced as they are by their destructive character, many have been disposed to regard the craters of Volcanoes as gigantic chimneys, passing right through the solid crust of the globe, and communicating with a central fire. Recent researches, however, have indicated that, grand and imposing as they are, Volcanoes must yet be regarded as due mainly to local and superficial causes.

A glance at the map shows that volcanoes are almost always situated on, or near, the sea coast. From the interior of continents they are entirely wanting. The number of active volcanoes in the Andes, contrasted with their absence in the Alps and Ourals, the Himalayas, and Central Asian chains, is very

striking. Indeed, the Pacific Ocean is encircled, as Ritter has pointed out, by a ring of fire. Beginning with New Zealand, we have the Volcanoes of Tongariro, Whakaii, etc.; thence the circle passes through the Fiji Islands, Solomon Islands, New Guinea, Timor, Flores, Sumbava, Lombock, Java, Sumatra, the Philippines, Japan, the Aleutian Islands, along the Rocky Mountains, Mexico, Peru, and Chili, to Tierra del Fuego, and, in the far south, to the two great Volcanoes of Erebus and Terror on Victoria Land.

We know that the contraction of the Earth's surface with the strains and fractures, the compression and folds, which must inevitably result, is still in operation, and must give rise to areas of high temperature, and consequently to Volcanoes. We must also remember that the real mountain chains of our earth are the continents, compared to which even the Alps and Andes are mere wrinkles. It is along the lines of the great mountain chains, that is to say, along the main coast lines, rather than in the centres of the continents, which may be regarded as com-

paratively quiescent, that we should naturally expect to find the districts of greatest heat, and this is perhaps why Volcanoes are generally distributed along the coast lines.

Another reason for regarding Volcanoes as local phenomena is that many even of those comparatively near one another act quite independently. This is so with Kilauea and Mouna Loa, both on the small island of Hawaii.

Again, if volcanoes were in connection with a great central sea of fire, the eruptions must follow the same laws as regulate the tides. This, however, is not the case. There are indeed indications of the existence of slight tides in the molten lake which underlies Vesuvius, and during the eruption of 1865 there was increased activity twice a day, as we should expect to find in any great fluid reservoir, but very different indeed from what must have been the case if the mountain was in connection with a central ocean of molten matter.

Indeed, unless the "crust" of our earth was of great thickness we should be subject to perpetual earthquakes. No doubt these are




far more frequent than is generally supposed; indeed, with our improved instruments it can be shown that instead of occasional vibrations, with long intermediate periods of rest, we have in reality short intervals of rest with long periods of vibration, or rather perhaps that the crust of the earth is in constant tremor, with more violent oscillation from time to time.

It appears, moreover, that earthquakes are not generally deep-seated. The point at which the shock is vertical can be ascertained, and it is also possible in some cases to determine the angle at which it emerges elsewhere. When this has been done it has always been found that the seat of disturbance must have been within 30 geographical miles of the surface.

Yet, though we cannot connect Volcanic action with the central heat of the earth, but must regard it as a minor and local manifestation of force, Volcanoes still remain among the grandest, most awful, and at the same time most magnificent spectacles which the earth can afford.





RYDAL WATER.

*To face page 247.*

## CHAPTER VII

### WATER

Of all inorganic substances, acting in their own proper nature, and without assistance or combination, water is the most wonderful. If we think of it as the source of all the changefulness and beauty which we have seen in the clouds; then as the instrument by which the earth we have contemplated was modelled into symmetry, and its crags chiselled into grace; then as, in the form of snow, it robes the mountains it has made, with that transcendent light which we could not have conceived if we had not seen; then as it exists in the foam of the torrent, in the iris which spans it, in the morning mist which rises from it, in the deep crystalline pools which mirror its hanging shore, in the broad lake and glancing river, finally, in that which is to all human minds the best emblem of unwearied, unconquerable power, the wild, various, fantastic, tameless unity of the sea; what shall we compare to this mighty, this universal element, for glory and for beauty? or how shall we follow its eternal cheerfulness of feeling? It is like trying to paint a soul.—**RUSKIN.**

## CHAPTER VII

### WATER

IN the legends of ancient times running water was proof against all sorcery and witchcraft :

No spell could stay the living tide  
Or charm the rushing stream.<sup>1</sup>

There was much truth as well as beauty in this idea.

Flowing waters, moreover, have not only power to wash out material stains, but they also clear away the cobwebs of the brain—the results of over incessant work, and restore us to health and strength.

Snowfields and glaciers, mountain torrents, sparkling brooks, and stately rivers, meres and lakes, and last, not least, the great ocean itself, all alike possess this magic power.

<sup>1</sup> Leyden.

“When I would beget content,” says Izaak Walton, “and increase confidence in the power and wisdom and providence of Almighty God, I will walk the meadows by some gliding stream, and there contemplate the lilies that take no care, and those very many other little living creatures that are not only created, but fed (man knows not how) by the goodness of the God of Nature, and therefore trust in Him;” and in his quaint old language he craves a special blessing on all those “that are true lovers of virtue, and dare trust in His Providence, and be quiet, and go a angling.”

At the water's edge flowers are especially varied and luxuriant, so that the banks of a river are a long natural garden of tall and graceful grasses and sedges, the Meadow Sweet, the Flowering Rush, the sweet Flag, the Bull Rush, Purple Loosestrife, Hemp Agrimony, Dewberry, Forget-me-not, and a hundred more, backed by Willows, Alders, Poplars, and other trees.

The Animal world, if less conspicuous to the eye, is quite as fascinating to the imagina-

tion. Here and there a speckled Trout may be detected (rather by the shadow than the substance) suspended in the clear water, or darting across a shallow; if we are quiet we may see Water Hens or Wild Ducks swimming among the lilies, a Kingfisher sitting on a branch or flashing away like a gleam of light; a solemn Heron stands maybe at the water's edge, or slowly rises flapping his great wings; Water Rats, neat and clean little creatures, very different from their coarse brown namesakes of the land, are abundant everywhere; nor need we even yet quite despair of seeing the Otter himself.

Insects of course are gay, lively, and innumerable; but after all the richest fauna is that visible only with a microscope.

“To gaze,” says Dr. Hudson, “into that wonderful world which lies in a drop of water, crossed by some stems of green weed, to see transparent living mechanism at work, and to gain some idea of its modes of action, to watch a tiny speck that can sail through the prick of a needle's point; to see its crystal armour flashing with ever varying tint, its



head glorious with the halo of its quivering cilia; to see it gliding through the emerald stems, hunting for its food, snatching at its prey, fleeing from its enemy, chasing its mate (the fiercest of our passions blazing in an invisible speck); to see it whirling in a mad dance, to the sound of its own music, the music of its happiness, the exquisite happiness of living—can any one, who has once enjoyed this sight, ever turn from it to mere books and drawings, without the sense that he has left all Fairyland behind him? ”<sup>1</sup>

The study of Natural History has indeed the special advantage of carrying us into the country and the open air.

Lakes are even more restful than rivers or the sea. Rivers are always flowing, though it may be but slowly; the sea may rest awhile, now and then, but is generally full of action and energy; while lakes seem to sleep and dream. Lakes in a beautiful country are like silver ornaments on a lovely dress, like liquid gems in a beautiful setting, or bright eyes in a lovely face. Indeed as we gaze down on a

<sup>1</sup> Dr. Hudson, Address to the Microscopical Society, 1889.





W. J. Bailey

WINDERMERE.

W. J. Bailey

To face page 253.

lake from some hill or cliff it almost looks solid, like some great blue crystal.

It is not merely for purposes of commerce or convenience that men love to live near rivers.

Let me live harmlessly, and near the brink  
Of Trent or Avon have my dwelling-place ;  
Where I may see my quill, or cork, down sink,  
With eager bite of pike, or bleak, or dace ;  
And on the world and my Creator think :  
While some men strive ill-gotten goods t' embrace :  
And others spend their time in base excess  
Of wine ; or worse, in war, or wantonness.

Let them that will, these pastimes still pursue,  
And on such pleasing fancies feed their fill :  
So I the fields and meadows green may view  
And daily by fresh rivers walk at will,  
Among the daisies and the violets blue,  
Red hyacinth and yellow daffodil.<sup>1</sup>

It is interesting and delightful to trace a river from its source to the sea.

“Beginning at the hill-tops,” says Geikie, “we first meet with the spring or ‘well-eye,’ from which the river takes its rise. A patch of bright green, mottling the brown heathy slope, shows where the water comes to the

<sup>1</sup> F. Davors.

surface, a treacherous covering of verdure often concealing a deep pool beneath. From this source the rivulet trickles along the grass and heath, which it soon cuts through, reaching the black, peaty layer below, and running in it for a short way as in a gutter. Excavating its channel in the peat, it comes down to the soil, often a stony earth bleached white by the peat. Deepening and widening the channel as it gathers force with the increasing slope, the water digs into the coating of drift or loose decomposed rock that covers the hill-side. In favourable localities a narrow precipitous gully, twenty or thirty feet deep, may thus be scooped out in the course of a few years."

If, however, we trace one of the Swiss rivers to its source we shall generally find that it begins in a snow field or *névé* nestled in a shoulder of some great mountain.

Below the *névé* lies a glacier, on, in, and under which the water runs in a thousand little streams, eventually emerging at the end, in some cases forming a beautiful blue cavern, though in others the end of the glacier is

encumbered and concealed by earth and stones.



Fig. 24.—Upper Valley of St. Gotthard.

The uppermost Alpine valleys are perhaps generally, though by no means always, a

little desolate and severe, as, for instance, that of St. Gotthard (Fig. 24). The sides are clothed with rough pasture, which is flowery indeed, though of course the flowers are not visible at a distance, interspersed with live rock and fallen masses, while along the bottom rushes a white torrent. The snowy peaks are generally more or less hidden by the shoulders of the hills.

The valleys further down widen and become more varied and picturesque. The snowy peaks and slopes are more often visible, the "alps" or pastures to which the cows are taken in summer, are greener and dotted with the huts or *châlets* of the cowherds, while the tinkling of the cowbells comes to one from time to time, softened by distance, and suggestive of mountain rambles. Below the alps there is generally a steeper part clothed with Firs or with Larches and Pines, some of which seem as if they were scaling the mountains in regiments, preceded by a certain number of skirmishers. Below the fir woods again are Beeches, Chestnuts, and other deciduous trees, while the central

cultivated portion of the valley is partly arable, partly pasture, the latter differing from our meadows in containing a greater variety of flowers—Campanulas, Wild Geraniums, Chervil, Ragged Robin, Narcissus, etc. Here and there is a brown village, while more or less in the centre hurries along, with a delightful rushing sound, the mountain torrent, to which the depth, if not the very existence of the valley, is mainly due. The meadows are often carefully irrigated, and the water power is also used for mills, the streams seeming to rush on, as Ruskin says, “eager for their work at the mill, or their ministry to the meadows.”

Apart from the action of running water, snow and frost are continually disintegrating the rocks, and at the base of almost any steep cliff may be seen a slope of debris (as in Figs. 25, 26). This stands at a regular angle—the angle of repose—and unless it is continually removed by a stream at the base, gradually creeps up higher and higher, until at last the cliff entirely disappears.



Sometimes the two sides of the valley approach so near that there is not even room for the river and the road: in that case Nature claims the supremacy, and the road has to be carried in a cutting, or perhaps in a tunnel through the rock. In other cases Nature is not at one with herself. In many




Fig 25.—Section of a river valley. The dotted line shows a slope or talus of debris.

places the debris from the rocks above would reach right across the valley and dam up the stream. Then arises a struggle between rock and river, but the river is always victorious in the end; even if dammed back for a while, it concentrates its forces, rises up the rampart of rock, rushes over triumphantly, resumes

its original course, and gradually carries the enemy away.



Fig. 26.—Valley of the Rhone, with the waterfall of Salenches, showing talus of debris.

Another prominent feature in many valleys is afforded by the old river, or lake, terraces,

which were formed at a time when the river ran at a level far above its present bed.

Thus many a mountain valley gives some such section as the following.




Fig. 27.—*A*, present river valley ; *B*, old river terrace.

First, a face of rock, very steep, and in some places almost perpendicular ; secondly, a regular talus of fallen rocks, stones, etc., as shown in the view of the Rhone Valley (Fig. 26), which takes what is known as the slope of repose, at an angle which depends on the character of the material. As a rule for loose rock fragments it may be taken roughly to be an angle of about  $45^{\circ}$ . Then an irregular




Fig. 28.—Diagram of an Alpine valley showing a river cone. Front view.

slope followed in many places by one or more terraces, and lastly the present bed of the river.

The width or narrowness of the valley in relation to its depth depends greatly on the condition of the rocks, the harder and tougher they are the narrower as a rule being the valley.

From time to time a side stream enters the main valley. This is itself composed of many smaller rivulets. If the lateral valleys are steep, the streams bring with them, especially after rains, large quantities of earth and stones. When, however, they reach the main valley, the rapidity of the current being less, their power of transport also diminishes, and they spread out the material which they carry down in a depressed cone (Figs. 28, 29, 31, 32).

A side stream with its terminal cone, when seen from the opposite side of the valley, presents the appearance shown in Figs. 28, 31, or, if we are looking down the valley, as in Figs. 29, 32, the river being often driven to one side of the main valley, as, for instance, is the case in the Valais, near Sion, where the




Fig. 29. — Diagram of an Alpine valley, showing a river cone. Lateral view.

Rhone (Fig. 30) is driven out of its course by, and forms a curve round, the cone brought down by the torrent of the Borgne.

Sometimes two lateral valleys (see Plate) come down nearly opposite one another, so that




Fig. 30.

the cones meet, as, for instance, some little way below Vernayaz, and, indeed, in several other places in the Valais (Fig. 31). Or more permanent lakes may be due to a ridge of rock running across the valley, as, for instance, just below St. Maurice in the Valais.



VIEW IN THE VALAIS BELOW ST. MAURICE.

*To face page 264.*





Almost all river valleys contain, or have contained, in their course one or more lakes,



Fig. 31.—View in the Rhone Valley, showing a lateral cone.

and where a river falls into a lake a cone like those just described is formed, and projects

into the lake. Thus on the Lake of Geneva, between Vevey and Villeneuve (see Fig. 33),



Fig. 32.—View in the Rhone Valley, showing the slope of a river cone.

there are several such promontories, each marking the place where a stream falls into the lake.

The Rhone itself has not only filled up what was once the upper end of the lake,



Fig. 33.—Shore of the Lake of Geneva, near Vevey.

but has built out a strip of land into the water.


That the lake formerly extended some

distance up the Valais no one can doubt who looks at the flat ground about Ville-neuve. The Plate opposite, from a photograph taken above Vevey, shows this clearly. It is quite evident that the lake must formerly have extended further up the valley, and that it has been filled up by material brought down by the Rhone, a process which is still continuing.

At the other end of the lake the river rushes out 15 feet deep of "not flowing, but flying water; not water neither — melted glacier matter, one should call it; the force of the ice is in it, and the wreathing of the clouds, the gladness of the sky, and the countenance of time."<sup>1</sup>

In flat countries the habits of rivers are very different. For instance, in parts of Norfolk there are many small lakes or "broads" in a network of rivers—the Bure, the Yare, the Ant, the Waveney, etc.—which do not rush on with the haste of some rivers, or the stately flow of others which are steadily set to reach the sea, but rather seem like rivers

<sup>1</sup> Ruskin.



VIEW UP THE VALAIS FROM THE LAKE OF GENEVA.

*To face page 268.*



wandering in the meadows on a holiday. They have often no natural banks, but are bounded by dense growths of tall grasses, Bulrushes, Reeds, and Sedges, interspersed




Fig. 34.—View in the district of the Broad's, Norfolk.

with the spires of the purple Loosestrife, Willow Herb, Hemp Agrimony, and other flowers, while the fields are very low and protected by dykes, so that the red cattle appear to be browsing below the level of the water; and as the rivers take most unexpected turns, the sailing boats often seem (Fig. 34), as if they were in the middle of the fields.



At present these rivers are restrained in their courses by banks; when left free they are continually changing their beds. Their courses at first sight seem to follow no rule, but, as it is termed, from a celebrated river of Asia Minor, to "meander" along without aim or object, though in fact they follow very definite laws.

Finally, when the river at length reaches the sea, it in many cases spreads out in the form of a fan, forming a very flat cone or "delta," as it is called, from the Greek capital  $\Delta$ , a name first applied to that of the Nile, and afterwards extended to other rivers. This is due to the same cause, and resembles, except in size, the comparatively minute cones of mountain streams.

Fig. 35 represents the delta of the Po, and it will be observed that Adria, once a great port, and from which the Adriatic was named, is now more than 20 miles from the sea. Perhaps the most remarkable case is that of the Mississippi (Fig. 36), the mouths of which project into the sea like a hand, or like the petals of a flower. For miles the mud is too soft to

support trees, but is covered by sedges




Fig. 35.

(Miegea); the banks of mud gradually become too soft and mobile even for them. The pilots who navigate ships up the river live in

frail houses resting on planks, and kept in place by anchors. Still further, and the banks



Fig. 30.

of the Mississippi, if banks they can be called, are mere strips of reddish mud, intersected from time to time by transverse streams of

water, which gradually separate them into patches. These become more and more liquid, until the land, river, and sea merge imperceptibly into one another. The river, is so muddy that it might almost be called land, and the mud so saturated by water that it might well be called sea, so that one can hardly say whether a given spot is on the continent, in the river, or on the open ocean.



## CHAPTER VIII

### RIVERS AND LAKES



## CHAPTER VIII

### RIVERS AND LAKES

#### ON THE DIRECTIONS OF RIVERS

IN the last chapter I have alluded to the wanderings of rivers within the limits of their own valleys; we have now to consider the causes which have determined the directions of the valleys themselves.

If a tract of country were raised up in the form of a boss or dome, the rain which fell on it would partly sink in, partly run away to the lower ground. The least inequality in the surface would determine the first directions of the streams, which would carry down any loose material, and thus form little channels, which would be gradually deepened and enlarged. It is as difficult for a river as for a man to get out of a groove.



In such a case the rivers would tend to radiate with more or less regularity from the centre or axis of the dome, as, for instance, in our English lake district (Fig. 37). Derwent Water, Thirlmere, Coniston Water, and Windermere, run approximately N. and S.; Crummock Water, Loweswater, and Buttermere N.W. by S.E.; Waste Water, Ullswater, and Hawes Water N.E. by S.W.; while Ennerdale Water lies nearly E. by W. Can we account in any way, and if so how, for these varied directions?

The mountains of Cumberland and Westmoreland form a more or less oval boss, the axis of which, though not straight, runs practically from E.N.E. to W.S.W., say from Seaw Fell to Shap Fell; and a sketch map shows us almost at a glance that Derwent Water, Thirlmere, Ullswater, Coniston Water, and Windermere run at right angles to this axis; Ennerdale Water is just where the boss ends and the mountains disappear; while Crummock Water and Waste Water lie at the intermediate angles.

So much then for the direction. We have




Fig. 37.—Map of the Lake District.

still to consider the situation and origin, and it appears that Ullswater, Coniston Water, the River Dudden, Waste Water, and Crummock Water lie along the lines of old faults, which no doubt in the first instance determined the flow of the water.

Take another case. In the Jura the valleys are obviously (see Fig. 18) in many cases due to the folding of the strata. It seldom happens, however, that the case is so simple. If the elevation is considerable the strata are often fractured, and fissures are produced. Again if the part elevated contains layers of more than one character, this at once establishes differences. Take, for instance, the Weald of Kent (Figs. 38, 39). Here we have (omitting minor layers) four principal strata concerned, namely, the Chalk, Greensand, Weald Clay, and Hastings Sands.

The axis of elevation runs (Fig. 39) from Winchester by Petersfield, Horsham, and Winchelsea to Boulogne, and as shown in the following section, taken from Professor Ramsay, we have on each side of the axis two ridges or

“escarpments,” one that of the Chalk, the other that of the Greensand, while between the Chalk and the Greensand is a valley, and between the Greensand and the ridge of Hastings Sand an undulating plain, in each case with a gentle slope from about where the London and Brighton railway crosses the Weald towards the east. Under these circumstances




Fig. 38.—*a, a*, Upper Cretaceous strata, chiefly Chalk, forming the North and South Downs; *b, b*, Escarpment of Lower Greensand, with a valley between it and the Chalk; *c, c*, Weald Clay, forming plains; *d*, Hills formed of Hastings Sand and Clay. The Chalk, etc., once spread across the country, as shown in the dotted lines.

we might have expected that the streams draining the Weald would have run in the direction of the axis of elevation, and at the bases of the escarpments, as in fact the Rother does for part of its course, into the sea between the North and South Downs, instead of which as a rule they run north and south, cutting in some cases directly through the escarpments; on the north, for instance, the Wye, the Mole, the Darent, the




Fig. 39.—Map of the Weald of Kent.

Medway, and the Stour; and on the south the Arun, the Addur, the Ouse, and the Cuckmere.

They do not run in faults or cracks, and it is clear that they could not have excavated their present valleys under circumstances such as now exist. They carry us back indeed to a time when the Greensand and Chalk were continued across the Weald in a great dome, as shown by the dotted lines in Fig. 38. They then ran down the slope of the dome, and as the Chalk and Greensand gradually weathered back, a process still in operation, the rivers deepened and deepened their valleys, and thus were enabled to keep their original course.

Other evidence in support of this view is afforded by the presence of gravel beds in some places at the very top of the Chalk escarpment—beds which were doubtless deposited when, what is now the summit of a hill, was part of a continuous slope.

The course of the Thames offers us a somewhat similar instance. It rises on the Oolites

what curved line from the Maritime Alps, commencing with the islands of Hyères, by Briancon, Martigny, the Valais, Urseren Thal, Vorder Rhein, Innsbruck, Radstadt, and Rottenmann to the Danube, a little below Vienna,—at first nearly north and south, but gradually curving round until it becomes S.W. by N.E.

The central mountains are mainly composed of Gneiss, Granite, and crystalline Schists: the line of junction between these rocks and the secondary and tertiary strata on the north, runs, speaking roughly, from Hyères to Grenoble, and then by Albertville, Sion, Chur, Innsbruck, Radstadt, and Hieflau, towards Vienna. It is followed (in some part of their course) by the Isère, the Rhone, the Rhine, the Inn, and the Enns. One of the great folds shortly described in the preceding chapter runs up the Isère, along the Chamouni Valley, up the Rhone, through the Urseren Thal, down the Rhine Valley to Chur, along the Inn nearly to Kufstein, and for some distance along the Enns. Thus, then, five great rivers have taken advantage of this main fold, each of them

eventually breaking through into a transverse valley.

\* The Pusterthal in the Tyrol offers us an interesting case of what is obviously a single valley, which has, however, been slightly raised in the centre, near Toblach, so that from this point the water flows in opposite directions—the Drau eastward, and the Rienz westward. In this case the elevation is single and slight: in the main valley there are several, and they are much loftier, still we may, I think, regard that of the Isère from Chambery to Albertville, of the Rhone from Martigny to its source, of the Urseren Thal, of the Vorder Rhine from its source to Chur, of the Inn from Landeck to below Innsbruck, even perhaps of the Enns from Radstadt to Hieflau as in one sense a single valley, due to one of these longitudinal folds, but interrupted by bosses of gneiss and granite,—one culminating in Mont Blanc, and another in the St. Gotthard,—which have separated the waters of the Isère, the Rhone, the Vorder Rhine, the Inn, and the Enns. That the valley of



Chamouni, the Valais, the Urseren Thal, and that of the Vorder Rhine really form part of one great fold is further shown by the presence of a belt of Jurassic strata nipped in, as it were, between the crystalline rocks.

This seems to throw light on the remarkable turns taken by the Rhone at Martigny and the Vorder Rhine at Chur, where they respectively quit the great longitudinal fold, and fall into secondary transverse valleys. The Rhone for the upper part of its course, as far as Martigny, runs in the great longitudinal fold of the Valais; at Martigny it falls into and adopts the transverse valley, which properly belongs to the Dranse; for the Dranse is probably an older river and ran in the present course even before the great fold of the Valais. This would seem to indicate that the Oberland range is not so old as the Pennine, and that its elevation was so gradual that the Dranse was able to wear away a passage as the ridge gradually rose. After leaving the Lake of Geneva the Rhone follows a course curving gradually to the

south, until it reaches St. Genix, where it falls into and adopts a transverse valley which properly belongs to the little river Guiers; it subsequently joins the Ain and finally falls into the Saône. If these valleys were attributed to their older occupiers we should therefore confine the name of the Rhone to the portion of its course from the Rhone glacier to Martigny. From Martigny it occupies successively the valleys of the Dranse, Guiers, Ain, and Saône. In fact, the Saône receives the Ain, the Ain the Guiers, the Guiers the Dranse, and the Dranse the Rhone. This is not a mere question of names, but also one of antiquity. The Saône, for instance, flowed past Lyons to the Mediterranean for ages before it was joined by the Rhone. In our nomenclature, however, the Rhone has swallowed up the others. This is the more curious because of the three great rivers which unite to form the lower Rhone, namely, the Saône, the Doubs, and the Rhone itself, the Saône brings for a large part of the year the greatest volume of water, and the Doubs has the longest course. Other similar cases

might be mentioned. The Aar, for instance, is a somewhat larger river than the Rhine.




Fig. 41.—Diagram in illustration of Mountain structure.

But why should the rivers, after running

for a certain distance in the direction of the main axis, so often break away into lateral valleys? If the elevation of a chain of mountains be due to the causes suggested in p. 214, it is evident, though, so far as I am aware, stress has not hitherto been laid upon this, that the compression and consequent folding of the strata (Fig. 41) would not be in the direction  $AB$  only, but also at right angles to it, in the direction  $AC$ , though the amount of folding might be much greater in one direction than in the other. Thus in the case of Switzerland, while the main folds run south-west by north-east, there would be others at right angles to the main axis. The complex structure of the Swiss mountains may be partly due to the coexistence of these two directions of pressure at right angles to one another. The presence of a fold so originating would often divert the river to a course more or less nearly at right angles to its original direction.

Switzerland, moreover, slopes northwards from the Alps, so that the lowest part of the great Swiss plain is that along the foot of

the Jura. Hence the main drainage runs along the line from Yverdon to Neuchâtel, down the Zihl to Soleure, and then along the Aar to Waldshut: the Upper Aar, the Emmen, the Wiggern, the Suhr, the Wynen, the lower Reuss, the Sihl, and the Limmat, besides several smaller streams, running approximately parallel to one another north-north-east, and at angles to the main axis of elevation, and all joining the Aar from the south, while on the north it does not receive a single contributory of any importance.

On the south side of the Alps again we have the Dora Baltea, the Sesia, the Ticino, the Olonna, the Adda, the Adige, etc., all running south-south-east from the axis of elevation to the Po.

Indeed, the general slope of Switzerland, being from the ridge of the Alps towards the north, it will be observed (Fig. 42) that almost all the large affluents of these rivers running in longitudinal valleys fall in on the south, as, for instance, those of the Isère from Albertville to Grenoble, of the Rhone from its source to

Martigny, of the Vorder Rhine from its source



Fig. 42.

to Chur, of the Inn from Landeck to Kufstein,  
of the Enns from its source to near Admont,

of the Danube from its source to Vienna, and as just mentioned, of the Aar from Bern to Waldshut. Hence also, whenever the Swiss rivers running east and west break into a transverse valley, as the larger ones all do, and some more than once, they invariably, whether originally running east or westwards, turn towards the north.

But although we thus get a clue to the general structure of Switzerland, the whole question is extremely complex, and the strata have been crumpled and folded in the most complicated manner, sometimes completely reversed, so that older rocks have been folded back on younger strata, and even in some cases these folds again re-folded. Moreover, the denudation by aerial action, by glaciers, frosts, and rivers has removed hundreds, or rather thousands, of feet of strata. In fact, the mountain tops are not by any means the spots which have been most elevated, but those which have been least denuded; and hence it is that so many of the peaks stand at about the same altitude.

## . THE CONFLICTS AND ADVENTURES OF RIVERS

Our ancestors looked upon rivers as being in some sense alive, and in fact in their "struggle for existence" they not only labour to adapt their channel to their own requirements, but in many cases enter into conflict with one another.

In the plain of Bengal, for instance, there are three great rivers, the Brahmapootra coming from the north, the Ganges from the west, and the Megna from the east, each of them with a number of tributary streams. Mr. Fergusson<sup>1</sup> has given us a most interesting and entertaining account of the struggles between these great rivers to occupy the fertile plain of Bengal.

The Megna, though much inferior in size to the Brahmapootra, has one great advantage. It depends mainly on the monsoon rains for its supply, while the Brahmapootra not only has a longer course to run, but relies for its floods, to a great extent, on the melting of the

<sup>1</sup> *Geol. Jour.*, 1863.



snow, so that, arriving later at the scene of the struggle, it finds the country already occupied by the Megna to such an extent that it has been driven nearly 70 miles northwards, and forced to find a new channel.

Under these circumstances it has attacked the territory of the Ganges, and being in flood earlier than that river, though later than the Megna, it has in its turn a great advantage.

Whatever the ultimate result may be the struggle continues vigorously. At Sooksaghur, says Fergusson, "there was a noble country house, built by Warren Hastings, about a mile from the banks of the Hoogly. When I first knew it in 1830 half the avenue of noble trees, which led from the river to the house, was gone; when I last saw it, some eight years afterwards, the river was close at hand. Since then house, stables, garden, and village are all gone, and the river was on the point of breaking through the narrow neck of high land that remained, and pouring itself into some weak-banded nullahs in the lowlands beyond: and if it had succeeded, the Hoogly would

have deserted Calcutta. At this juncture the Eastern Bengal Railway Company intervened. They were carrying their works along the ridge, and they have, for the moment at least, stopped the oscillation in this direction."

This has affected many of the other tributaries of the Ganges, so that the survey made by Rennell in 1780-90 is no longer any evidence as to the present course of the rivers. They may now be anywhere else; in some cases all we can say is that they are certainly not now where they were then.

The association of the three great European rivers—the Rhine, the Rhone, and the Danube with the past history of our race, invests them with a singular fascination, and their past history is one of much interest. They all three rise in the group of mountains between the Galenstock and the Bernardino, within a space of a few miles; on the east the waters run into the Black Sea, on the north into the German Ocean, and on the west into the Mediterranean. But it has not always been so. Their headwaters have been at one time interwoven together.

snow, so that, arriving later at the scene of the struggle, it finds the country already occupied by the Megna to such an extent that it has been driven nearly 70 miles northwards, and forced to find a new channel.

Under these circumstances it has attacked the territory of the Ganges, and being in flood earlier than that river, though later than the Megna, it has in its turn a great advantage.

Whatever the ultimate result may be the struggle continues vigorously. At Sooksaghur, says Fergusson, "there was a noble country house, built by Warren Hastings, about a mile from the banks of the Hoogly. When I first knew it in 1830 half the avenue of noble trees, which led from the river to the house, was gone; when I last saw it, some eight years afterwards, the river was close at hand. Since then house, stables, garden, and village are all gone, and the river was on the point of breaking through the narrow neck of high land that remained, and pouring itself into some weak-banded nullahs in the lowlands beyond: and if it had succeeded, the Hoogly would

have deserted Calcutta. At this juncture the Eastern Bengal Railway Company intervened. They were carrying their works along the ridge, and they have, for the moment at least, stopped the oscillation in this direction."

This has affected many of the other tributaries of the Ganges, so that the survey made by Rennell in 1780-90 is no longer any evidence as to the present course of the rivers. They may now be anywhere else; in some cases all we can say is that they are certainly not now where they were then.

The association of the three great European rivers—the Rhine, the Rhone, and the Danube with the past history of our race, invests them with a singular fascination, and their past history is one of much interest. They all three rise in the group of mountains between the Galenstock and the Bernardino, within a space of a few miles; on the east the waters run into the Black Sea, on the north into the German Ocean, and on the west into the Mediterranean. But it has not always been so. Their headwaters have been at one time interwoven together.

Lake of Constance into the Danube, and so to the Black Sea. Then, after the present valley was opened between Waldshut and Basle, they flowed by Basle and the present Rhine, and after joining the Thames, over the plain which now forms the German Sea into the Arctic Ocean between Scotland and Norway. Finally, after the opening of the passage at Fort de l'Ecluse, by Geneva, Lyons, and the Valley of the Saône, to the Mediterranean.

It must not, however, be supposed that these changes in river courses are confined to the lower districts. Mountain streams have also their adventures and vicissitudes, their wars and invasions. Take for instance the Upper Rhine, of which we have a very interesting account by Heim. It is formed of three main branches, the Vorder Rhine, Hinter Rhine, and the Albula. The two latter, after meeting near Thusis, unite with the Vorder Rhine at Reichenau, and run by Chur, Mayenfeld, and Sargans into the Lake of Constance at Rheineck. At some former period, however, the drainage of this district was very different, as is shown in Fig. 43.

The Vorder and Hinter Rhine united then (Fig. 43) as they do now at Reichenau, but at a much higher level, and ran to Mayenfeld, not by Chur, but by the Kunckel Pass to Sargans, and so on, not to the Lake of Constance, but to that of Zurich. The Landwasser at that time rose in the Schlappina Joch, and after receiving as tributaries the Vereina and the Sardasca, joined the Albula, as it does now at Tiefenkasten; but instead of going round to meet the Hinter Rhine near Thusis, the two together travelled parallel with, but at some distance from, the Hinter Rhine, by Heide to Chur, and so to Mayenfeld.

In the meanwhile, however, the Landquart was stealthily creeping up the valley, attacked the ridge which then united the Casanna and the Madrishorn, and gradually forcing the passage, invaded (Fig. 44) the valleys of the Schlappina, Vereina, and Sardasca, absorbed them as tributaries, and, detaching them from their allegiance to the Landwasser, annexed the whole of the upper province which had formerly belonged to that river.

The Schyn also gradually worked its way upwards from Thusis till it succeeded in sapping the Albula, and carried it down the




Fig. 43.—River system round Chur, as it used to be.

valley to join the Vorder Rhine near Thusis. In what is now the main valley of the Rhine above Chur another stream ate its way back, and eventually tapped the main river

at Reichenau, thus diverting it from the Kunckel, and carrying it round by Chur.

At Sargans a somewhat similar process




Fig. 44.—River system round Chur, as it is.

was repeated, with the addition that the material brought down by the Weisstannen, or perhaps a rockfall, deflected the Rhine, just as we see in Fig. 30 that the Rhone



was pushed on one side by the Borgne. The Rhone, however, had no choice, it was obliged to force, and has forced its way over the cone deposited by the Borgne. The Rhine, on the contrary, had the option of running down by Vaduz to Rheinach, and has adopted this course. The watershed between it and the Weisstannen is, however, only about 20 feet in height, and the people of Zurich watch it carefully, lest any slight change should enable the river to return to its old bed. The result of all these changes is that the rivers have changed their courses from those shown in Fig. 43 to their present beds as shown in Fig. 44.

Another interesting case is that of the Upper Engadine (Fig. 45), to which attention has been called by Bonney and Heim. The fall of the Val Bregaglia is much steeper than that of the Inn, and the Maira has carried off the head-waters of that river away into Italy. The Col was formerly perhaps as far south as Stampa: the Albegna, the Upper Maira, and the stream from the Forgnò Glacier, originally belonged to the Inn, but have been captured by the Lower Maira. Their direction still

indicates this; they seem as if they regretted the unwelcome change, and yearned to rejoin their old companions.

Moreover, as rivers are continually cutting back their valleys they must of course sometimes meet. In these cases when the valleys are at different levels the lower rivers have drained the upper ones, and left dry, deserted valleys. In other cases, especially in flatter districts, we have bifurcations, as, for instance, at Sargans, and several of the Italian lakes. Every one must have been struck by the peculiar bifurcation of the Lakes of Como and Lugano, while a very slight depression would connect the Lake Varese with the Maggiore, and give it also a double southern end.




Fig. 45.—River system of the Maloya.

## ON LAKES

The problem of the origin of Lakes is by no means identical with that of Valleys. The latter are due, primarily as a rule to geological causes, but so far as their present condition is concerned, mainly to the action of rain and rivers. Flowing water, however, cannot give rise to lakes.

It is of course possible to have valleys without lakes, and in fact the latter are, now at least, exceptional. There can be no lakes if the slope of the valley is uniform. To what then are lakes due?

Professor Ramsay divides Lakes into three classes :—

1. Those due to irregular accumulations of drift, and which are generally quite shallow.
2. Those formed by moraines.
3. Those which occupy true basins scooped by glacier ice out of the solid rock.

To these must, however, I think be added at least one other great class and several minor ones, namely,—

4. Those due to inequalities of elevation or depression.

5. Lakes in craters of extinct volcanoes, for instance, Lake Avernus.

6. Those caused by subsidence due to the removal of underlying soluble rocks, such as some of the Cheshire Meres.

7. Loop lakes in deserted river courses, of which there are many along the course of the Rhine.

8. Those due to rock falls, landslips, or lava currents, damming up the course of a river.

9. Those caused by the advance of a glacier across a lateral valley, such as the Mergelen See, or the ancient lake whose margins form the celebrated "Parallel Roads of Glen Roy."

As regards the first class we find here and there on the earth's surface districts sprinkled with innumerable shallow lakes of all sizes, down to mere pools. Such, for instance, occur in the district of Le Doubs between the Rhone and the Saône, that of La Sologne near Orleans, in parts of North America, and in Finland. Such lakes are, as a rule, quite shallow. Some geologists, Geikie, for in-

stance, ascribe them to the fact of these regions having been covered by sheets of ice which strewed the land with irregular masses of clay, gravel, and sand, lying on a stratum impervious to water, either of hard rock such as granite or gneiss, or of clay, so that the rain cannot percolate through it, and without sufficient inclination to throw it off.

2. To Ramsay's second class of Lakes belong those formed by moraines. The materials forming moraines being, however, comparatively loose, are easily cut through by streams. There are in Switzerland many cases of valleys crossed by old moraines, but they have generally been long ago worn through by the rivers.

3. Ramsay and Tyndall attribute most of the great Swiss and Italian lakes to the action of glaciers, and regard them as rock basins. It is of course obvious that rivers cannot make basin-shaped hollows surrounded by rock on all sides. The Lake of Geneva, 1230 feet above the sea, is over 1000 feet deep; the Lake of Brienz is 1850 feet above

the sea, and 2000 feet deep, so that its bottom is really below the sea level. The Italian Lakes are even more remarkable. The Lake of Como, 700 feet above the sea, is 1929 feet deep. Lago Maggiore, 685 feet above the sea, is no less than 2625 feet deep.

If the mind is at first staggered at the magnitude of the scale, we must remember that the ice which is supposed to have scooped out the valley in which the Lake of Geneva now reposes, was once at least 4000 feet thick; while the moraines were also of gigantic magnitude, that of Ivrea, for instance, being no less than 1500 feet above the river, and several miles long.

Indeed it is obvious that a glacier many hundred, or in some cases several thousand, feet in thickness, must exercise great pressure on the bed over which it travels. We see this from the striæ and grooves on the solid rocks, and the fine mud which is carried down by glacial streams. The deposit of glacial rivers, the "loess" of the Rhine itself, is mainly the result of this ice-waste, and that is

why it is so fine, so impalpable. That glaciers do deepen their beds seems therefore unquestionable.

Moreover, though the depth of some of these lakes is great, the true slope is very slight.

Tyndall and Ramsay do not deny that the original direction of valleys, and consequently of lakes, is due to cosmical causes and geological structure, while even those who have most strenuously opposed the theory which attributes lakes to glacial erosion do not altogether deny the action of glaciers. Favre himself admits that "it is impossible to deny that valleys, after their formation, have been swept out and perhaps enlarged by rivers and glaciers."

Even Ruskin admits "that a glacier may be considered as a vast instrument of friction, a white sand-paper applied slowly but irresistibly to all the roughness of the hill which it covers."

It is obvious that sand-paper applied "irresistibly" and long enough, must gradually wear away and lower the surface.

I cannot therefore resist the conclusion that glaciers have taken an important part in the formation of lakes.

The question has sometimes been discussed as if the point at issue were whether rivers or glaciers were the most effective as excavators. But this is not so. Those who believe that lakes are in many cases due to glaciers might yet admit that rivers have greater power of erosion. There is, however, an essential difference in the mode of action. Rivers tend to regularise their beds; they drain, rather than form lakes. Their tendency is to cut through any projections so that finally their course assumes some such curve as that below, from the source (*a*) to its entrance into the sea (*b*).



Fig. 46.—Final Slope of a River.

Glaciers, however, have in addition a scooping power, so that if similarly *a d b* in Fig. 47 represent the course of a glacier, starting at *a* and gradually thinning out



to *c*, it may scoop out the rock to a certain extent at *d*; in that case if it subsequently retires say to *e*, there would be a lake lying in the basin thus formed between *c* and *e*.



Fig. 47.

On the other hand I am not disposed to attribute the Swiss lakes altogether to the action of glaciers. In the first place it does not seem clear that they occupy true rock basins. On this point more evidence is required. That some lakes are due to unequal changes of level will hardly be denied. No one, for instance, as Bonney justly observes,<sup>1</sup> would attribute the Dead Sea to glacial erosion.

The Alps, as we have seen, are a succession of great folds, and there is reason to regard the central one as the oldest. If then the same process continued, and the outer fold was still further raised, or a new one formed, more quickly than the rivers

<sup>1</sup> *Growth and Structure of the Alps.*

could cut it back, they would be dammed up, and lakes would result.

• Moreover, if the formation of a mountain region be due to subsidence, and consequent crumpling, as indicated on p. 294, so that the strata which originally occupied the area A B C D are compressed into A' B' C' D', it is evident, as already mentioned, that while the line of least resistance, and, consequently, the principal folds might be in the direction A' B', there must also be a tendency to the formation of similar folds at right angles, or in the direction A' C'. Thus, in the case of Switzerland, while the main folds run south-west by north-east there would also be others at right angles, though the amount of folding might be much greater in the one direction than in the other. To this cause the bosses, for instance—at Martigny, the Furca, and the Ober Alp,—which intersect the great longitudinal valley of Switzerland, are perhaps due.

The great American lakes also are probably due to differences of elevation. Round Lake Ontario, for instance, there is a raised beach which at the western end of the lake is 363

feet above the sea level, but rises towards the East and North until near Fines it reaches an elevation of 972 feet. As this terrace must have been originally horizontal we have here a lake barrier, due to a difference of elevation, amounting to over 600 feet.

In the same way we get a clue to the curious cruciform shape of the Lake of Lucerne as contrasted with the simple outline of such lakes as those of Neuchâtel or Zurich. That of Lucerne is a complex lake. Soundings have shown that the bottom of the Urner See is quite flat. It is in fact the old bed of the Reuss, which originally ran, not as now by Lucerne, but by Schwytz and through the Lake of Zug. In the same way the Alpnach See is the old bed of the Aa, which likewise ran through the Lake of Zug. The old river terraces of the Reuss can be traced in places between Brunnen and Goldau. Now these terraces must have originally sloped from the upper part downwards, from Brunnen towards Goldau. But at present the slope is the other way, *i.e.* from Goldau towards Brunnen. From this and other evidence we

conclude that in the direction from Lucerne towards Rapperschwyl there has been an elevation of the land, which has dammed up the valleys and thus turned parts of the Aa and the Reuss into lakes—the two branches of the Lake of Lucerne known as the Alpnach See and Urner See.

During the earthquakes of 1819 while part of the Runn of Cutch, 2000 square miles in area, sunk several feet, a ridge of land, called by the natives the Ulla-Bund or “the wall of God,” thirty miles long, and in parts sixteen miles wide, was raised across an ancient arm of the Indus, and turned it temporarily into a lake.

In considering the great Italian lakes, which descend far below the sea level, we must remember that the Valley of the Po is a continuation of the Adriatic, now filled up and converted into land, by the materials brought down from the Alps. Hence we are tempted to ask whether the lakes may not be remains of the ancient sea which once occupied the whole plain. Moreover just as the Seals of Lake Baikal in Siberia carry us

back to the time when that great sheet of fresh water was in connection with the Arctic Ocean, so there is in the character of the Fauna of the Italian lakes, and especially the presence of a Crab in the Lake of Garda, some confirmation of such an idea. Further evidence, however, is necessary before these interesting questions can be definitely answered.

Lastly, some lakes and inland seas seem to be due to even greater cosmical causes. Thus a line inclined ten degrees to the pole beginning at Gibraltar would pass through a great chain of inland waters—the Mediterranean, Black Sea, Caspian, Aral, Baikal, and back again through the great American lakes.

But though many causes have contributed to the original formation and direction of Valleys, their present condition is mainly due to the action of water. When we contemplate such a valley, for example, as that which is called *par excellence* the “Valais,” we can at first hardly bring ourselves to realise this; but we can trace up valleys, from the little

watercourse made by last night's rains up to the greatest valleys of all.

These considerations, however, do not of course apply to such depressions as those of the great oceans. These were probably formed when the surface of the globe began to solidify, and, though with many modifications, have maintained their main features ever since.

#### ON THE CONFIGURATION OF VALLEYS

The conditions thus briefly described repeat themselves in river after river, valley after valley, and it adds, I think, very much to the interest with which we regard them if, by studying the general causes to which they are due, we can explain their origin, and thus to some extent understand the story they have to tell us, and the history they record.

What, then, has that history been? The same valley may be of a very different character, and due to very different causes, in different parts of its course. Some valleys are due to folds (see Fig. 41) caused by subterranean changes, but by far the greater number are,

in their present features, mainly the result of erosion. As soon as any tract of land rose out of the sea, the rain which fell on the surface would trickle downwards in a thousand rills, forming pools here and there (see Fig. 37), and gradually collecting into larger and larger streams. Wherever the slope was sufficient the water would begin cutting into the soil and carrying it off to the sea. This action would be the same in any case, but, of course, would differ in rapidity according to the hardness of the ground. On the other hand, the character of the valley would depend greatly on the character of the strata, being narrow where they were hard and tough; broader, on the contrary, where they were soft, so that they crumbled readily into the stream, or where they were easily split by the weather. Gradually the stream would eat into its bed until it reached a certain slope, the steepness of which would depend on the volume of water. The erosive action would then cease, but the weathering of the sides and consequent widening would continue, and the river

would wander from one part of its valley to another, spreading the materials and forming a river plain. At length, as the rapidity still further diminished, it would no longer have sufficient power even to carry off the materials brought down. It would form, therefore, a cone or delta, and instead of meandering, would tend to divide into different branches. These three stages, we may call those of—

1. Deepening and widening ;
2. Widening and levelling ;
3. Filling up ;

and every place in the second stage has passed through the first ; every one in the third has passed through the second.

A velocity of 6 inches per second will lift fine sand, 8 inches will move sand as coarse as linseed, 12 inches will sweep along fine gravel, 24 inches will roll along rounded pebbles an inch diameter, and it requires 3 feet per second at the bottom to sweep along angular stones of the size of an egg.

When a river has so adjusted its slope that it neither deepens its bed in the upper portion of its course, nor deposits materials, it



is said to have acquired its "regimen," and in such a case if the character of the soil remains the same, the velocity must also be uniform. The enlargement of the bed of a river is not, however, in proportion to the increase of its waters as it approaches the sea. If, therefore, the slope did not diminish, the regimen would be destroyed, and the river would again commence to eat out its bed. Hence as rivers enlarge, the slope diminishes, and consequently every river tends to assume some such "regimen" as that shown in Fig. 46.

Now, suppose that the fall of the river is again increased, either by a fresh elevation, or locally by the removal of a barrier. Then once more the river regains its energy. Again it cuts into its old bed, deepening the valley, and leaving the old plain as a terrace high above its new course. In many valleys several such terraces may be seen, one above the other. In the case of a river running in a transverse valley, that is to say of a valley lying at right angles to the "strike" or direction of the strata (such, for instance, as the

Reuss), the water acts more effectively than in longitudinal valleys running along the strike. Hence the lateral valleys have been less deeply excavated than that of the Reuss itself, and the streams from them enter the main valley by rapids or cascades. Again, rivers running in transverse valleys cross rocks which in many cases differ in hardness, and of course they cut down the softer strata more rapidly than the harder ones; each ridge of harder rock will therefore form a dam and give rise to a rapid, or cataract. We often as we ascend a river, after a comparatively flat plain, find ourselves in a narrow defile, down which the water rushes in an impetuous torrent, but at the summit of which, to our surprise, we find another broad flat valley.

Another lesson which we learn from the study of river valleys, is that, just as geological structure was shown by Sir C. Lyell to be no evidence of cataclysms, but the result of slow action; so also the excavation of valleys is due mainly to the regular flow of rivers; and floods, though their effects are more

sudden and striking, have had, after all, comparatively little part in the result.

The mouths of rivers fall into two principal classes. If we look at any map we cannot but be struck by the fact that some rivers terminate in a delta, some in an estuary. The Thames, for instance, ends in a noble estuary, to which London owes much of its wealth and power. It is obvious that the Thames could not have excavated this estuary while the coast was at its present level. But we know that formerly the land stood higher, that the German Ocean was once dry land, and the Thames, after joining the Rhine, ran northwards, and fell eventually into the Arctic Ocean. The estuary of the Thames, then, dates back to a period when the south-east of England stood at a higher level than the present, and even now the ancient course of the river can be traced by soundings under what is now sea. The sites of present deltas, say of the Nile, were also once under water, and have been gradually reclaimed by the deposits of the river.

It would indeed be a great mistake to

suppose that rivers always tend to deepen their valleys. This is only the case when the slope exceeds a certain angle. When the fall is but slight they tend on the contrary to raise their beds by depositing sand and mud brought down from higher levels. Hence in the lower part of their course many of the most celebrated rivers—the Nile, the Po, the Mississippi, the Thames, etc.—run upon embankments, partly of their own creation.




Fig. 48.—Diagrammatic section of a valley (exaggerated).

*R R*, rocky basis of valley ; *A A*, sedimentary strata ; *B*, ordinary level of river ; *C*, flood level.

The Reno, the most dangerous of all the Apennine rivers, is in some places as much as 30 feet above the adjoining country. Rivers under such conditions, when not interfered with by Man, sooner or later break through their banks, and leaving their former bed, take a new course along the lowest part of

their valley, which again they gradually raise above the rest. Hence, unless they are kept in their own channels by human agency, such rivers are continually changing their course.

If we imagine a river running down a regularly inclined plane in a more or less straight line; any inequality or obstruction would produce an oscillation, which when once started would go on increasing until the force of gravity drawing the water in a straight line downwards equals that of the force tending to divert its course. Hence the radius of the curves will follow a regular law depending on the volume of water and the angle of inclination of the bed. If the fall is 10 feet per mile and the soil homogeneous, the curves would be so much extended that the course would appear almost straight. With a fall of 1 foot per mile the length of the curve is, according to Fergusson, about six times the width of the river, so that a river 1000 feet wide would oscillate once in 6000 feet. This is an important consideration, and much labor has been lost in trying

to prevent rivers from following their natural law of oscillation. But rivers are very true to their own laws, and a change at any part is continued both upwards and downwards, so that a new oscillation in any place cuts its way through the whole plain of the river both above and below.

The curves of the Mississippi are, for instance, for a considerable part of its course so regular that they are said to have been used by the Indians as a measure of distance.

If the country is flat a river gradually raises the level on each side, the water which overflows during floods being retarded by reeds, bushes, trees, and a thousand other obstacles, gradually deposits the solid matter which it contains, and thus raising the surface, becomes at length suspended, as it were, above the general level. When this elevation has reached a certain point, the river during some flood bursts its banks, and deserting its old bed takes a new course along the lowest accessible level. This then it gradually fills up, and so on ; coming back from time to

time if permitted, after a long cycle of years, to its first course.

In evidence of the vast quantity of sediment which rivers deposit, I may mention that the river-deposits at Calcutta are more than 400 feet in thickness.

In addition to temporary "spates," due to heavy rain, most rivers are fuller at one time of year than another, our rivers, for instance, in winter, those of Switzerland, from the melting of the snow, in summer. The Nile commences to rise towards the beginning of July; from August to October it floods all the low lands, and early in November it sinks again. At its greatest height the volume of water sometimes reaches twenty times that when it is lowest, and yet perhaps not a drop of rain may have fallen. Though we now know that this annual variation is due to the melting of the snow and the fall of rain on the high lands of Central Africa, still when we consider that the phenomenon has been repeated annually for thousands of years it is impossible not to regard it with wonder. In fact Egypt itself may

be said to be the bed of the Nile in flood time.

- Some rivers, on the other hand, offer no such periodical differences. The lower Rhone, for instance, below the junction with the Saône, is nearly equal all through the year, and yet we know that the upper portion is greatly derived from the melting of the Swiss snows. In this case, however, while the Rhone itself is on this account highest in summer and lowest in winter, the Saône, on the contrary, is swollen by the winter's rain, and falls during the fine weather of summer. Hence the two tend to counter-balance one another.

Periodical differences are of course comparatively easy to deal with. It is very different with floods due to irregular rainfall. Here also, however, the mere quantity of rain is by no means the only matter to be considered. For instance a heavy rain in the watershed of the Scine, unless very prolonged, causes less difference in the flow of the river, say at Paris, than might at first have been expected, because the height of the



flood in the nearer affluents has passed down the river before that from the more distant streams has arrived. The highest level is reached when the rain in the districts drained by the various affluents happens to be so timed that the different floods coincide in their arrival at Paris.


## CHAPTER IX

### THE SEA

There is a pleasure in the pathless woods,  
There is a rapture on the lonely shore,  
There is society, where none intrudes,  
By the deep Sea, and music in its roar :  
I love not Man the less, but Nature more,  
From these our interviews, in which I steal  
From all I may be, or have been before,  
To mingle with the Universe, and feel  
What I can ne'er express, yet cannot all conceal.

Roll on, thou deep and dark-blue Ocean—roll !

BYRON.



THE LAND'S END.

*To face page 334.*



## CHAPTER IX

### THE SEA

WHEN the glorious summer weather comes, when we feel that by a year's honest work we have fairly won the prize of a good holiday, how we turn instinctively to the Sea. We pine for the delicious smell of the sea air, the murmur of the waves, the rushing sound of the pebbles on the sloping shore, the cries of the sea-birds ; and long to

Linger, where the pebble-paven shore,  
Under the quick, faint kisses of the Sea,  
Trembles and sparkles as with ecstasy.<sup>1</sup>

How beautiful the sea-coast is ! At the foot of a cliff, perhaps of pure white chalk, or rich red sandstone, or stern grey granite, lies the shore of gravel or sand, with a few

<sup>1</sup> Shelley.

scattered plants of blue Sea Holly, or yellow-flowered Horned Poppies, Sea-kale, Sea Convolvulus, Saltwort, Artemisia, and Sea-grasses; the waves roll leisurely in one by one, and as they reach the beach, each in turn rises up in an arch of clear, cool, transparent, green water, tipped with white or faintly pinkish foam, and breaks lovingly on the sands; while beyond lies the open Sea sparkling in the sunshine.

. . . O pleasant Sea  
Earth hath not a plain  
So boundless or so beautiful as thine.<sup>1</sup>

The Sea is indeed at times overpoweringly beautiful. At morning and evening a sheet of living silver or gold, at mid-day deep blue; even

Too deeply blue; too beautiful; too bright;  
Oh, that the shadow of a cloud might rest  
Somewhere upon the splendour of thy breast  
In momentary gloom.<sup>2</sup>

There are few prettier sights than the beach at a seaside town on a fine summer's day; the waves sparkling in the sunshine, the water and

<sup>1</sup> Campbell.

<sup>2</sup> Holmes.

sky each bluer than the other, while the sea seems as if it had nothing to do but to laugh and play with the children on the sands; the children perseveringly making castles with spades and pails, which the waves then run up to and wash away, over and over and over again, until evening comes and the children go home, when the Sea makes everything smooth and ready for the next day's play.

Many are satisfied to admire the Sea from shore, others more ambitious or more free prefer a cruise. They feel with Tennyson's voyager :

We left behind the painted buoy  
That tosses at the harbour-mouth ;  
And madly danced our hearts with joy,  
As fast we fled to the South :  
How fresh was every sight and sound  
On open main or winding shore !  
We knew the merry world was round,  
And we might sail for evermore.

Many appreciate both. The long roll of the Mediterranean on a fine day (and I suppose even more of the Atlantic, which I have never enjoyed), far from land in a good ship,



and with kind friends, is a joy never to be forgotten.

To the Gulf Stream and the Atlantic Ocean Northern Europe owes its mild climate. The same latitudes on the other side of the Atlantic are much colder. To find the same average temperature in the United States we must go far to the south. Immediately opposite us lies Labrador, with an average temperature the same as that of Greenland; a coast almost destitute of vegetation, a country of snow and ice, whose principal wealth consists in its furs, and a scattered population, mainly composed of Indians and Esquimaux. But the Atlantic would not alone produce so great an effect. We owe our mild and genial climate mainly to the Gulf Stream—a river in the ocean, twenty million times as great as the Rhone—the greatest, and for us the most important, river in the world, which brings to our shores the sunshine of the West Indies.

The Sea is outside time. A thousand, ten thousand, or a million years ago it must have looked just as it does now, and as it will ages hence. With the land this is not so. The

mountains and hills, rivers and valleys, animals and plants are continually changing : but the Sea is always the same,

Steadfast, serene, immovable, the same  
Year after year.

Directly we see the coast, or even a ship, the case is altered. Boats may remain the same for centuries, but ships are continually being changed. The wooden walls of old England are things of the past, and the iron-clads of to-day will soon be themselves improved off the face of the ocean.

The great characteristic of Lakes is peace, that of the Sea is energy, somewhat restless, perhaps, but still movement without fatigue.

The Earth lies quiet like a child asleep,  
The deep heart of the Heaven is calm and still,  
Must thou alone a restless vigil keep,  
And with thy sobbing all the silence fill.<sup>1</sup>

A Lake in a storm rather gives us the impression of a beautiful Water Spirit tormented by some Evil Demon ; but a storm at Sea is one of the grandest manifestations of Nature.

<sup>1</sup> Bell.

Yet more ; the billows and the depths have more ;  
High hearts and brave are gathered to thy breast ;  
They hear not now the booming waters roar,  
The battle thunders will not break their rest.  
Keep thy red gold and gems, thou stormy grave ;  
Give back the true and brave.<sup>1</sup>

The most vivid description of a storm at sea is, I think, the following passage from Ruskin's *Modern Painters* :

“ Few people, comparatively, have ever seen the effect on the sea of a powerful gale continued without intermission for three or four days and nights ; and to those who have not, I believe it must be unimaginable, not from the mere force or size of the surge, but from the complete annihilation of the limit between sea and air. The water from its prolonged agitation is beaten, not into mere creaming foam, but into masses of accumulated yeast, which hangs in ropes and wreaths from wave to wave, and, where one curls over to break, form a festoon like a drapery from its edge ; these are taken up by the wind, not in dissipating dust, but bodily, in writhing, hanging, coiling masses, which make the air

<sup>1</sup> Hemans.

white and thick as with snow, only the flakes are a foot or two long each : the surges themselves are full of foam in their very bodies underneath, making them white all through, as the water is under a great cataract ; and their masses, being thus half water and half air, are torn to pieces by the wind whenever they rise, and carried away in roaring smoke, which chokes and strangles like actual water. Add to this, that when the air has been exhausted of its moisture by long rain, the spray of the sea is caught by it as described above, and covers its surface not merely with the smoke of finely divided water, but with boiling mist ; imagine also the low rain-clouds brought down to the very level of the sea, as I have often seen them, whirling and flying in rags and fragments from wave to wave ; and finally, conceive the surges themselves in their utmost pitch of power, velocity, vastness, and madness, lifting themselves in precipices and peaks, furrowed with their whirl of ascent, through all this chaos, and you will understand that there is indeed no distinction left between the sea and air ; that no object, nor

horizon, nor any landmark or natural evidence of position is left ; and the heaven is all spray, and the ocean all cloud, and that you can see no further in any direction than you see through a cataract."

#### SEA LIFE

The Sea teems with life. The Great Sea Serpent is, indeed, as much a myth as the Kraken of Pontoppidan, but other monsters, scarcely less marvellous, are actual realities. The Giant Cuttle Fish of Newfoundland, though the body is comparatively small, may measure 60 feet from the tip of one arm to that of another. The Whalebone Whale reaches a length of over 70 feet, but is timid and inoffensive. The Cachalot or Sperm Whale, which almost alone among animals roams over the whole ocean, is as large, and much more formidable. It is armed with powerful teeth, and is said to feed mainly on Cuttle Fish, but sometimes on true fishes, or even Seals. When wounded it often attacks boats, and its companions do

not hesitate to come to the rescue. In one case, indeed, an American ship was actually attacked, stove in, and sunk by a gigantic male Cachalot.

The Great Rorqual is still more formidable, and has been said to attain a length of 120 feet, but this is probably an exaggeration. So far as we know, the largest species of all is Simmond's Whale, which reaches a maximum of 85 to 90 feet.

In former times Whales were frequent on our coasts, so that, as Bishop Pontoppidan said, the sea sometimes appeared as if covered with smoking chimneys, but they have been gradually driven further and further north, and are still becoming rarer. As they retreated man followed, and to them we owe much of our progress in geography. Is it not, however, worth considering whether they might not also be allowed a "truce of God," whether some part of the ocean might not be allotted to them where they might be allowed to breed in peace? As a mere mercantile arrangement the maritime nations would probably find this very remunerative. The reck-

less slaughter of Whales, Sea Elephants, Seals, and other marine animals is a sad blot, not only on the character, but on the common sense, of man.

The monsters of the ocean require large quantities of food, but they are supplied abundantly. Scoresby mentions cases in which the sea was for miles tinged of an olive green by a species of Medusa. He calculates that in a cubic mile there must have been 23,888,000,000,000,000, and though no doubt the living mass did not reach to any great depth, still, as he sailed through water thus discolored for many miles, the number must have been almost incalculable.

This is, moreover, no rare or exceptional case. Navigators often sail for leagues through shoals of creatures, which alter the whole color of the sea, and actually change it, as Reclus says, into "*une masse animée*."

Still, though the whole ocean teems with life, both animals and plants are most abundant near the coast. Air-breathing animals, whether mammals or insects, are naturally not well adapted to live far from dry land. Even

Seals, though some of them make remarkable migrations, remain habitually near the shore. Whales alone are specially modified so as to make the wide ocean their home. Of birds the greatest wanderer is the Albatross, which has such powers of flight that it is said even to sleep on the wing.

Many Pelagic animals—Jelly-fishes, Molluscs, Cuttle-fishes, Worms, Crustacea, and some true fishes—are remarkable for having become perfectly transparent; their shells, muscles, and even their blood have lost all color, or even undergone the further modification of having become blue, often with beautiful opalescent reflections. This obviously renders them less visible, and less liable to danger.

The sea-shore, wherever a firm hold can be obtained, is covered with Sea-weeds, which fall roughly into two main divisions, olive-green and red, the latter color having a special relation to light. These Sea-weeds afford food and shelter to innumerable animals.

The clear rocky pools left by the retiring tide are richly clothed with green sea-weeds, while against the sides are tufts of beautiful



filmy red algæ, interspersed with sea Anemones, —white, creamy, pink, yellow, purple, with a coronet of blue beads, and of many mixed colors ; Sponges, Corallines, Starfish, Limpets, Barnacles, and other shell-fish ; feathery Zoophytes and Annelides expand their pink or white disks, while here and there a Crab scuttles across ; little Fish or Shrimps timidly come out from crevices in the rocks, or from among the fronds of the sea-weeds, or hastily dart from shelter to shelter ; each little pool is, in fact, a miniature ocean in itself, and the longer one looks the more and more one will see.

The dark green and brown sea-weeds do not live beyond a few—say about 15—fathoms in depth. Below them occur delicate scarlet species, with Corallines and a different set of shells, Sea-urchins, etc. Down to about 100 fathoms the animals and plants are still numerous and varied. But they gradually diminish in numbers, and are replaced by new forms.

To appreciate fully the extreme loveliness of marine animals they must be seen alive.

“A tuft of *Sertularia*, laden with white, or brilliantly tinted *Polypites*,” says Hincks, “like blossoms on some tropical tree, is a perfect marvel of beauty. The unfolding of a mass of *Plumularia*, taken from amongst the miscellaneous contents of the dredge, and thrown into a bottle of clear sea-water, is a sight which, once seen, no dredger will forget. A tree of *Campanularia*, when each one of its thousand transparent calyces—itsself a study of form—is crowned by a circlet of beaded arms, drooping over its margin like the petals of a flower, offers a rare combination of the elements of beauty.

The rocky wall of some deep tidal pool, thickly studded with the long and slender stems of *Tubularia*, surmounted by the bright rose-coloured heads, is like the gay parterre of a garden. Equally beautiful is the dense growth of *Campanularia*, covering (as I have seen it in Plymouth Sound) large tracts of the rock, its delicate shoots swaying to and fro with each movement of the water, like trees in a storm, or the colony of *Obelia* on the waving frond of the tangle looking almost

ethereal in its grace, transparency, and delicacy, as seen against the coarse dark surface that supports it."

Few things are more beautiful than to look down from a boat into transparent water. At the bottom wave graceful seaweeds, brown, green, or rose-colored, and of most varied forms; on them and on the sands or rocks rest starfishes, mollusca, crustaceans, Sea-anemones, and innumerable other animals of strange forms and varied colors; in the clear water float or dart about endless creatures; true fishes, many of them brilliantly colored; Cuttlefishes like bad dreams; Lobsters and Crabs with graceful, transparent, Shrimps; Worms swimming about like living ribbons, some with thousands of colored eyes, and Medusæ like living glass of the richest and softest hues, or glittering in the sunshine with all the colors of the rainbow.

And on calm, cool nights how often have I stood on the deck of a ship watching with wonder and awe the stars overhead, and the sea-fire below, especially in the foaming,

silvery wake of the vessel, where often suddenly appear globes of soft and lambent light, given out perhaps from the surface of some large Medusa.

“A beautiful white cloud of foam,” says Coleridge, “at momentarily intervals coursed by the side of the vessel with a roar, and little stars of flame danced and sparkled and went out in it; and every now and then light detachments of this white cloud-like foam darted off from the vessel’s side, each with its own small constellation, over the sea, and scoured out of sight like a Tartar troop over a wilderness.”

Fish also are sometimes luminous. The Sun-fish has been seen to glow like a white-hot cannon-ball, and in one species of Shark (*Squalus fulgens*) the whole surface sometimes gives out a greenish lurid light which makes it a most ghastly object, like some great ravenous spectre.

## THE OCEAN DEPTHS

The Land bears a rich harvest of life, but only at the surface. The Ocean, on the contrary, though more richly peopled in its upper layers, which swarm with such innumerable multitudes of living creatures that they are, so to say, almost themselves alive — teems throughout with living beings.

The deepest abysses have a fauna of their own, which makes up for the comparative scantiness of its numbers, by the peculiarity and interest, of their forms and organisation. The middle waters are the home of various Fishes, Medusæ, and animalcules, while the upper layers swarm with an inexhaustible variety of living creatures.

It used to be supposed that the depths of the Ocean were destitute of animal life, but recent researches, and especially those made during our great national expedition in the “Challenger,” have shown that this is not the case, but that the Ocean depths have a

wonderful and peculiar life of their own. Fish have been dredged up even from a depth of 2750 fathoms.

The conditions of life in the Ocean depths are very peculiar. The light of the sun cannot penetrate beyond about two hundred fathoms; deeper than this complete darkness prevails. Hence in many species the eyes have more or less completely disappeared.

Sir Wyville Thomson mentions a kind of Crab (*Ethusa granulata*), which when living near the surface has well developed eyes; in deeper water, 100 to 400 fathoms, eyestalks are present, but the animal is apparently blind, the eyes themselves being absent; while in specimens from a depth of 500-700 fathoms the eyestalks themselves have lost their special character, and have become fixed, their terminations being combined into a strong, pointed beak.

In other deep sea creatures, on the contrary, the eyes gradually become more and more developed, so that while in some species the eyes gradually dwindle, in others they become unusually large.

Many of the latter species may be said to be a light to themselves, being provided with a larger or smaller number of curious luminous organs. The deep-sea fish are either silvery, pink, or in many cases black, sometimes relieved with scarlet, and when the luminous organs flash out must present a very remarkable appearance.

We have still much to learn as to the structure and functions of these organs, but there are cases in which their use can be surmised with some probability. The light is evidently under the will of the fish.<sup>1</sup> It is easy to imagine a Photichthys (Light Fish) swimming in the black depths of the Ocean, suddenly flashing out light from its luminous organs, and thus bringing into view any prey which may be near; while, if danger is disclosed, the light is again at once extinguished. It may be observed that the largest of these organs is in this species situated just under the eye, so that the fish is actually provided with a bull's-eye lantern. In other cases the light may rather serve as a defence, some

<sup>1</sup> Gunther, *History of Fishes*.

having, as, for instance, in the genus *Scopelus*, a pair of large ones in the tail, so that "a strong ray of light shot forth from the stern-chaser may dazzle and frighten an enemy."

In other cases they appear to serve as lures. The "Sea-devil" or "Angler" of our coasts has on its head three long, very flexible, reddish filaments, while all round its head are fringed appendages, closely resembling fronds of seaweed. The fish conceals itself at the bottom, in the sand or among seaweed, and dangles the long filaments in front of its mouth. Little fishes, taking these filaments for worms, unsuspectingly approach, and thus fall victims.

Several species of the same family live at great depths, and have very similar habits. A mere red filament would be invisible in the dark and therefore useless. They have, however, developed a luminous organ, a living "glow-lamp," at the end of the filament, which doubtless proves a very effective lure.

In the great depths, however, fish are comparatively rare. Nor are Molluscs much more



abundant. Sea Urchins, Sea Slugs, and Starfish are more numerous; and on one occasion 20,000 specimens of an *Echinus* were brought up at a single haul. True corals are rare, nor are Hydrozoa frequent, though a giant species, allied to the little Hydra of our ponds but upwards of 6 feet in height, has more than once been met with. Sponges are numerous, and often very beautiful. The now well known *Euplectella*, "Venus's Flower-basket," resembles an exquisitely delicate fabric woven in spun silk; it is in the form of a gracefully curved tube, expanding slightly upwards and ending in an elegant frill. The wall is formed of parallel bands of glassy siliceous fibres, crossed by others at right angles, so as to form a square meshed net. These sponges are anchored on the fine ooze by wisps of glassy filaments, which often attain a considerable length. Many of these beautiful organisms, moreover, glow when alive with a soft diffused light, flickering and sparkling at every touch. What would one not give to be able to wander a while in these wonderful regions!

It is curious that no plants, so far as we know, grow in the depths of the Ocean, or, indeed, as far as our present information goes, at a greater depth than about 100 fathoms.

As regards the nature of the bottom itself, it is in the neighbourhood of land mainly composed of materials, brought down by rivers or washed from the shore, coarser near the coast, and tending to become finer and finer as the distance increases and the water deepens. The bed of the Atlantic from 400 to 2000 fathoms is covered with an ooze, or very fine chalky deposit, consisting to a great extent of minute and more or less broken shells, especially those of *Globigerina*. At still greater depths the carbonate of lime gradually disappears, and the bottom consists of fine red clay, with numerous minute particles, some of volcanic, some of meteoric, origin, fragments of shooting stars, over 100,000,000 of which are said to strike the surface of our earth every year. How slow the process of deposition must be, may be inferred from the fact that the trawl sometimes brings up many teeth of Sharks and

ear-bones of Whales (in one case no less than 600 teeth and 100 ear-bones), often semi-fossil, and which from their great density had remained intact for ages, long after all the softer parts had perished and disappeared.

The greatest depth of the Ocean appears to coincide roughly with the greatest height of the mountains. There are indeed cases recorded in which it is said that "no bottom" was found even at 39,000 feet. It is, however, by no means easy to sound at such great depths, and it is now generally considered that these earlier observations are untrustworthy. The greatest depth known in the Atlantic is 3875 fathoms—a little to the north of the Virgin Islands, but the soundings as yet made in the deeper parts of the Ocean are few in number, and it is not to be supposed that the greatest depth has yet been ascertained.

#### CORAL ISLANDS

In many parts of the world the geography itself has been modified by the enormous de-

velopment of animal life. Most islands fall into one of three principal categories :

• Firstly, Those which are in reality a part of the continent near which they lie, being connected by comparatively shallow water, and standing to the continent somewhat in the relation of planets to the sun ; as, for instance, the Cape de Verde Islands to Africa, Ceylon to India, or Tasmania to Australia.

Secondly, Volcanic islands ; and

Thirdly, Those which owe their origin to the growth of Coral reefs.



Fig. 49.—Whitsunday Island.

Coral islands are especially numerous in the Indian and Pacific Oceans, where there are innumerable islets, in the form of rings, or which together form rings, the rings them-

selves being sometimes made up of ringlets. These "atolls" contain a circular basin of yellowish green, clear, shallow water, while outside is the dark blue deep water of the Ocean. The islands themselves are quite low, with a beach of white sand rising but a few feet above the level of the water, and bear generally groups of tufted Cocoa Palms.

It used to be supposed that these were the summits of submarine volcanoes on which the coral had grown. But as the reef-making coral does not live at greater depths than about twenty-five fathoms, the immense number of these reefs formed an almost insuperable objection to this theory. The Laccadives and Maldives for instance—meaning literally the "lac of or 100,000 islands," and the "thousand islands"—are a series of such atolls, and it was impossible to imagine so great a number of craters, all so nearly of the same altitude.

In shallow tracts of sea, coral reefs no doubt tend to assume the well-known circular form, but the difficulty was to account for the numerous atolls which rise to the

surface from the abysses of the ocean, while the coral-forming zoophytes can only live near the surface.

Darwin showed that so far from the ring of corals resting on a corresponding ridge of rocks, the lagoons, on the contrary, now occupy the place which was once the highest land. He pointed out that some lagoons, as for instance that of Vanikoro, contain an island in the middle; while other islands, such as Tahiti, are surrounded by a margin of smooth water separated from the ocean by a coral reef. Now if we suppose that Tahiti were to sink slowly it would gradually approximate to the condition of Vanikoro; and if Vanikoro gradually sank, the central island would disappear, while on the contrary the growth of the coral might neutralise the subsidence of the reef, so that we should have simply an atoll with its lagoon. The same considerations explain the origin of the "barrier reefs," such as that which runs for nearly a thousand miles, along the north-east coast of Australia. Thus Darwin's theory explains the form and the

approximate identity of altitude of these coral islands. But it does more than this, because it shows that there are great areas in process of subsidence, which though slow, is of great importance in physical geography.

The lagoon islands have received much attention ; which “ is not surprising, for every one must be struck with astonishment, when he first beholds one of these vast rings of coral-rock, often many leagues in diameter, here and there surmounted by a low verdant island with dazzling white shores, bathed on the outside by the foaming breakers of the ocean, and on the inside surrounding a calm expanse of water, which, from reflection is generally of a bright but pale green color. The naturalist will feel this astonishment more deeply after having examined the soft and almost gelatinous bodies of these apparently insignificant coral-polypifers, and when he knows that the solid reef increases only on the outer edge, which day and night is lashed by the breakers of an ocean never at rest. Well did François Pyrard de Laval, in the year

1605 exclaim, 'C'est une merveille de voir chacun de ces atollons, environné d'un grand banc de pierre tout autour, n'y ayant point d'artifice humain.' ”<sup>1</sup>

Of the enchanting beauty of the coral beds themselves we are assured that language conveys no adequate idea. “There were corals,” says Prof. Ball, “which, in their living state, are of many shades of fawn, buff, pink, and blue, while some were tipped with a magenta-like bloom. Sponges which looked as hard as stone spread over wide areas, while sprays of coralline added their graceful forms to the picture. Through the vistas so formed, golden-banded and metallic-blue fish meandered, while on the patches of sand here and there *Holothurians* and various mollusca and crustaceans might be seen slowly crawling.”

Abercromby also gives a very graphic description of a Coral reef. “As we approached,” he says, “the roaring surf on the outside, fingery lumps of beautiful live coral began to appear of the palest lavender-blue color; and when at last we were almost

<sup>1</sup> Darwin, *Coral Reefs*.



within the spray, the whole floor was one mass of living branches of coral.

“But it is only when venturing as far as is prudent into the water, over the outward edge of the great sea wall, that the true character of the reef and all the beauties of the ocean can be really seen. After walking over a flat uninteresting tract of nearly bare rock, you look down and see a steep irregular wall, expanding deeper into the ocean than the eye can follow, and broken into lovely grottoes and holes and canals, through which small resplendent fish of the brightest blue or gold flit fitfully between the lumps of coral. The sides of these natural grottoes are entirely covered with endless forms of tender-colored coral, but all beautiful, and all more or less of the fingery or branching species, known as madrepores. It is really impossible to draw or describe the sight, which must be taken with all its surroundings as adjuncts.”<sup>1</sup>

The vegetation of these fairy lands is also very lovely; the Coral tree (*Erythrina*) with light green leaves and bunches of scarlet

<sup>1</sup> Abercromby, *Seas and Skies in many Latitudes*.

blossoms, the Cocoa-nut always beautiful, the breadfruit, the graceful tree ferns, the Barringtonia, with large pink and white flowers, several species of *Convolvulus*, and many others unknown to us even by name.

#### THE SOUTHERN SKIES

In considering these exquisite scenes, the beauty of the Southern skies must not be omitted. "From the time we entered the torrid zone," says Humboldt, "we were never wearied with admiring, every night, the beauty of the southern sky, which, as we advanced towards the south, opened new constellations to our view. We feel an indescribable sensation, when, on approaching the equator, and particularly on passing from one hemisphere to the other, we see those stars which we have contemplated from our infancy, progressively sink, and finally disappear. Nothing awakens in the traveller a livelier remembrance of the immense

distance by which he is separated from his country, than the aspect of an unknown firmament. The grouping of the stars of the first magnitude, some scattered nebulæ rivalling in splendour the milky way, and tracts of space remarkable for their extreme blackness, give a particular physiognomy to the southern sky. This sight fills with admiration even those, who, uninstructed in the branches of accurate science, feel the same emotions of delight in the contemplation of the heavenly vault, as in the view of a beautiful landscape, or a majestic river. A traveller has no need of being a botanist to recognise the torrid zone on the mere aspect of its vegetation ; and, without having acquired any notion of astronomy, he feels he is not in Europe, when he sees the immense constellation of the Ship, or the phosphorescent clouds of Magellan, arise on the horizon. The heaven and the earth, in the equinoctial regions, assume an exotic character.”

“The sunsets in the Eastern Archipelago,” says H. O. Forbes,<sup>1</sup> “were scenes to be

<sup>1</sup> *A Naturalist's Wanderings in the Eastern Archipelago.*

remembered for a life-time. The tall cones of Sibissie and Krakatoa rose dark purple out of an unruffled golden sea, which stretched away to the south-west, where the sun went down; over the horizon gray fleecy clouds lay in banks and streaks, above them pale blue lanes of sky, alternating with orange bands, which higher up gave place to an expanse of red stretching round the whole heavens. Gradually as the sun retreated deeper and deeper, the sky became a marvellous golden curtain, in front of which the gray clouds coiled themselves into weird forms before dissolving into space. . . ."

### THE POLES

The Arctic and Antarctic regions have always exercised a peculiar fascination over the human mind. Until now every attempt to reach the North Pole has failed, and the South has proved even more inaccessible. In the north, Parry all but reached lat. 83; in the south no one has penetrated beyond

lat. 71.11. And yet, while no one can say what there may be round the North Pole, and some still imagine that open water might be found there, we can picture to ourselves the extreme South with somewhat more confidence.

Whenever ships have sailed southwards, except at a few places where land has been met with, they have come at last to a wall of ice, from fifty to four hundred feet high. In those regions it snows, if not incessantly, at least very frequently, and the snow melts but little. As far as the eye can reach nothing is to be seen but snow. Now this snow must gradually accumulate, and solidify into ice, until it attains such a slope that it will move forward as a glacier. The enormous Icebergs of the Southern Ocean, moreover, show that it does so, and that the snow of the extreme south, after condensing into ice, moves slowly outward and at length forms a wall of ice, from which Icebergs, from time to time, break away. We do not exactly know what, under such circumstances, the slope would be; but Mr. Croll points out that if we take

it at only half a degree, and this seems quite a minimum, the Ice cap at the South Pole must be no less than twelve miles in thickness. It is indeed probably even more, for some of the Southern tabular icebergs attain a height of eight hundred, or even a thousand feet above water, indicating a total thickness of the ice sheet even at the edge, of over a mile.

Sir James Ross mentions that—"Whilst measuring some angles for the survey near Mount Lubbock an island suddenly appeared, which he was quite sure was not to be seen two or three hours previously. He was much astonished, but it eventually turned out to be a large iceberg, which had turned over, and so exposed a new surface covered with earth and stones."

The condition of the Arctic regions is quite different. There is much more land, and no such enormous solid cap of ice. Spitzbergen, the land of "pointed mountains," is said to be very beautiful. Lord Dufferin describes his first view of it as "a forest of thin lilac peaks, so faint, so pale, that had it not been for the gem-like distinctness of their outline one

could have deemed them as unsubstantial as the spires of Fairy-land."

It is, however, very desolate ; scarcely any vegetation excepting a dark moss, and even this goes but a little way up the mountain side. Scoresby ascended one of the hills near Horn Sound, and describes the view as "most extensive and grand. A fine sheltered bay was seen to the east of us, an arm of the same on the north-east, and the sea, whose glassy surface was unruffled by a breeze, formed an immense expanse on the west ; the glaciers, rearing their proud crests almost to the tops of mountains between which they were lodged, and defying the power of the solar beams, were scattered in various directions about the sea-coast and in the adjoining bays. Beds of snow and ice filling extensive hollows, and giving an enamelled coat to adjoining valleys, one of which, commencing at the foot of the mountain where we stood, extended in a continual line towards the north, as far as the eye could reach—mountain rising above mountain, until by distance they dwindled into insignificance, the whole contrasted by a cloudless

canopy of deepest azure, and enlightened by the rays of a blazing sun, and the effect, aided by a feeling of danger, seated as we were on the pinnacle of a rock almost surrounded by tremendous precipices—all united to constitute a picture singularly sublime.”

One of the glaciers of Spitzbergen is 11 miles in breadth when it reaches the sea-coast, the highest part of the precipitous front adjoining the sea being over 400 feet, and it extends far upwards towards the summit of the mountain. The surface forms an inclined plane of smooth unsullied snow, the beauty and brightness of which render it a conspicuous landmark on that inhospitable shore. From the perpendicular face great masses of ice from time to time break away,

Whose blocks of sapphire seem to mortal eye  
Hewn from cærulean quarries of the sky.<sup>1</sup>

Field ice, is comparatively flat, though it may be piled up perhaps as much as 50 feet. It is from glaciers that true icebergs, the beauty and brilliance of which Arctic

<sup>1</sup> Montgomery.



travellers are never tired of describing, take their origin.

The attempts to reach the North Pole have cost many valuable lives; Willoughby and Hudson, Behring and Franklin, and many other brave mariners; but yet there are few expeditions more popular than those to "the Arctic," and we cannot but hope that it is still reserved for the British Navy after so many gallant attempts at length to reach the North Pole.





THE MOON.

*To face page 371.*

## CHAPTER X

### THE STARRY HEAVENS

A man can hardly lift up his eyes towards the heavens without wonder and veneration, to see so many millions of radiant lights, and to observe their courses and revolutions, even without any respect to the common good of the Universe.—SENECA.

## CHAPTER X

### THE STARRY HEAVENS

MANY years ago I paid a visit to Naples, and ascended Vesuvius to see the sun rise from the top of the mountain. We went up to the Observatory in the evening and spent the night outside. The sky was clear; at our feet was the sea, and round the bay the lights of Naples formed a lovely semicircle. Far more beautiful, however, were the moon and the stars overhead; the moon throwing a silver path over the water, and the stars shining in that clear atmosphere with a brilliance which I shall never forget.

For ages and ages past men have admired the same glorious spectacle, and yet neither the imagination of Man nor the genius of Poetry had risen to the truer and grander

conceptions of the Heavens for which we are indebted to astronomical Science. The mechanical contrivances by which it was attempted to explain the movements of the heavenly bodies were clumsy and prosaic when compared with the great discovery of Newton. Ruskin is unjust I think when he says "Science teaches us that the clouds are a sleety mist; Art, that they are a golden throne." I should be the last to disparage the debt we owe to Art, but for our knowledge, and even more, for our appreciation, feeble as even yet it is, of the overwhelming grandeur of the Heavens, we are mainly indebted to Science.

There is scarcely a form which the fancy of Man has not sometimes detected in the clouds,—chains of mountains, splendid cities, storms at sea, flights of birds, groups of animals, monsters of all kinds,—and our superstitious ancestors often terrified themselves by fantastic visions of arms and warriors and battles which they regarded as portents of coming calamities. There is hardly a day on which Clouds do not delight and surprise us

by their forms and colors. They belong, however, to our Earth, and I must now pass on to the heavenly bodies.

### THE MOON

The Moon is the nearest, and being the nearest, appears to us, with the single exception of the Sun, the largest, although it is in reality one of the smallest, of the heavenly bodies. Just as the Earth goes round the Sun, and the period of revolution constitutes a year, so the Moon goes round the Earth approximately in a period of one month. But while we turn on our axis every twenty-four hours, thus causing the alternation of light and darkness—day and night—the Moon takes a month to revolve on hers, so that she always presents the same, or very nearly the same, surface to us.

Seeing her as we do, not like the Sun and Stars, by light of her own, but by the reflected light of the Sun, her form appears to change, because the side upon which the Sun shines is



not always that which we see. Hence the "phases" of the Moon, which add so much to her beauty and interest.

Who is there who has not watched them with admiration? "We first see her as an exquisite crescent of pale light in the western sky after sunset. Night after night she moves further and further to the east, until she becomes full, and rises about the same time that the Sun sets. From the time of full moon the disc of light begins to diminish, until the last quarter is reached. Then it is that the Moon is seen high in the heavens in the morning. As the days pass by, the crescent shape is again assumed. The crescent wanes thinner and thinner as the Moon draws closer to the Sun. Finally, she becomes lost in the overpowering light of the Sun, again to emerge as the new moon, and again to go through the same cycle of changes."<sup>1</sup>

But although she is so small the Moon is not only, next to the Sun, by far the most beautiful, but also for us the most important, of the heavenly bodies. Her attraction, aided

<sup>1</sup> Ball, *Story of the Heavens*.

by that of the Sun, causes the tides, which are of such essential service to navigation. They carry our vessels in and out of port, and, indeed, but for them many of our ports would themselves cease to exist, being silted up by the rivers running into them. The Moon is also of invaluable service to sailors by enabling them to determine where they are, and guiding them over the pathless waters.

The geography of the Moon, so far as concerns the side turned towards us, has been carefully mapped and studied, and may almost be said to be as well known as that of our own earth. The scenery is in a high degree weird and rugged; it is a great wilderness of extinct volcanoes, and, seen with even a very moderate telescope, is a most beautiful object. The mountains are of great size. Our loftiest mountain, Mount Everest, is generally stated as about 29,000 feet in height. The mountains of the Moon reach an altitude of over 42,000, but this reckons to the lowest depression, and it must be remembered that we reckon the height of mountains to the sea level only. Several of the craters on the Moon have a

diameter of 40 or 50—one of them even as much as 78—miles. Many also have central cones, closely resembling those in our own volcanic regions. In some cases the craters are filled nearly to the brim with lava. The volcanoes seem, however, to be all extinct;




Fig. 50.—A group of Lunar Volcanoes.

and there is not a single case in which we have conclusive evidence of any change in a lunar mountain.

The Moon, being so much smaller than the earth, cooled, of course, much more rapidly, and it is probable that these mountains are

millions of years old—much older than many • of our mountain chains. Yet no one can look at a map of the Moon without being struck with the very rugged character of its mountain scenery. This is mainly due to the absence of air and water. To these two mighty agencies, not merely “the cloud-capped towers, the gorgeous palaces, the solemn temples,” but the very mountains themselves, are inevitable victims. Not merely storms and hurricanes, but every gentle shower, every fall of snow, tends to soften our scenery and lower the mountain peaks. These agencies are absent from the Moon, and the mountains stand to-day just as they were formed millions of years ago.

But though we find on our own globe (see, for instance, Fig. 21) volcanic regions closely resembling those of the Moon, there are other phenomena on the Moon's surface for which our earth presents as yet no explanation. From Tycho, for instance, a crater 17,000 feet high and 50 miles across, a number of rays or streaks diverge, which for hundreds, or in some cases two or three thousand, miles pass

straight across plains, craters, and mountains. The true nature of these streaks is not yet understood.

### THE SUN

The Sun is more than 400 times as distant as the Moon; a mighty glowing globe, infinitely hotter than any earthly fiery furnace, 300,000 times as heavy, and 1,000,000 times as large as the earth. Its diameter is 865,000 miles, and it revolves on its axis in between 25 and 26 days. Its distance is 92,500,000 miles. And yet it is only a star, and by no means one of the first magnitude.

The surface of the Sun is the seat of violent storms and tempests. From it gigantic flames, consisting mainly of hydrogen, flicker and leap. Professor Young describes one as being, when first observed, 40,000 miles high. Suddenly it became very brilliant, and in half an hour sprang up 40,000 more. For another hour it soared higher and higher, reaching finally an elevation of no less than 350,000 miles, after which it slowly faded away, and in a

couple of hours had entirely disappeared. This was no doubt an exceptional case, but a height of 100,000 miles is not unusual, and the velocity frequently reaches 100 miles in a second.

The proverbial spots on the Sun in many respects resemble the appearances which would be presented if a comparatively dark central mass was here and there exposed by apertures through the more brilliant outer gases, but their true nature is still a matter of discussion.

During total eclipses it is seen that the Sun is surrounded by a "corona," or aureola of light, consisting of radiant filaments, beams, and sheets of light, which radiate in all directions, and the true nature of which is still doubtful.

Another stupendous problem connected with the Sun is the fact that, as geology teaches us, it has given off nearly the same quantity of light and heat for millions of years. How has this come to pass? Certainly not by any process of burning such as we are familiar with. Indeed, if the heat of the Sun were due to combustion it would be burnt up in 6000 years.

It has been suggested that the meteors, which fall in showers on to the Sun, replace the heat which is emitted. To some slight extent perhaps they do so, but the main cause seems to be the slow condensation of the Sun itself. Mathematicians tell us that a contraction of about 220 feet a year would account for the whole heat emitted, and as the present diameter of the Sun is about 860,000 miles, the potential store of heat is still enormous.

To the Sun we owe our light and heat ; it is not only the centre of our planetary system, it is the source and ruler of our lives. It draws up water from the ocean, and pours it down in rain to fill the rivers and refresh the plants ; it raises the winds, which purify the air and waft our ships over the seas ; it draws our carriages and drives our steam-engines, for coal is but the heat of former ages stored up for our use ; animals live and move by the Sun's warmth ; it inspires the song of birds, paints the flowers, and ripens the fruit. Through it the trees grow. For the beauties of nature, for our food and drink, for our clothing, for our light and life, for the very

possibility of our existence, we are indebted to the Sun.

What is the Sun made of? Comte mentioned as a problem, which it was impossible that man could ever solve, any attempt to determine the chemical composition of the heavenly bodies. "Nous concevons," he said, "la possibilité de déterminer leurs formes, leurs distances, leurs grandeurs, et leurs mouvements, tandis que nous ne saurions jamais étudier par aucun moyen leur composition chimique ou leur structure minéralogique." To do so might well have seemed hopeless, and yet the possibility has been proved, and a beginning has been made. In the early part of this century Wollaston observed that the bright band of colors thrown by a prism, and known as the spectrum, was traversed by dark lines, which were also discovered, and described more in detail, by Fraunhofer, after whom they are generally called "Fraunhofer's lines." The next step was made by Wheatstone, who showed that the spectrum formed by incandescent vapours was formed of bright lines, which differed for each substance, and might,



therefore, be used as a convenient mode of analysis. In fact, by this process several new substances have actually been discovered. These bright lines were found on comparison to coincide with the dark lines in the spectrum, and to Kirchhoff and Bunsen is due the credit of applying this method of research to astronomical science. They arranged their apparatus so that one-half was lighted by the Sun, the other by the incandescent gas they were examining. When the vapour of sodium was treated in this way they found that the bright line in the flame of soda exactly coincided with a line in the Sun's spectrum. The conclusion was obvious; there is sodium in the Sun. It must, indeed, have been a glorious moment when the thought flashed upon them; and the discovery, with its results, is one of the greatest triumphs of human genius.

The Sun has thus been proved to contain hydrogen, sodium, barium, magnesium, calcium, aluminium, chromium, iron, nickel, manganese, titanium, cobalt, lead, zinc, copper, cadmium, strontium, cerium, uranium, potas-

sium, etc., in all 36 of our terrestrial elements, while as regards some others the evidence is not conclusive. We cannot as yet say that any of our elements are absent, nor though there are various lines which cannot as yet be certainly referred to any known substance, have we clear proof that the Sun contains any element which does not exist on our earth. On the whole, then, the chemical composition of the Sun appears closely to resemble that of our earth.

### THE PLANETS

The Syrian shepherds watching their flocks by night long ago noticed—and they were probably not the first—that there were five stars which did not follow the regular course of the rest, but, apparently at least, moved about irregularly. These they appropriately named Planets, or wanderers.

Further observations have shown that this irregularity of their path is only apparent, and that, like our own Earth, they really revolve round the Sun. To the five first

observed — Mercury, Venus, Mars, Jupiter, and Saturn — two large ones, Uranus and Neptune, and a group of minor bodies, have since been added.

The following two diagrams give the relative orbits of the Planets.




Fig. 51.—Orbits of the inner Planets.

## MERCURY

It is possible, perhaps probable, that there may be an inner Planet, but, so far as we




Fig. 52.—Relative distances of the Planets from the Sun.

know for certain, Mercury is the one nearest to the Sun, its average distance being 36,000,000 miles. It is much smaller than the Earth, its weight being only about  $\frac{1}{24}$ th

of ours. Mercury is a shy though beautiful object, for being so near the Sun it is not easily visible; it may, however, generally be seen at some time or other during the year as a morning or evening star.

### VENUS

The true morning or evening star, however, is Venus—the peerless and capricious Venus.

Venus, perhaps, “has not been noticed, not been thought of, for many months. It is a beautifully clear evening; the sun has just set. The lover of nature turns to admire the sunset, as every lover of nature will. In the golden glory of the west a beauteous gem is seen to glisten; it is the evening star, the planet Venus. A week or two later another beautiful sunset is seen, and now the planet is no longer a glistening point low down; it has risen high above the horizon, and continues a brilliant object long after the shades of night have descended. Again a little longer and Venus has gained its full brilliancy and splendour. All the heavenly host—even

Sirius and Jupiter — must pale before the splendid lustre of Venus, the unrivalled queen of the firmament.”<sup>1</sup>

Venus is about as large as our Earth, and when at her brightest outshines about fifty times the most brilliant star. Yet, like all the other planets, she glows only with the reflected light of the Sun, and consequently passes through phases like those of the Moon, though we cannot see them with the naked eye. To Venus also owe we mainly the power of determining the distance, and consequently the magnitude, of the Sun.

#### THE EARTH

Our own Earth has formed the subject of previous chapters. I will now, therefore, only call attention to her movements, in which, of course, though unconsciously, we participate. In the first place, the Earth revolves on her axis in 24 hours. Her circumference at the tropics is 24,000 miles. Hence a person at the tropics is moving in this respect at the rate of

<sup>1</sup> Ball, *Story of the Heavens*.

1000 miles an hour, or over 16 miles a minute.

But more than this, astronomers have ascertained that the whole solar system is engaged in a great voyage through space, moving towards a point on the constellation of Hercules at the rate of at least 20,000 miles an hour, or over 300 miles a minute.<sup>1</sup>

But even more again, we revolve annually round the Sun in a mighty orbit 580,000,000 miles in circumference. In this respect we are moving at the rate of no less than 60,000 miles an hour, or 1000 miles a minute—a rate far exceeding of course, in fact by some 100 times, that of a cannon ball.

How few of us know, how little we any of us realise, that we are rushing through space with such enormous velocity.

### MARS

To the naked eye Mars appears like a ruddy star of the first magnitude. It has two satellites, which have been happily named

<sup>1</sup> Some authorities estimate it even higher.

Phobos and Deimos—Fear and Dismay. It is little more than half as large as the Earth, and, though generally far more distant, it sometimes approaches us within 35,000,000 miles. This has enabled us to study its physical structure. It seems very probable that there is water in Mars, and the two poles are tipped with white, as if capped by ice and snow. It presents also a series of remarkable parallel lines, the true nature of which is not yet understood.

#### THE MINOR PLANETS

A glance at Figs. 51 and 52 will show that the distances of the Planets from the Sun follow a certain rule.

If we take the numbers 0, 3, 6, 12, 24, 48, 96, each one (after the second) the double of that preceding, and add four, we have the series.

4          7          10        16        28        52        100

Now the distances of the Planets from the Sun are as follow :—

Mercury.	Venus.	Earth.	Mars.	Jupiter.	Saturn.
3.9	7.2	10	15.2	52.9	95.4



For this sequence, which was first noticed by Bode, and is known as Bode's law, no explanation can yet be given. It was of course at once observed that between Mars and Jupiter one place is vacant, and it has now been ascertained that this is occupied by a zone of Minor Planets, the first of which was discovered by Piazzi on January 1, 1801, a worthy prelude to the succession of scientific discoveries which form the glory of our century. At present over 300 are known, but certainly these are merely the larger among an immense number, some of them doubtless mere dust.

#### JUPITER

Beyond the Minor Planets we come to the stupendous Jupiter, containing 300 times the mass, and being 1200 times the size of our Earth—larger indeed than all the other planets put together. It is probably not solid, and from its great size still retains a large portion of the original heat, if we may use such an expression. Jupiter usually shows a number of belts, supposed to be due to clouds floating

over the surface, which have a tendency to arrange themselves in belts or bands, owing to the rotation of the planet. Jupiter has four moons or satellites.

### SATURN

Next to Jupiter in size, as in position, comes Saturn, which, though far inferior in



Fig. 53.—Saturn.

dimensions, is much superior in beauty. To the naked eye Saturn appears as a brilliant star, but when Galileo first saw it through a telescope it appeared to him to be composed of three bodies in a line, a central globe with a small one on each side. Huyghens in 1655 first showed that in reality Saturn was surrounded by a series of rings (see Fig. 53).

Of these there are three, the inner one very faint, and the outer one divided into two by a dark line. These rings are really enormous shoals of minute bodies revolving round the planet, and rendering it perhaps the most marvellous and beautiful of all the heavenly bodies.

While we have one Moon, Mars two, and Jupiter four, Saturn has no less than eight satellites.

#### URANUS

Saturn was long supposed to be the outermost body belonging to the solar system. In 1781, however, on the 13th March, William Herschel was examining the stars in the constellation of the Twins. One struck him because it presented a distinct disk, while the true fixed stars, however brilliant, are, even with the most powerful telescope, mere points of light. At first he thought it might be a comet, but careful observations showed that it was really a new planet. Though thus discovered by Herschel it had often been seen before, but its true nature was

unsuspected. It has a diameter of about 31,700 miles.

Four satellites of Uranus have been discovered, and they present the remarkable peculiarity that while all the other planets and their satellites revolve nearly in one plane, the satellites of Uranus are nearly at right angles, indicating the presence of some local and exceptional influence.

#### NEPTUNE

The study of Uranus soon showed that it followed a path which could not be accounted for by the influence of the Sun and the other then known planets. It was suspected, therefore, that this was due to some other body not yet discovered. To calculate where such a body must be so as to account for these irregularities was a most complex and difficult, and might have seemed almost a hopeless, task. It was, however, solved almost simultaneously and independently by Adams in this country, and Le Verrier in France.

Neptune, so far as we yet know the out-

most of our companions, is 35,000 miles in diameter, and its mean distance from the Sun is 2,780,000,000 miles.

#### ORIGIN OF THE PLANETARY SYSTEM

The theory of the origin of the Planetary System known as the "Nebular Hypothesis," which was first suggested by Kant, and developed by Herschel and Laplace, may be fairly said to have attained a high degree of probability. The space now occupied by the solar system is supposed to have been filled by a rotating spheroid of extreme tenuity and enormous heat, due perhaps to the collision of two originally separate bodies. The heat, however, having by degrees radiated into space, the gas cooled and contracted towards a centre, destined to become the Sun. Through the action of centrifugal force the gaseous matter also flattened itself at the two poles, taking somewhat the form of a disk. For a certain time the tendency to contract, and the centrifugal force, counter-balanced one another, but at length a time

came when the latter prevailed and the outer zone detached itself from the rest of the sphere. One after another similar rings were thrown off, and then breaking up, formed the planets and their satellites.

That each planet and satellite did form originally a ring we still have evidence in the wonderful and beautiful rings of Saturn, which, however, in all probability will eventually form spherical satellites like the rest. Thus then our Earth was originally a part of the Sun, to which again it is destined one day to return. M. Plateau has shown experimentally that by rotating a globe of oil in a mixture of water and spirit having the same density this process may be actually repeated in miniature.

This brilliant, and yet simple, hypothesis is consistent with, and explains many other circumstances connected with the position, magnitude, and movements of the Planets and their satellites.

The Planets, for instance, lie more or less in the same plane, they revolve round the Sun and rotate on their own axis in the same

direction—a series of coincidences which cannot be accidental, and for which the theory would account. Again the rate of cooling would of course follow the size; a small body cools more rapidly than a large one. The Moon is cold and rigid; the Earth is solid at the surface, but intensely hot within; Jupiter and Saturn, which are immensely larger, still retain much of their original heat, and have a much lower density than the Earth; and astronomers tell us on other grounds that the Sun itself is still contracting, and that to this the maintenance of its temperature is due.

Although, therefore, the Nebular Theory cannot be said to have been absolutely proved, it has certainly been brought to a high state of probability, and is, in its main features, generally accepted by astronomers.

The question has often been asked whether any of the heavenly bodies are inhabited, and as yet it is impossible to give any certain answer. It seems *à priori* probable that the millions of suns which we see as stars must have satellites, and that some at least of them

may be inhabited. So far as our own system is concerned the Sun is of course too hot to serve as a dwelling-place for any beings with bodies such as ours. The same may be said of Mercury, which is at times probably ten times as hot as our tropics. The outer planets appear to be still in a state of vapour. The Moon has no air or water.

Mars is in a condition which most nearly resembles ours. All, however, that can be said is that, so far as we can see, the existence of living beings on Mars is not impossible.

#### COMETS

The Sun, Moon, and Stars, glorious and wonderful as they are, though regarded with great interest, and in some cases worshipped as deities, excited the imagination of our ancestors less than might have been expected, and even now attract comparatively little attention, from the fact that they are always with us. Comets, on the other hand, both as rare and occasional visitors, from their large



size and rapid changes, were regarded in ancient times with dread and with amazement.

Some Comets revolve round the Sun in ellipses, but many, if not the majority, are visitors indeed, for having once passed round the Sun they pass away again into space, never to return.

The appearance which is generally regarded as characteristic of a Comet is that of a head with a central nucleus and a long tail. Many, however, of the smaller ones possess no tail, and in fact Comets present almost innumerable differences. Moreover the same Comet changes rapidly, so that when they return, they are identified not in any way by their appearance, but by the path they pursue.

Comets may almost be regarded as the ghosts of heavenly bodies. The heads, in some cases, may consist of separate solid fragments, though on this astronomers are by no means agreed, but the tails at any rate are in fact of almost inconceivable tenuity. We know that a cloud a few hundred feet thick is sufficient to hide, not only the stars,

but even the Sun himself. A Comet is , thousands of miles in thickness, and yet even extremely minute stars can be seen through it with no appreciable diminution of brightness. This extreme tenuity of comets is moreover shown by their small weight. Enormous as they are I remember Sir G. Airy saying that there was probably more matter in a cricket ball than there is in a comet. No one, however, now doubts that the weight must be measured in tons; but it is so small, in relation to the size, as to be practically inappreciable. If indeed they were comparable in mass even to the planets, we should long ago have perished. The security of our system is due to the fact that the planets revolve round the Sun in one direction, almost in circles, and very nearly in the same plane. Comets, however, enter our system in all directions, and at all angles; they are so numerous that, as Kepler said, there are probably more Comets in the sky than there are fishes in the sea, and but for their extreme tenuity they would long ago have driven us into the Sun.

When they first come in sight Comets have generally no tail; it grows as they approach the Sun, from which it always points away. It is no mere optical illusion; but while the Comet as a whole is attracted by the Sun, the tail, how or why we know not, is repelled. When once driven off, moreover, the attraction of the Comet is not sufficient to recall it, and hence perhaps so many Comets have now no tails.

Donati's Comet, the great Comet of 1858, was first noticed on the 2d June as a faint nebulous spot. For three months it remained quite inconspicuous, and even at the end of August was scarcely visible to the naked eye. In September it grew rapidly, and by the middle of October the tail extended no less than 40 degrees, after which it gradually disappeared.

Faint as is the light emitted by Comets, it is yet their own, and spectrum analysis has detected the presence in them of carbon, hydrogen, nitrogen, sodium, and probably of iron.

Comets then remain as wonderful, and

almost as mysterious, as ever, but we need no longer regard "a comet as a sign of impending calamity; we may rather look upon it as an interesting and a beautiful visitor, which comes to please us and to instruct us, but never to threaten or to destroy."<sup>1</sup> We are free, therefore, to admire them in peace, and beautiful, indeed, they are.

"The most wonderful sight I remember," says Hamerton, "as an effect of calm, was the inversion of Donati's Comet, in the year 1858, during the nights when it was sufficiently near the horizon to approach the rugged outline of Graiganunie, and be reflected beneath it in Loch Awe. In the sky was an enormous aigrette of diamond fire, in the water a second aigrette, scarcely less splendid, with its brilliant point directed upwards, and its broad, shadowy extremity ending indefinitely in the deep. To be out on the lake alone, in a tiny boat, and let it rest motionless on the glassy water, with that incomparable spectacle before one, was an experience to be remembered through a lifetime. I have seen many a

<sup>1</sup> Ball.

glorious sight since that now distant year, but nothing to equal it in the association of solemnity with splendour.”<sup>1</sup>

### SHOOTING STARS

On almost any bright night, if we watch a short time some star will suddenly seem to drop from its place, and, after a short plunge, to disappear. This appearance is, however, partly illusory. While true stars are immense bodies at an enormous distance, Shooting Stars are very small, perhaps not larger than a paving stone, and are not visible until they come within the limits of our atmosphere, by the friction with which they are set on fire and dissipated. They are much more numerous on some nights than others. From the 9th to the 11th August we pass through one cluster which is known as the Perseids; and on the 13th and 14th November a still greater group called by astronomers the Leonids. The Leonids revolve round the Sun in a period of 33 years, and in an elliptic orbit, one

<sup>1</sup> Hamerton, *Landscape*.

focus of which is about at the same distance from the Sun as we are, the other at about that of Uranus. The shoal of stars is enormous; its diameter cannot be less than 100,000 miles, and its length many hundreds of thousands. There are, indeed, stragglers scattered over the whole orbit, with some of which we come in contact every year, but we pass through the main body three times in a century—last in 1866—capturing millions on each occasion. One of these has been graphically described by Humboldt:

“From half after two in the morning the most extraordinary luminary meteors were seen in the direction of the east. M. Bonpland, who had risen to enjoy the freshness of the air, perceived them first. Thousands of bodies and falling stars succeeded each other during the space of four hours. Their direction was very regular from north to south. They filled a space in the sky extending from due east  $30^{\circ}$  to north and south. In an amplitude of  $60^{\circ}$  the meteors were seen to rise above the horizon at east-north-east, and at east, to describe arcs more or less ex-

tended, and to fall towards the south, after having followed the direction of the meridian. Some of them attained a height of  $40^{\circ}$ , and all exceeded  $25^{\circ}$  or  $30^{\circ}$ . No trace of clouds was to be seen. M. Bonpland states that, from the first appearance of the phenomenon, there was not in the firmament a space equal in extent to three diameters of the moon which was not filled every instant with bolides and falling stars. The first were fewer in number, but as they were of different sizes it was impossible to fix the limit between these two classes of phenomena. All these meteors left luminous traces from five to ten degrees in length, as often happens in the equinoctial regions. The phosphorescence of these traces, or luminous bands, lasted seven or eight seconds. Many of the falling stars had a very distinct nucleus, as large as the disc of Jupiter, from which darted sparks of vivid light. The bodies seemed to burst as by explosion; but the largest, those from  $1^{\circ}$  to  $1^{\circ} 15'$  in diameter, disappeared without scintillation, leaving behind them phosphorescent bands (trabes), exceeding in breadth fifteen or twenty minutes.

The light of these meteors was white, and not reddish, which must doubtless be attributed to the absence of vapour and the extreme transparency of the air.”<sup>1</sup>

The past history of the Leonids, which Le Verrier has traced out with great probability, if not proved, is very interesting. They did not, he considers, approach the Sun until 126 A.D., when, in their career through the heavens, they chanced to come near to Uranus. But for the influence of that planet they would have passed round the Sun, and then departed again for ever. By his attraction, however, their course was altered, and they will now continue to revolve round the Sun.

There is a remarkable connection between star showers and comets, which, however, is not yet thoroughly understood. Several star showers follow paths which are also those of comets, and the conclusion appears almost irresistible that these comets are made up of Shooting Stars.

We are told, indeed, that 150,000,000 of meteors, including only those visible with a

<sup>1</sup> Humboldt, *Travels*.



moderate telescope, fall on the earth annually. At any rate, there can be no doubt that every year millions of them are captured by the earth, thus constituting an appreciable, and in the course of ages a constantly increasing, part of the solid substance of the globe.

### THE STARS

We have been dealing in the earlier part of this chapter with figures and distances so enormous that it is quite impossible for us to realise them; and yet we have still others to consider compared with which even the solar system is insignificant.

In the first place, the number of the Stars is enormous. When we look at the sky at night they seem, indeed, almost innumerable; so that, like the sands of the sea, the Stars of heaven have ever been used as effective symbols of number. The total number visible to the naked eye is, however, in reality only about 3000, while that shown by the telescope is about 100,000,000. Photography, however, has revealed to us the existence

of others which no telescope can show. We cannot by looking long at the heavens see more than at first; in fact, the first glance is the keenest. In photography, on the contrary, no light which falls on the plate, however faint, is lost; it is taken in and stored up. In an hour the effect is 3600 times as great as in a second. By exposing the photographic plate, therefore, for some hours, and even on successive nights, the effect of the light is as it were accumulated, and stars are rendered visible, the light of which is too feeble to be shown by any telescope.

The distances and magnitudes of the Stars are as astonishing as their numbers, Sirius, for instance, being about 20 times as heavy as the Sun itself, 50 times as bright, and no less than 1,000,000 times as far away; while, though like other stars it seems to us stationary, it is in reality sweeping through the heavens at the rate of 1000 miles a minute; Maia, Electra, and Alcyone, three of the Pleiades, are considered to be respectively 400, 480, and 1000 times as brilliant as the Sun, Canopus 2500 times, and

Arcturus, incredible as it may seem, even 8000 times, so that, in fact, the Sun is by no means one of the largest Stars. Even the minute Stars not separately visible to the naked eye, and the millions which make up the Milky Way, are considered to be on an average fully equal to the Sun in lustre.

Arcturus is, so far as we know at present, the swiftest, brightest, and largest of all. Its speed is over 300 miles a second, it is said to be 8000 times as bright as the Sun, and 80 times as large, while its distance is so great that its light takes 200 years in reaching us.

The distances of the heavenly bodies are ascertained by what is known as "parallax." Suppose the ellipse (Fig. 54), marked Jan., Apr., July, Oct., represents the course of the Earth round the Sun, and that A B are two stars. If in January we look at the star A, we see it projected against the front of the sky marked 1. Three months later it would appear to be at 2, and thus as we move round our orbit the star itself appears to move in the ellipse 1, 2, 3, 4. The more distant star B also appears to move in a similar, but

smaller, ellipse; the difference arising from the greater distance. The size of the ellipse is inversely proportional to the distance, and hence as we know the magnitude of the earth's orbit we can calculate the distance of the star. The difficulty is that the apparent ellipses are so minute that it is in very few cases possible to measure them.




Fig. 54.—The Parallax Ellipse.

The distances of the Fixed Stars thus tested are found to be enormous, and indeed generally incalculable; so great that in most cases, whether we look at them from one end of our orbit or the other—though the difference of our position, corresponding to the

points marked January and July in Fig. 54, is 185,000,000 miles—no apparent change of position can be observed. In some, however, the parallax, though very minute, is yet approximately measurable. The first star to which this test was applied with success was that known as 61 Cygni, which is thus shown to be no less than 40 billions of miles away from us—many thousand times as far as we are from the Sun. The nearest of the Stars, so far as we yet know, is a Centauri, the distance of which is about 25 billions of miles.

The Pleiades are considered to be at a distance of nearly 1500 billions of miles.

As regards the chemical composition of the Stars, it is, moreover, obvious that the powerful engine of investigation afforded us by the spectroscope is by no means confined to the substances which form part of our system. The incandescent body can thus be examined, no matter how great its distance, so long only as the light is strong enough. That this method was theoretically applicable to the light of the Stars is indeed obvious, but the practical difficulties are very great. Sirius,

the brightest of all, is, in round numbers, a hundred millions of millions of miles from us ; and, though as bright as fifty of our suns, his light when it reaches us, after a journey of sixteen years, is at most one two-thousand-millionth part as bright. Nevertheless, as long ago as 1815 Fraunhofer recognised the fixed lines in the light of four of the Stars ; in 1863 Miller and Huggins in our own country, and Rutherford in America, succeeded in determining the dark lines in the spectrum of some of the brighter Stars, thus showing that these beautiful and mysterious lights contain many of the material substances with which we are familiar. In Aldebaran, for instance, we may infer the presence of hydrogen, sodium, magnesium, iron, calcium, tellurium, antimony, bismuth, and mercury. As might have been expected, the composition of the Stars is not uniform, and it would appear that they may be arranged in a few well-marked classes, indicating differences of temperature, or perhaps of age.

Thus we can make the Stars teach us their own composition with light, which started

from its source years ago, in many cases long before we were born.

Spectrum analysis has also thrown an unexpected light on the movements of the Stars. Ordinary observation, of course, is powerless to inform us whether they are moving towards or away from us. Spectrum analysis, however, enables us to solve the problem, and we know that some are approaching, some receding.



Fig. 55.—Displacement of the hydrogen line in the spectrum of Rigel.

If a star, say for instance Sirius, were motionless, or rather if it retained a constant distance from the earth, Fraunhofer's lines would occupy exactly the same position in the spectrum as they do in that of the Sun. On the contrary, if Sirius were approaching, the lines would be slightly shifted towards the blue, or if it were receding towards the red. Fig. 55 shows the displacement of the hydrogen line in the spectrum of Rigel, due to the fact that it is receding from us at the rate of

39 miles a second. The Sun affords us an excellent test of this theory. As it revolves on its axis one edge is always approaching and the other receding from us at a known rate, and observation shows that the lines given by the light of the two edges differ accordingly. So again as regards the Stars, we obtain a similar test derived from the Earth's movement. As we revolve in our orbit we approach or recede any given star, and our rate of motion being known we thus obtain a second test. The results thus examined have stood their ground satisfactorily, and in Huggins' opinion may be relied on within about an English mile a second. The effect of this movement is, moreover, independent of the distance. A lateral motion, say of 20 miles a second, which in a nearer object would appear to be a stupendous velocity, becomes in the Stars quite imperceptible. A motion of the same rapidity, on the other hand, towards or away from us, displaces the dark lines equally, whatever the distance of the object may be. We may then affirm that Sirius, for instance, is receding from



us at the rate of about 20 miles a second. Betelgeux, Rigel, Castor, Regulus, and others are also moving away; while some—Vega, Arcturus, and Pollux, for example—are approaching us. By the same process it is shown that some groups of stars are only apparently in relation to one another. Thus in Charles' Wain some of the stars are approaching, others receding.

I have already mentioned that Sirius, though it seems, like other stars, so stationary that we speak of them as "fixed," is really sweeping along at the rate of 1000 miles a minute. Even this enormous velocity is exceeded in other cases. One, which is numbered as 1830 in Groombridge's *Catalogue of the Stars*, and is therefore known as "Groombridge's 1830," moves no less than 12,000 miles a minute, and Arcturus 22,000 miles a minute, or 32,000,000 of miles a day; and yet the distances of the Stars are so great that 1000 years would make hardly any difference in the appearance of the heavens.

Changes, however, there certainly would be. Even in the short time during which

we have any observations, some are already on record. One of the most interesting is the fading of the 7th Pleiad, due, according to Ovid, to grief at the taking of Troy. Again, the “fiery Dogstar,” as it used to be, is now, and has been for centuries, a clear white.

The star known as Nova Cygni—the “new star in the Constellation of the Swan”—was first observed on the 24th November 1876 by Dr. Schmidt of Athens, who had examined that part of the heavens only four days before, and is sure that no such star was visible then. At its brightest it was a brilliant star of the third magnitude, but this only lasted for a few days; in a week it had ceased to be a conspicuous object, and in a fortnight became invisible without a telescope. Its sudden splendour was probably due to a collision between two bodies, and was probably little, if at all, less than that of the Sun itself. It is still a mystery how so great a conflagration can have diminished so rapidly.

But though we speak of some stars as specially variable, they are no doubt all undergoing slow change. There was a time

when they were not, and one will come when they will cease to shine. Each, indeed, has a life-history of its own. Some, doubtless, represent now what others once were, and what many will some day become.

For, in addition to the luminous heavenly bodies, we cannot doubt that there are countless others invisible to us, some from their greater distance or smaller size, but others, doubtless, from their feebler light; indeed, we know that there are many dark bodies which now emit no light, or comparatively little. Thus in the case of Procyon the existence of an invisible body is proved by the movement of the visible star. Again, I may refer to the curious phenomena presented by Algol, a bright star in the head of Medusa. The star shines without change for two days and thirteen hours; then in three hours and a half dwindles from a star of the second to one of the fourth magnitude; and then, in another three and a half hours, reassumes its original brilliancy. These changes led astronomers to infer the presence of an opaque body, which intercepts at regular intervals a part of the

light emitted by Algol; and Vogel has now shown by the aid of the spectroscope that Algol does in fact revolve round a dark, and therefore invisible, companion. The spectroscope, in fact, makes known to us the presence of many stars which no telescope could reveal.

Thus the floor of heaven is not only "thick inlaid with patines of bright gold," but studded also with extinct stars, once probably as brilliant as our own Sun, but now dead and cold, as Helmholtz tells us that our Sun itself will be some seventeen millions of years hence.

Such dark bodies cannot of course be seen, and their existence, though we cannot doubt it, is a matter of calculation. In one case, however, the conclusion has received a most interesting confirmation. The movements of Sirius led mathematicians to conclude that it had also a mighty and massive neighbour, the relative position of which they calculated, though no such body had ever been seen. In February 1862, however, the Messrs. Alvan Clark of Cambridgeport were completing their 18-inch glass for the Chicago Observatory. "'Why, father,'" exclaimed the younger

Clark, “‘the star has a companion.’ The father looked, and there was a faint star due east from the bright one, and distant about ten seconds. This was exactly the predicted direction for that time, though the discoverers knew nothing of it. As the news went round the world many observers turned their attention to Sirius; and it was then found that, though it had never before been noticed, the companion was really shown under favourable circumstances by any powerful telescope. It is, in fact, one-half of the size of Sirius, though only  $\frac{1}{10,000}$ th of the brightness.”<sup>1</sup>

Stars are, we know, of different magnitudes and different degrees of glory. They are also of different colors. Most, indeed, are white, but some reddish, some ruddy, some intensely red; others, but fewer, green, blue, or violet. It is possible that the comparative rarity of these colors is due to the fact that our atmosphere especially absorbs green and blue, and it is remarkable that almost all of the green, blue, or violet stars are one of the

<sup>1</sup> Clarke, *System of the Stars*.

pairs of a Double Star, and in every case the smaller one of the two, the larger being red, orange, or yellow. One of the most exquisite of these is  $\beta$  Cygni, a Double Star, the larger one being golden yellow, the smaller light blue. With a telescope the effect is very beautiful, but it must be magnificent if one could only see it from a lesser distance.

Double Stars occur in considerable numbers. In some cases indeed the relation may only be apparent, one being really far in front of the other. In very many cases, however, the association is real, and they revolve round one another. In some cases the period may extend to thousands of years; for the distance which separates them is enormous, and, even when with a powerful telescope it is indicated only by a narrow dark line, amounts to hundreds of millions of miles. The Pole Star itself is double. Andromeda is triple, with perhaps a fourth dark and therefore invisible companion. These dark bodies have a special interest, since it is impossible not to ask ourselves whether some at any rate of them may not be inhabited. In  $\epsilon$  Lyrae

there are two, each again being itself double.  $\xi$  Cancri, and probably also  $\theta$  Orionis, consist of six stars, and from such a group we pass on to Star Clusters in which the number is very considerable. The cluster in Hercules consists of from 1000 to 4000. A stellar swarm in the Southern Cross contains several hundred stars of various colors, red, green, greenish blue, and blue closely thronged together, so that they have been compared to a "superb piece of fancy jewellery."<sup>1</sup>

The cluster in the Sword Handle of Perseus contains innumerable stars, many doubtless as brilliant as our Sun. We ourselves probably form a part of such a cluster. The Milky Way itself, as we know, entirely surrounds us; it is evident, therefore, that the Sun, and of course we ourselves, actually lie in it. It is, therefore, a Star Cluster, one of countless numbers, and containing our Sun as a single unit.

It has as yet been found impossible to determine even approximately the distance of these Star Clusters.

<sup>1</sup> Kosmos.

## NEBULÆ

From Stars we pass insensibly to Nebulæ, which are so far away that their distance is at present quite immeasurable. All that we can do is to fix a minimum, and this is so great that it is useless to express it in miles. Astronomers, therefore, take the velocity of light as a unit. It travels at the rate of 180,000 miles a second, and even at this enormous velocity it must have taken hundreds of years to reach us, so that we see them not as they now are but as they were hundreds of years ago.

It is no wonder, therefore, that in many of these clusters it is impossible to distinguish the separate stars of which they are composed. As, however, our telescopes are improved, more and more clusters are being resolved. Photography also comes to our aid, and, as already mentioned, by long exposure stars can be made visible which are quite imperceptible to the eye, even with aid of the most powerful telescope.



Spectrum analysis also seems to show that such a nebula as that in Andromeda, which with our most powerful instruments appears only as a mere cloud, is really a vast cluster of stellar points.

This, however, by no means applies to all the nebulæ. The spectrum of a star is a bright band of color crossed by dark lines; that of a gaseous nebula consists of bright lines. This test has been made use of, and indicates that some of the nebulæ are really immense masses of incandescent and very attenuated gas; very possibly, however, in a condition of which we have no experience, and arranged in disks, bands, rings, chains, wisps, knots, rays, curves, ovals, spirals, loops, wreaths, fans, brushes, sprays, lace, waves, and clouds. Huggins has shown that many of them are really stupendous masses of glowing gas, especially of hydrogen, and perhaps of nitrogen, while the spectrum also shows other lines which perhaps may indicate some of the elements which, so far as our Earth is concerned, appear to be missing between hydrogen and lithium. Many of

the nebulae are exquisitely beautiful, and their color very varied.

In some cases, moreover, nebulae seem to be gradually condensing into groups of stars, and in many cases it is difficult to say whether we should consider a given group as a cluster of stars surrounded by nebulous matter or a gaseous nebula condensed here and there into stars.

“Besides the single Sun,” says Proctor, “the universe contains groups and systems and streams of primary suns; there are galaxies of minor orbs; there are clustering stellar aggregations showing every variety of richness, of figure, and of distribution; there are all the various forms of star cloudlets, resolvable and irresolvable, circular, elliptical, and spiral; and lastly, there are irregular masses of luminous gas clinging in fantastic convolutions around stars and star systems. Nor is it unsafe to assert that other forms and varieties of structure will yet be discovered, or that hundreds more exist which we may never hope to recognise.”

Nor is it only as regards the magnitude

and distances of the heavenly bodies that we are lost in amazement and admiration. The lapse of time is a grander element in Astronomy even than in Geology, and dates back long before Geology begins. We must figure to ourselves a time when the solid matter which now composes our Earth was part of a continuous and intensely heated gaseous body, which extended from the centre of the Sun to beyond the orbit of Neptune, and had, therefore, a diameter of more than 6,000,000,000 miles.

As this slowly contracted, Neptune was detached, first perhaps as a ring, and then as a spherical body. Ages after this Uranus broke away.

Then after another incalculable period **Saturn** followed suit, and here the tendencies to coherence and disruption were so evenly balanced that to this day a portion circulates as rings round the main body instead of being broken up into satellites. Again after successive intervals Jupiter, Mars, the Asteroids, the Earth, Venus, and Mercury all passed through the same marvellous phases. The

time which these changes would have required must have been incalculable, and they all of course preceded, and preceded again by another incalculable period the very commencement of that geological history which itself indicates a lapse of time greater than human imagination can realise.

Thus, then, however far we penetrate in time or in space, we find ourselves surrounded by mystery. Just as in time we can form no idea of a commencement, no anticipation of an end, so space also extends around us, boundless in all directions. Our little Earth revolves round the mighty Sun; the Sun itself and the whole solar system are moving with inconceivable velocity towards a point in the constellation of Hercules; together with all the nearer stars it forms a cluster in the heavens, which appears to our eyes as the Milky Way; while outside our star cluster again are innumerable others, which far transcend, alike in magnitude, in grandeur, and in distance, the feeble powers of our finite imagination.

*Printed by R. & R. CLARK, Edinburgh.*

# MESSRS. MACMILLAN & CO.'S PUBLICATIONS.

BY THE SAME AUTHOR.

Crown 8vo. 3s. 6d.

THE ORIGIN AND METAMORPHOSES OF INSECTS.  
With Illustrations.

Crown 8vo. 4s. 6d.

ON BRITISH WILD FLOWERS CONSIDERED IN  
THEIR RELATION TO INSECTS. With Illustrations.

Crown 8vo. 4s. 6d.

FLOWERS, FRUITS, AND LEAVES. With Illustrations.

Second Edition, revised. 8vo. 8s. 6d.

SCIENTIFIC LECTURES. With Illustrations.

8vo. 8s. 6d.

POLITICAL AND EDUCATIONAL ADDRESSES.

Globe 8vo.

THE PLEASURES OF LIFE. New Edition. 1s. 6d. ;  
sewed, 1s. 60th Thousand. *Library Edition*. Globe 8vo. 3s. 6d.  
Part II. Globe 8vo. 1s. 6d. ; sewed, 1s. *Library Edition*.  
Globe 8vo. 3s. 6d. Two Parts in one vol. Globe 8vo. 2s. 6d.

Crown 8vo. 2s. 6d.

FIFTY YEARS OF SCIENCE: Address to the British  
Association, 1881. 5th Edition.

BY PROFESSOR HUXLEY, F.R.S.

Crown 8vo. 6s.

PHYSIOGRAPHY. An Introduction to the Study of Nature.  
13th Edition.

*SATURDAY REVIEW*—"Written in that attractive style which is characteristic of a great natural history demonstrator, a style in which clearness and precision of language are combined with a vivid survey of the various objects touched upon."

*ACADEMY*—"It would hardly be possible to place a more useful or suggestive book in the hands of learners and teachers, or one that is better calculated to make physiography a favourite subject in the science schools."

MACMILLAN AND CO., LONDON.

# MESSRS. MACMILLAN & CO.'S PUBLICATIONS.

## WORKS BY DR. A. R. WALLACE.

New and Cheaper Edition. Extra Crown 8vo. 6s.

**THE MALAY ARCHIPELAGO: THE LAND OF THE ORANG-UTAN AND THE BIRD OF PARADISE.** A Narrative of Travel. With Studies of Man and Nature. By ALFRED RUSSEL WALLACE, LL.D., F.L.S., Author of "Darwinism," etc. With Maps and Illustrations.

*GLASGOW HERALD*—"There is probably no more interesting book of travel in the language . . . For one-and-twenty years it has held its place as a monograph in a region of the East which is full of fascination, not only for the naturalist and ethnographer, but for the ordinary reader of travels."

New Edition. In one vol. Extra Crown 8vo. 6s.

**CONTRIBUTIONS TO THE THEORY OF NATURAL SELECTION: AND TROPICAL NATURE AND OTHER ESSAYS.** By the same Author.

New and Cheaper Edition. Crown 8vo. 6s.

**ISLAND LIFE: OR, THE PHENOMENA AND CAUSES OF INSULAR FAUNAS AND FLORAS.** Including a Revision and attempted solution of the problem of Geological Climates. By the same Author. With Illustrations and Maps.

Third Edition. Crown 8vo. 9s.

**DARWINISM.** An Exposition of the Theory of Natural Selection, with some of its Applications. By the same Author. Illustrated.

*SATURDAY REVIEW*—" . . . Mr. Wallace's volume may be taken as a faithful exposition of what Darwin meant. It is written with perfect clearness, with a simple beauty and attractiveness of style not common to scientific works, with a dignity and freedom from anything like personal bitterness worthy of Darwin himself, and with an orderliness and completeness that must render misconception impossible."

*ATHENÆUM*—"Mr. Wallace adds so much that is new, and he writes in so charming and simple a style, that his readers more than he are to be congratulated on the latest service he has rendered to the science he has served so well. . . ."

*SCOTSMAN*—" . . . There can be only one opinion of the great mental grasp and ingenuity, the lucidity of view, and the brilliancy of exposition displayed by him in going over this immense and profound field of inquiry."

*MANCHESTER EXAMINER*—"A singularly useful and timely contribution to the higher literature of popular science. . . . It has the weight and interest which are given by unwearying research, patient investigation, and shrewd vigorous thought."

*CAMBRIDGE REVIEW*—"It is a work of the most admirable lucidity, and it may be recommended as a charming one to the general reader. So many new facts and arguments have been discovered since the publication of the *Origin of Species*, that the work should also be studied by the scientific specialist. . . . The final chapters on man are deeply interesting."

MACMILLAN AND CO., LONDON.

## MESSRS. MACMILLAN AND CO.'S SCIENTIFIC BOOKS.

### *SOME VOLUMES OF "NATURE" SERIES.*

Crown 8vo. Cloth.

#### SEEING AND THINKING.

By Prof. W. K. CLIFFORD, F.R.S. Diagrams. 3s. 6d.

#### CHARLES DARWIN.

Memorial Notices reprinted from "Nature." By THOMAS H. HUXLEY, F.R.S., G. J. ROMANES, F.R.S., Sir ARCHIBALD GEIKIE, F.R.S., and W. T. DYER, F.R.S. 2s. 6d.

#### ON THE COLOURS OF FLOWERS.

By GRANT ALLEN. Illustrated. 3s. 6d.

#### THE SCIENTIFIC EVIDENCES OF ORGANIC EVOLUTION.

By GEORGE J. ROMANES, M.A., LL.D. 2s. 6d.

#### POPULAR LECTURES AND ADDRESSES.

By Lord KELVIN, P.R.S. In 3 vols. Vol. I. Constitution of Matter. Illustrated. 7s. 6d. Vol. III. Navigation. 7s. 6d.

#### ARE THE EFFECTS OF USE AND DISUSE INHERITED? An Examination of the View held by Spencer and Darwin.

By W. PLATT BALL. 3s. 6d.

#### THE RIGHT HAND: LEFT-HANDEDNESS.

By Sir D. WILSON. Illustrated. 4s. 6d.

#### THE APODIDÆ: A MORPHOLOGICAL STUDY.

By HENRY MEYNERS BERNARD, M.A., Cantab. With 71 Illustrations. 7s. 6d.

*SCOTSMAN*—"A book which zoologists will very greatly prize. The writer has worked out the task he set before him with the greatest care and in the most elaborate manner, and has presented the fruits of his labour in a volume which every lover of scientific investigation will thoroughly appreciate. . . . A valuable contribution to zoological investigation."

MACMILLAN AND CO., LONDON.



# MESSRS. MACMILLAN & CO.'S PUBLICATIONS.

EDITED BY FRANK BUCKLAND.

Crown 8vo. 6s.

WHITE'S NATURAL HISTORY AND ANTIQUITIES OF  
SELBORNE. Edited by FRANK BUCKLAND. With a Chapter on Antiquities  
by Lord SELBORNE.

By LEADER SCOTT.

Crown 8vo. 7s. 6d.

LIFE OF WILLIAM BARNES, POET AND PHILOLOGIST.  
By his Daughter, LUCY BAXTER ("Leader Scott").

By J. A. BRIDGES.

Crown 8vo. 7s. 6d.

IDYLLS OF A LOST VILLAGE. By J. A. BRIDGES.

By W. WARDE FOWLER.

Crown 8vo. 3s. 6d.

TALES OF THE BIRDS. Illustrated by W. W. FOWLER.

Crown 8vo. 3s. 6d.

A YEAR WITH THE BIRDS. Illustrated. By the Same.

By SIR ARCHIBALD GEIKIE, F.R.S.

Crown 8vo. 3s. 6d.

OUTLINES OF FIELD GEOLOGY. With numerous Illustrations.  
By Sir ARCHIBALD GEIKIE, F.R.S.

By CHARLES KINGSLEY.

Crown 8vo. Cloth. 3s. 6d.

MADAM HOW AND LADY WHY; OR, FIRST LESSONS IN  
EARTH-LORE FOR CHILDREN. By CHARLES KINGSLEY.

Crown 8vo. 7s. 6d. Extra cloth, gilt edges.

GLAUCUS; OR, THE WONDERS OF THE SEA SHORE.  
By the Same. With Coloured Illustrations. *Presentation Edition.*

By M. E. POOLE.

Second Edition. Crown 8vo. 3s. 6d.

PICTURES OF COTTAGE LIFE IN THE WEST OF  
ENGLAND. By M. E. POOLE.

By HUGH MACMILLAN.

Fifteenth Edition. Globe 8vo. 6s.

BIBLE TEACHINGS IN NATURE. By the Rev. HUGH  
MACMILLAN.

Second Edition. Globe 8vo. 6s.

HOLIDAYS ON HIGH LANDS; OR, RAMBLES AND  
INCIDENTS IN SEARCH OF ALPINE PLANTS. By the Same.

MACMILLAN AND CO., LONDON.





